

California Indoor Radon Program Report

Radon Measurements Grouped by California City and Zip Code Summary: This report shows the number and percentage of tests in each Zip Code and City within the specified measurement ranges. In cases where there are less than twenty measurements in a city or Zip Code, the percentages in each measurement range should be viewed as meaningless or provisional due to the small number of measurements. This report includes only the Cities and Zip Codes where have measurement data. The order is by the City and Zip Code values ascending.

ACTON

93510

Summary for 'Summary Report Query AddressPostalCode' = 93510 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = ACTON (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Adelanto

92301

Summary for 'Summary Report Query AddressPostalCode' = 92301 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Adelanto (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Agoura Hills

91301

Summary for 'Summary Report Query AddressPostalCode' = 91301 (52 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	52	39	7	6
Percentage of Tests:	100.0 %	75.0 %	13.5 %	11.5 %

Summary for 'Summary Report Query City' = Agoura Hills (52 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	52	39	7	6
Percentage of Tests:	100.0 %	75.0 %	13.5 %	11.5 %

Agua Dulce

91390

Summary for 'Summary Report Query AddressPostalCode' = 91390 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Agua Dulce (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Aguanga

92536

Summary for 'Summary Report Query AddressPostalCode' = 92536 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Aguanga (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Ahwahnee

93601

Summary for 'Summary Report Query AddressPostalCode' = 93601 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	9	8	1
Percentage of Tests:	100.0 %	50.0 %	44.4 %	5.6 %

Summary for 'Summary Report Query City' = Ahwahnee (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	9	8	1
Percentage of Tests:	100.0 %	50.0 %	44.4 %	5.6 %

Alameda

94501

Summary for 'Summary Report Query AddressPostalCode' = 94501 (129 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	129	100	18	11
Percentage of Tests:	100.0 %	77.5 %	14.0 %	8.5 %

94502

Summary for 'Summary Report Query AddressPostalCode' = 94502 (28 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	28	22	4	2
Percentage of Tests:	100.0 %	78.6 %	14.3 %	7.1 %

Summary for 'Summary Report Query City' = Alameda (157 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	157	122	22	13
Percentage of Tests:	100.0 %	77.7 %	14.0 %	8.3 %

Alamo

94507

Summary for 'Summary Report Query AddressPostalCode' = 94507 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	9	4	1
Percentage of Tests:	100.0 %	64.3 %	28.6 %	7.1 %

Summary for 'Summary Report Query City' = Alamo (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	9	4	1
Percentage of Tests:	100.0 %	64.3 %	28.6 %	7.1 %

Albany

94706

Summary for 'Summary Report Query AddressPostalCode' = 94706 (47 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	47	33	10	4
Percentage of Tests:	100.0 %	70.2 %	21.3 %	8.5 %

Summary for 'Summary Report Query City' = Albany (47 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	47	33	10	4
Percentage of Tests:	100.0 %	70.2 %	21.3 %	8.5 %

Alhambra

91801

Summary for 'Summary Report Query AddressPostalCode' = 91801 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	1	3
Percentage of Tests:	100.0 %	55.6 %	11.1 %	33.3 %

91803

Summary for 'Summary Report Query AddressPostalCode' = 91803 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	9	4	2
Percentage of Tests:	100.0 %	60.0 %	26.7 %	13.3 %

Summary for 'Summary Report Query City' = Alhambra (24 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	24	14	5	5
Percentage of Tests:	100.0 %	58.3 %	20.8 %	20.8 %

Aliso Viejo

92656

Summary for 'Summary Report Query AddressPostalCode' = 92656 (21 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	21	14	3	4
Percentage of Tests:	100.0 %	66.7 %	14.3 %	19.0 %

Summary for 'Summary Report Query City' = Aliso Viejo (21 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	21	14	3	4
Percentage of Tests:	100.0 %	66.7 %	14.3 %	19.0 %

Alleghany

95910

Summary for 'Summary Report Query AddressPostalCode' = 95910 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Alleghany (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Alpaugh

93201

Summary for 'Summary Report Query AddressPostalCode' = 93201 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Alpaugh (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Alpine

91901

Summary for 'Summary Report Query AddressPostalCode' = 91901 (26 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	26	25	1	0
Percentage of Tests:	100.0 %	96.2 %	3.8 %	0.0 %

Summary for 'Summary Report Query City' = Alpine (26 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	26	25	1	0
Percentage of Tests:	100.0 %	96.2 %	3.8 %	0.0 %

Alpine Forest

93561

Summary for 'Summary Report Query AddressPostalCode' = 93561 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Alpine Forest (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Alpine Meadows

96146

Summary for 'Summary Report Query AddressPostalCode' = 96146 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Summary for 'Summary Report Query City' = Alpine Meadows (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Alta

95701

Summary for 'Summary Report Query AddressPostalCode' = 95701 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Alta (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Altadena

91001

Summary for 'Summary Report Query AddressPostalCode' = 91001 (49 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	49	36	6	7
Percentage of Tests:	100.0 %	73.5 %	12.2 %	14.3 %

Summary for 'Summary Report Query City' = Altadena (49 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	49	36	6	7
Percentage of Tests:	100.0 %	73.5 %	12.2 %	14.3 %

Alturas

96101

Summary for 'Summary Report Query AddressPostalCode' = 96101 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Alturas (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Alviso

95002

Summary for 'Summary Report Query AddressPostalCode' = 95002 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Alviso (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

Amador City

95601

Summary for 'Summary Report Query AddressPostalCode' = 95601 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	0	2	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Amador City (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	0	2	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Anaheim

92802

Summary for 'Summary Report Query AddressPostalCode' = 92802 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92804

Summary for 'Summary Report Query AddressPostalCode' = 92804 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	0	1
Percentage of Tests: 100.0 %	80.0 %	0.0 %	20.0 %

92805

Summary for 'Summary Report Query AddressPostalCode' = 92805 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92806

Summary for 'Summary Report Query AddressPostalCode' = 92806 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92807

Summary for 'Summary Report Query AddressPostalCode' = 92807 (15 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 15	12	3	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

92808

Summary for 'Summary Report Query AddressPostalCode' = 92808 (6 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	5	1	0
Percentage of Tests: 100.0 %	83.3 %	16.7 %	0.0 %

Summary for 'Summary Report Query City' = Anaheim (33 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	33	28	4	1
Percentage of Tests:	100.0 %	84.8 %	12.1 %	3.0 %

Anderson

96007

Summary for 'Summary Report Query AddressPostalCode' = 96007 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Anderson (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Angels Camp

95222

Summary for 'Summary Report Query AddressPostalCode' = 95222 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Angels Camp (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Angelus Oaks

92305

Summary for 'Summary Report Query AddressPostalCode' = 92305 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	0	1	2
Percentage of Tests:	100.0 %	0.0 %	33.3 %	66.7 %

Summary for 'Summary Report Query City' = Angelus Oaks (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	0	1	2
Percentage of Tests:	100.0 %	0.0 %	33.3 %	66.7 %

Angwin

94508

Summary for 'Summary Report Query AddressPostalCode' = 94508 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Angwin (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Antelope

95843

Summary for 'Summary Report Query AddressPostalCode' = 95843 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	1	3
Percentage of Tests:	100.0 %	55.6 %	11.1 %	33.3 %

Summary for 'Summary Report Query City' = Antelope (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	5	1	3
Percentage of Tests:	100.0 %	55.6 %	11.1 %	33.3 %

Antioch

94509

Summary for 'Summary Report Query AddressPostalCode' = 94509 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	1	3
Percentage of Tests:	100.0 %	33.3 %	16.7 %	50.0 %

94531

Summary for 'Summary Report Query AddressPostalCode' = 94531 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Antioch (10 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	5	2	3
Percentage of Tests:	100.0 %	50.0 %	20.0 %	30.0 %

Anza

92539

Summary for 'Summary Report Query AddressPostalCode' = 92539 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Anza (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Apple Valley

92307

Summary for 'Summary Report Query AddressPostalCode' = 92307 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	3	5	0
Percentage of Tests:	100.0 %	37.5 %	62.5 %	0.0 %

Summary for 'Summary Report Query City' = Apple Valley (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	3	5	0
Percentage of Tests:	100.0 %	37.5 %	62.5 %	0.0 %

Applegate

95703

Summary for 'Summary Report Query AddressPostalCode' = 95703 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Applegate (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Aptos

95001

Summary for 'Summary Report Query AddressPostalCode' = 95001 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95003

Summary for 'Summary Report Query AddressPostalCode' = 95003 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	4	2
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Summary for 'Summary Report Query City' = Aptos (19 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	13	4	2
Percentage of Tests:	100.0 %	68.4 %	21.1 %	10.5 %

Arcadia

91006

Summary for 'Summary Report Query AddressPostalCode' = 91006 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91007

Summary for 'Summary Report Query AddressPostalCode' = 91007 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	6	2	2
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Arcadia (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	12	2	2
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Arcata

95521

Summary for 'Summary Report Query AddressPostalCode' = 95521 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Arcata (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Arleta

91331

Summary for 'Summary Report Query AddressPostalCode' = 91331 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Arleta (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Arnold

95223

Summary for 'Summary Report Query AddressPostalCode' = 95223 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Arnold (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Aromas

95004

Summary for 'Summary Report Query AddressPostalCode' = 95004 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Aromas (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Arroyo Grande

93420

Summary for 'Summary Report Query AddressPostalCode' = 93420 (24 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	24	13	6	5
Percentage of Tests:	100.0 %	54.2 %	25.0 %	20.8 %

Summary for 'Summary Report Query City' = Arroyo Grande (24 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	24	13	6	5
Percentage of Tests:	100.0 %	54.2 %	25.0 %	20.8 %

Artesia

90701

Summary for 'Summary Report Query AddressPostalCode' = 90701 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Artesia (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Atascadero

93422

Summary for 'Summary Report Query AddressPostalCode' = 93422 (28 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	28	19	4	5
Percentage of Tests:	100.0 %	67.9 %	14.3 %	17.9 %

Summary for 'Summary Report Query City' = Atascadero (28 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	28	19	4	5
Percentage of Tests:	100.0 %	67.9 %	14.3 %	17.9 %

Atherton

94027

Summary for 'Summary Report Query AddressPostalCode' = 94027 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Atherton (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Atwater

95301

Summary for 'Summary Report Query AddressPostalCode' = 95301 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	2	3	0
Percentage of Tests:	100.0 %	40.0 %	60.0 %	0.0 %

Summary for 'Summary Report Query City' = Atwater (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	2	3	0
Percentage of Tests:	100.0 %	40.0 %	60.0 %	0.0 %

Auberry

93602

Summary for 'Summary Report Query AddressPostalCode' = 93602 (20 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	10	5	5
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Auberry (20 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	20	10	5	5
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Auburn

95602

Summary for 'Summary Report Query AddressPostalCode' = 95602 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	10	2	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

95603

Summary for 'Summary Report Query AddressPostalCode' = 95603 (31 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	31	22	6	3
Percentage of Tests:	100.0 %	71.0 %	19.4 %	9.7 %

Summary for 'Summary Report Query City' = Auburn (43 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	43	32	8	3
Percentage of Tests:	100.0 %	74.4 %	18.6 %	7.0 %

Avalon

90704

Summary for 'Summary Report Query AddressPostalCode' = 90704 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Avalon (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Avenal

93204

Summary for 'Summary Report Query AddressPostalCode' = 93204 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Avenal (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Avila Beach

93424

Summary for 'Summary Report Query AddressPostalCode' = 93424 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Avila Beach (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Azusa

91702

Summary for 'Summary Report Query AddressPostalCode' = 91702 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Azusa (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bakersfield

93301

Summary for 'Summary Report Query AddressPostalCode' = 93301 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

93302

Summary for 'Summary Report Query AddressPostalCode' = 93302 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

93305

Summary for 'Summary Report Query AddressPostalCode' = 93305 (40 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	40	18	15	7
Percentage of Tests:	100.0 %	45.0 %	37.5 %	17.5 %

93306

Summary for 'Summary Report Query AddressPostalCode' = 93306 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93307

Summary for 'Summary Report Query AddressPostalCode' = 93307 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93308

Summary for 'Summary Report Query AddressPostalCode' = 93308 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93309

Summary for 'Summary Report Query AddressPostalCode' = 93309 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93311

Summary for 'Summary Report Query AddressPostalCode' = 93311 (21 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93312

Summary for 'Summary Report Query AddressPostalCode' = 93312 (17 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93313

Summary for 'Summary Report Query AddressPostalCode' = 93313 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93314

Summary for 'Summary Report Query AddressPostalCode' = 93314 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Bakersfield (135 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Balboa

92662

Summary for 'Summary Report Query AddressPostalCode' = 92662 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Balboa (1 detail record)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Baldwin Park

91706

Summary for 'Summary Report Query AddressPostalCode' = 91706 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Baldwin Park (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bangor

95914

Summary for 'Summary Report Query AddressPostalCode' = 95914 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Bangor (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Banning

92220

Summary for 'Summary Report Query AddressPostalCode' = 92220 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Banning (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Barstow

92311

Summary for 'Summary Report Query AddressPostalCode' = 92311 (16 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	16	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Barstow (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	16	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bass Lake

93604

Summary for 'Summary Report Query AddressPostalCode' = 93604 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	4	2	3
Percentage of Tests:	100.0 %	44.4 %	22.2 %	33.3 %

Summary for 'Summary Report Query City' = Bass Lake (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	4	2	3
Percentage of Tests:	100.0 %	44.4 %	22.2 %	33.3 %

Bay Point

94565

Summary for 'Summary Report Query AddressPostalCode' = 94565 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bay Point (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Baywood-Los Osos

93402

Summary for 'Summary Report Query AddressPostalCode' = 93402 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Baywood-Los Osos (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Bear Valley

95223

Summary for 'Summary Report Query AddressPostalCode' = 95223 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

Summary for 'Summary Report Query City' = Bear Valley (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

Beaumont

92223

Summary for 'Summary Report Query AddressPostalCode' = 92223 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Beaumont (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Bell Canyon

91307

Summary for 'Summary Report Query AddressPostalCode' = 91307 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bell Canyon (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bellflower

90706

Summary for 'Summary Report Query AddressPostalCode' = 90706 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	17	0	1
Percentage of Tests:	100.0 %	94.4 %	0.0 %	5.6 %

Summary for 'Summary Report Query City' = Bellflower (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	17	0	1
Percentage of Tests:	100.0 %	94.4 %	0.0 %	5.6 %

Belmont

94002

Summary for 'Summary Report Query AddressPostalCode' = 94002 (61 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	61	46	10	5
Percentage of Tests:	100.0 %	75.4 %	16.4 %	8.2 %

Summary for 'Summary Report Query City' = Belmont (61 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	61	46	10	5
Percentage of Tests:	100.0 %	75.4 %	16.4 %	8.2 %

Belvedere

94920

Summary for 'Summary Report Query AddressPostalCode' = 94920 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Belvedere (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Ben Lomond

95005

Summary for 'Summary Report Query AddressPostalCode' = 95005 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Summary for 'Summary Report Query City' = Ben Lomond (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Benicia

94510

Summary for 'Summary Report Query AddressPostalCode' = 94510 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Benicia (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Berkeley

94702

Summary for 'Summary Report Query AddressPostalCode' = 94702 (49 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	49	34	5	10
Percentage of Tests:	100.0 %	69.4 %	10.2 %	20.4 %

94703

Summary for 'Summary Report Query AddressPostalCode' = 94703 (38 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94704

Summary for 'Summary Report Query AddressPostalCode' = 94704 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94705

Summary for 'Summary Report Query AddressPostalCode' = 94705 (50 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94706

Summary for 'Summary Report Query AddressPostalCode' = 94706 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94707

Summary for 'Summary Report Query AddressPostalCode' = 94707 (66 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94708

Summary for 'Summary Report Query AddressPostalCode' = 94708 (39 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94709

Summary for 'Summary Report Query AddressPostalCode' = 94709 (24 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 24	18	5	1
Percentage of Tests: 100.0 %	75.0 %	20.8 %	4.2 %

94710

Summary for 'Summary Report Query AddressPostalCode' = 94710 (14 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 14	11	2	1
Percentage of Tests: 100.0 %	78.6 %	14.3 %	7.1 %

94720

Summary for 'Summary Report Query AddressPostalCode' = 94720 (7 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 7	5	1	1
Percentage of Tests: 100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Berkeley (300 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 300	207	58	35
Percentage of Tests: 100.0 %	69.0 %	19.3 %	11.7 %

Bermuda Dunes

92203

Summary for 'Summary Report Query AddressPostalCode' = 92203 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bermuda Dunes (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Berry Creek

95916

Summary for 'Summary Report Query AddressPostalCode' = 95916 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Berry Creek (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Beverly Hills

90209

Summary for 'Summary Report Query AddressPostalCode' = 90209 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

90210

Summary for 'Summary Report Query AddressPostalCode' = 90210 (85 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	85	49	23	13
Percentage of Tests:	100.0 %	57.6 %	27.1 %	15.3 %

90211

Summary for 'Summary Report Query AddressPostalCode' = 90211 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	1	2	3
Percentage of Tests:	100.0 %	16.7 %	33.3 %	50.0 %

90212

Summary for 'Summary Report Query AddressPostalCode' = 90212 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Beverly Hills (105 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	105	57	28	20
Percentage of Tests:	100.0 %	54.3 %	26.7 %	19.0 %

Big Bear City

92314

Summary for 'Summary Report Query AddressPostalCode' = 92314 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Big Bear City (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Big Bear Lake

92315

Summary for 'Summary Report Query AddressPostalCode' = 92315 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Big Bear Lake (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Big Creek

93605

Summary for 'Summary Report Query AddressPostalCode' = 93605 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Big Creek (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Big Pine

93513

Summary for 'Summary Report Query AddressPostalCode' = 93513 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Big Pine (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Big River

92242

Summary for 'Summary Report Query AddressPostalCode' = 92242 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Big River (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bishop

93514

Summary for 'Summary Report Query AddressPostalCode' = 93514 (28 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	28	14	5	9
Percentage of Tests:	100.0 %	50.0 %	17.9 %	32.1 %

Summary for 'Summary Report Query City' = Bishop (28 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	28	14	5	9
Percentage of Tests:	100.0 %	50.0 %	17.9 %	32.1 %

Blairsden

96103

Summary for 'Summary Report Query AddressPostalCode' = 96103 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	3	4	0
Percentage of Tests:	100.0 %	42.9 %	57.1 %	0.0 %

Summary for 'Summary Report Query City' = Blairsden (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	3	4	0
Percentage of Tests:	100.0 %	42.9 %	57.1 %	0.0 %

BLAIRSDEN GRAEAGLE

96103

Summary for 'Summary Report Query AddressPostalCode' = 96103 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = BLAIRSDEN GRAEAGLE (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Blue Jay

92317

Summary for 'Summary Report Query AddressPostalCode' = 92317 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	0	2	3
Percentage of Tests:	100.0 %	0.0 %	40.0 %	60.0 %

Summary for 'Summary Report Query City' = Blue Jav (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	0	2	3
Percentage of Tests:	100.0 %	0.0 %	40.0 %	60.0 %

Blue Lake

95525

Summary for 'Summary Report Query AddressPostalCode' = 95525 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Blue Lake (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Boca

96161

Summary for 'Summary Report Query AddressPostalCode' = 96161 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Boca (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Bodega Bay

94923

Summary for 'Summary Report Query AddressPostalCode' = 94923 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bodega Bay (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bolinas

94924

Summary for 'Summary Report Query AddressPostalCode' = 94924 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bolinas (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bonita

91902

Summary for 'Summary Report Query AddressPostalCode' = 91902 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bonita (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bonny Doon

95060

Summary for 'Summary Report Query AddressPostalCode' = 95060 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Bonny Doon (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Boonville

95415

Summary for 'Summary Report Query AddressPostalCode' = 95415 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Boonville (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Borrego Springs

92004

Summary for 'Summary Report Query AddressPostalCode' = 92004 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Borrego Springs (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Boulder Creek

95006

Summary for 'Summary Report Query AddressPostalCode' = 95006 (19 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	10	4	5
Percentage of Tests:	100.0 %	52.6 %	21.1 %	26.3 %

Summary for 'Summary Report Query City' = Boulder Creek (19 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	10	4	5
Percentage of Tests:	100.0 %	52.6 %	21.1 %	26.3 %

Boulevard

91905

Summary for 'Summary Report Query AddressPostalCode' = 91905 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Boulevard (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Bradley

93426

Summary for 'Summary Report Query AddressPostalCode' = 93426 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Bradley (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Brea

92821

Summary for 'Summary Report Query AddressPostalCode' = 92821 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	5	1	4
Percentage of Tests:	100.0 %	50.0 %	10.0 %	40.0 %

Summary for 'Summary Report Query City' = Brea (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	5	1	4
Percentage of Tests:	100.0 %	50.0 %	10.0 %	40.0 %

Brentwood

94513

Summary for 'Summary Report Query AddressPostalCode' = 94513 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	11	3	0
Percentage of Tests:	100.0 %	78.6 %	21.4 %	0.0 %

Summary for 'Summary Report Query City' = Brentwood (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	11	3	0
Percentage of Tests:	100.0 %	78.6 %	21.4 %	0.0 %

Bridgeport

93517

Summary for 'Summary Report Query AddressPostalCode' = 93517 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Bridgeport (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Brisbane

94005

Summary for 'Summary Report Query AddressPostalCode' = 94005 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Summary for 'Summary Report Query City' = Brisbane (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Brookdale

95007

Summary for 'Summary Report Query AddressPostalCode' = 95007 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Brookdale (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Browns Valley

95918

Summary for 'Summary Report Query AddressPostalCode' = 95918 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Browns Valley (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Brownsville

95919

Summary for 'Summary Report Query AddressPostalCode' = 95919 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Brownsville (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Buellton

93427

Summary for 'Summary Report Query AddressPostalCode' = 93427 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Buellton (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Buena Park

90620

Summary for 'Summary Report Query AddressPostalCode' = 90620 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90621

Summary for 'Summary Report Query AddressPostalCode' = 90621 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	1	3	2
Percentage of Tests:	100.0 %	16.7 %	50.0 %	33.3 %

Summary for 'Summary Report Query City' = Buena Park (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	7	3	2
Percentage of Tests:	100.0 %	58.3 %	25.0 %	16.7 %

Burbank

91501

Summary for 'Summary Report Query AddressPostalCode' = 91501 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91502

Summary for 'Summary Report Query AddressPostalCode' = 91502 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91504

Summary for 'Summary Report Query AddressPostalCode' = 91504 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91505

Summary for 'Summary Report Query AddressPostalCode' = 91505 (18 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91506

Summary for 'Summary Report Query AddressPostalCode' = 91506 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Burbank (41 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Burlingame

94010

Summary for 'Summary Report Query AddressPostalCode' = 94010 (41 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	41	24	10	7
Percentage of Tests:	100.0 %	58.5 %	24.4 %	17.1 %

Summary for 'Summary Report Query City' = Burlingame (41 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	41	24	10	7
Percentage of Tests:	100.0 %	58.5 %	24.4 %	17.1 %

Burson

95225

Summary for 'Summary Report Query AddressPostalCode' = 95225 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Burson (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Calabasas

91302

Summary for 'Summary Report Query AddressPostalCode' = 91302 (109 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	109	55	19	35
Percentage of Tests:	100.0 %	50.5 %	17.4 %	32.1 %

Summary for 'Summary Report Query City' = Calabasas (109 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	109	55	19	35
Percentage of Tests:	100.0 %	50.5 %	17.4 %	32.1 %

California Hot Springs

93207

Summary for 'Summary Report Query AddressPostalCode' = 93207 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = California Hot Springs (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Camarillo

93010

Summary for 'Summary Report Query AddressPostalCode' = 93010 (47 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	47	39	6	2
Percentage of Tests:	100.0 %	83.0 %	12.8 %	4.3 %

93012

Summary for 'Summary Report Query AddressPostalCode' = 93012 (31 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	31	14	16	1
Percentage of Tests:	100.0 %	45.2 %	51.6 %	3.2 %

Summary for 'Summary Report Query City' = Camarillo (78 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	78	53	22	3
Percentage of Tests:	100.0 %	67.9 %	28.2 %	3.8 %

Cambria

93428

Summary for 'Summary Report Query AddressPostalCode' = 93428 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	3	0
Percentage of Tests:	100.0 %	62.5 %	37.5 %	0.0 %

Summary for 'Summary Report Query City' = Cambria (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	3	0
Percentage of Tests:	100.0 %	62.5 %	37.5 %	0.0 %

Cameron Park

95682

Summary for 'Summary Report Query AddressPostalCode' = 95682 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	14	3	1
Percentage of Tests:	100.0 %	77.8 %	16.7 %	5.6 %

Summary for 'Summary Report Query City' = Cameron Park (18 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	14	3	1
Percentage of Tests:	100.0 %	77.8 %	16.7 %	5.6 %

Camino

95709

Summary for 'Summary Report Query AddressPostalCode' = 95709 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	8	5	3
Percentage of Tests:	100.0 %	50.0 %	31.3 %	18.8 %

Summary for 'Summary Report Query City' = Camino (16 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	8	5	3
Percentage of Tests:	100.0 %	50.0 %	31.3 %	18.8 %

Camp Connell

95223

Summary for 'Summary Report Query AddressPostalCode' = 95223 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Camp Connell (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Campbell

95008

Summary for 'Summary Report Query AddressPostalCode' = 95008 (67 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	67	52	8	7
Percentage of Tests:	100.0 %	77.6 %	11.9 %	10.4 %

Summary for 'Summary Report Query City' = Campbell (67 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	67	52	8	7
Percentage of Tests:	100.0 %	77.6 %	11.9 %	10.4 %

Canoga Park

91303

Summary for 'Summary Report Query AddressPostalCode' = 91303 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	1	2
Percentage of Tests:	100.0 %	25.0 %	25.0 %	50.0 %

91304

Summary for 'Summary Report Query AddressPostalCode' = 91304 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	8	2	2
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

91306

Summary for 'Summary Report Query AddressPostalCode' = 91306 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91307

Summary for 'Summary Report Query AddressPostalCode' = 91307 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Canoga Park (18 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	11	3	4
Percentage of Tests:	100.0 %	61.1 %	16.7 %	22.2 %

Canyon Country

91351

Summary for 'Summary Report Query AddressPostalCode' = 91351 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

91387

Summary for 'Summary Report Query AddressPostalCode' = 91387 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Summary for 'Summary Report Query City' = Canyon Country (10 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	1	2
Percentage of Tests:	100.0 %	70.0 %	10.0 %	20.0 %

Canyon Lake

92587

Summary for 'Summary Report Query AddressPostalCode' = 92587 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Canyon Lake (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Capistrano Beach

92624

Summary for 'Summary Report Query AddressPostalCode' = 92624 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Capistrano Beach (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Capitola

95010

Summary for 'Summary Report Query AddressPostalCode' = 95010 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Capitola (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Cardiff

92007

Summary for 'Summary Report Query AddressPostalCode' = 92007 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Cardiff (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Carlsbad

92008

Summary for 'Summary Report Query AddressPostalCode' = 92008 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

92009

Summary for 'Summary Report Query AddressPostalCode' = 92009 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	0	1
Percentage of Tests:	100.0 %	88.9 %	0.0 %	11.1 %

92010

Summary for 'Summary Report Query AddressPostalCode' = 92010 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

92011

Summary for 'Summary Report Query AddressPostalCode' = 92011 (16 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	12	4	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Carlsbad (37 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	37	28	6	3
Percentage of Tests:	100.0 %	75.7 %	16.2 %	8.1 %

Carmel

93921

Summary for 'Summary Report Query AddressPostalCode' = 93921 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93922

Summary for 'Summary Report Query AddressPostalCode' = 93922 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93923

Summary for 'Summary Report Query AddressPostalCode' = 93923 (23 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Carmel (33 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Carmel Valley

93924

Summary for 'Summary Report Query AddressPostalCode' = 93924 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Carmel Valley (9 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Carmel-By-The-Sea

93923

Summary for 'Summary Report Query AddressPostalCode' = 93923 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Carmel-By-The-Sea (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Carmichael

95608

Summary for 'Summary Report Query AddressPostalCode' = 95608 (29 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 29	22	6	1
Percentage of Tests: 100.0 %	75.9 %	20.7 %	3.4 %

Summary for 'Summary Report Query City' = Carmichael (29 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 29	22	6	1
Percentage of Tests: 100.0 %	75.9 %	20.7 %	3.4 %

Carnelian Bay

96140

Summary for 'Summary Report Query AddressPostalCode' = 96140 (17 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	7	7	3
Percentage of Tests: 100.0 %	41.2 %	41.2 %	17.6 %

Summary for 'Summary Report Query City' = Carnelian Bay (17 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 17	7	7	3
Percentage of Tests: 100.0 %	41.2 %	41.2 %	17.6 %

Carpinteria

93013

Summary for 'Summary Report Query AddressPostalCode' = 93013 (17 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	13	1	3
Percentage of Tests:	100.0 %	76.5 %	5.9 %	17.6 %

Summary for 'Summary Report Query City' = Carpinteria (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	13	1	3
Percentage of Tests:	100.0 %	76.5 %	5.9 %	17.6 %

Carson

90745

Summary for 'Summary Report Query AddressPostalCode' = 90745 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90810

Summary for 'Summary Report Query AddressPostalCode' = 90810 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Carson (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Caruthers

93609

Summary for 'Summary Report Query AddressPostalCode' = 93609 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Caruthers (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Caspar

95420

Summary for 'Summary Report Query AddressPostalCode' = 95420 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Caspar (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Castaic

91384

Summary for 'Summary Report Query AddressPostalCode' = 91384 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Castaic (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Castro Valley

94546

Summary for 'Summary Report Query AddressPostalCode' = 94546 (74 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	74	48	19	7
Percentage of Tests:	100.0 %	64.9 %	25.7 %	9.5 %

94552

Summary for 'Summary Report Query AddressPostalCode' = 94552 (34 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	34	25	5	4
---------------	----	----	---	---

Percentage of Tests:	100.0 %	73.5 %	14.7 %	11.8 %
----------------------	---------	--------	--------	--------

Summary for 'Summary Report Query City' = Castro Valley (108 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	108	73	24	11
---------------	-----	----	----	----

Percentage of Tests:	100.0 %	67.6 %	22.2 %	10.2 %
----------------------	---------	--------	--------	--------

Cathedral City

92234

Summary for 'Summary Report Query AddressPostalCode' = 92234 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	3	3	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Summary for 'Summary Report Query City' = Cathedral City (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	3	3	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Catheys Valley

95306

Summary for 'Summary Report Query AddressPostalCode' = 95306 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	1	1	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Summary for 'Summary Report Query City' = Catheys Valley (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	1	1	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

CAYUCOS

93430

Summary for 'Summary Report Query AddressPostalCode' = 93430 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = CAYUCOS (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Cedarpines Park

92322

Summary for 'Summary Report Query AddressPostalCode' = 92322 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Cedarpines Park (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Cedarville

96104

Summary for 'Summary Report Query AddressPostalCode' = 96104 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Cedarville (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Ceres

95307

Summary for 'Summary Report Query AddressPostalCode' = 95307 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Ceres (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Cerritos

90703

Summary for 'Summary Report Query AddressPostalCode' = 90703 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	12	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Cerritos (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	12	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Chalfant Valley

93514

Summary for 'Summary Report Query AddressPostalCode' = 93514 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Chalfant Valley (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Chatsworth

91311

Summary for 'Summary Report Query AddressPostalCode' = 91311 (42 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	42	27	8	7
Percentage of Tests:	100.0 %	64.3 %	19.0 %	16.7 %

Summary for 'Summary Report Query City' = Chatsworth (42 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	42	27	8	7
Percentage of Tests:	100.0 %	64.3 %	19.0 %	16.7 %

Chester

96020

Summary for 'Summary Report Query AddressPostalCode' = 96020 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Chester (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Chicago Park

95712

Summary for 'Summary Report Query AddressPostalCode' = 95712 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	0	2
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Chicago Park (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	0	2
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Chico

95926

Summary for 'Summary Report Query AddressPostalCode' = 95926 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95928

Summary for 'Summary Report Query AddressPostalCode' = 95928 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95973

Summary for 'Summary Report Query AddressPostalCode' = 95973 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Chico (18 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Chilcoot

96105

Summary for 'Summary Report Query AddressPostalCode' = 96105 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Chilcoot (4 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Chino

91708

Summary for 'Summary Report Query AddressPostalCode' = 91708 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

91710

Summary for 'Summary Report Query AddressPostalCode' = 91710 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Chino (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Chino Hills

91709

Summary for 'Summary Report Query AddressPostalCode' = 91709 (34 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	34	25	5	4
Percentage of Tests:	100.0 %	73.5 %	14.7 %	11.8 %

Summary for 'Summary Report Query City' = Chino Hills (34 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	25	5	4
Percentage of Tests:	100.0 %	73.5 %	14.7 %	11.8 %

Chowchilla

93610

Summary for 'Summary Report Query AddressPostalCode' = 93610 (17 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	10	4	3
Percentage of Tests:	100.0 %	58.8 %	23.5 %	17.6 %

Summary for 'Summary Report Query City' = Chowchilla (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	10	4	3
Percentage of Tests:	100.0 %	58.8 %	23.5 %	17.6 %

Chula Vista

91910

Summary for 'Summary Report Query AddressPostalCode' = 91910 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	2	1
Percentage of Tests:	100.0 %	25.0 %	50.0 %	25.0 %

91911

Summary for 'Summary Report Query AddressPostalCode' = 91911 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91913

Summary for 'Summary Report Query AddressPostalCode' = 91913 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

91914

Summary for 'Summary Report Query AddressPostalCode' = 91914 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

91915

Summary for 'Summary Report Query AddressPostalCode' = 91915 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	2	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Chula Vista (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	9	5	2
Percentage of Tests:	100.0 %	56.3 %	31.3 %	12.5 %

Citrus Heights

95610

Summary for 'Summary Report Query AddressPostalCode' = 95610 (17 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	12	4	1
Percentage of Tests:	100.0 %	70.6 %	23.5 %	5.9 %

95621

Summary for 'Summary Report Query AddressPostalCode' = 95621 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	2	0
Percentage of Tests:	100.0 %	60.0 %	40.0 %	0.0 %

Summary for 'Summary Report Query City' = Citrus Heights (22 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	15	6	1
Percentage of Tests:	100.0 %	68.2 %	27.3 %	4.5 %

Claremont

91711

Summary for 'Summary Report Query AddressPostalCode' = 91711 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	13	1	1
Percentage of Tests:	100.0 %	86.7 %	6.7 %	6.7 %

Summary for 'Summary Report Query City' = Claremont (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	13	1	1
Percentage of Tests:	100.0 %	86.7 %	6.7 %	6.7 %

Clayton

94517

Summary for 'Summary Report Query AddressPostalCode' = 94517 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Clayton (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Clearlake

95422

Summary for 'Summary Report Query AddressPostalCode' = 95422 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Clearlake (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Clio

96106

Summary for 'Summary Report Query AddressPostalCode' = 96106 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Clio (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Cloverdale

95425

Summary for 'Summary Report Query AddressPostalCode' = 95425 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Summary for 'Summary Report Query City' = Cloverdale (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Clovis

93611

Summary for 'Summary Report Query AddressPostalCode' = 93611 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	4	2
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

93612

Summary for 'Summary Report Query AddressPostalCode' = 93612 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	1	1
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

93619

Summary for 'Summary Report Query AddressPostalCode' = 93619 (51 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	51	28	16	7
Percentage of Tests:	100.0 %	54.9 %	31.4 %	13.7 %

Summary for 'Summary Report Query City' = Clovis (75 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	75	44	21	10
Percentage of Tests:	100.0 %	58.7 %	28.0 %	13.3 %

Coalinga

93210

Summary for 'Summary Report Query AddressPostalCode' = 93210 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Summary for 'Summary Report Query City' = Coalinga (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Coarsegold

93614

Summary for 'Summary Report Query AddressPostalCode' = 93614 (71 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	71	35	25	11
Percentage of Tests:	100.0 %	49.3 %	35.2 %	15.5 %

Summary for 'Summary Report Query City' = Coarsegold (71 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	71	35	25	11
Percentage of Tests:	100.0 %	49.3 %	35.2 %	15.5 %

Coleville

96107

Summary for 'Summary Report Query AddressPostalCode' = 96107 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	0	3
Percentage of Tests:	100.0 %	25.0 %	0.0 %	75.0 %

Summary for 'Summary Report Query City' = Coleville (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	1	0	3
Percentage of Tests:	100.0 %	25.0 %	0.0 %	75.0 %

Colfax

95713

Summary for 'Summary Report Query AddressPostalCode' = 95713 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

Summary for 'Summary Report Query City' = Colfax (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

Colma

94014

Summary for 'Summary Report Query AddressPostalCode' = 94014 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Colma (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Coloma

95613

Summary for 'Summary Report Query AddressPostalCode' = 95613 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Coloma (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Colton

92324

Summary for 'Summary Report Query AddressPostalCode' = 92324 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Colton (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Columbia

95310

Summary for 'Summary Report Query AddressPostalCode' = 95310 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Columbia (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Compton

90220

Summary for 'Summary Report Query AddressPostalCode' = 90220 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Compton (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Concord

94518

Summary for 'Summary Report Query AddressPostalCode' = 94518 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94519

Summary for 'Summary Report Query AddressPostalCode' = 94519 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94520

Summary for 'Summary Report Query AddressPostalCode' = 94520 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94521

Summary for 'Summary Report Query AddressPostalCode' = 94521 (37 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Concord (67 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Conejo

93662

Summary for 'Summary Report Query AddressPostalCode' = 93662 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Coneio (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Cool

95614

Summary for 'Summary Report Query AddressPostalCode' = 95614 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Cool (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Copperopolis

95228

Summary for 'Summary Report Query AddressPostalCode' = 95228 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Copperopolis (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Corcoran

93212

Summary for 'Summary Report Query AddressPostalCode' = 93212 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	1	1	3
Percentage of Tests:	100.0 %	20.0 %	20.0 %	60.0 %

Summary for 'Summary Report Query City' = Corcoran (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	1	1	3
Percentage of Tests:	100.0 %	20.0 %	20.0 %	60.0 %

Cornell

91301

Summary for 'Summary Report Query AddressPostalCode' = 91301 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Cornell (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Corning

96021

Summary for 'Summary Report Query AddressPostalCode' = 96021 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	2	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Corning (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	2	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Corona

92878

Summary for 'Summary Report Query AddressPostalCode' = 92878 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92879

Summary for 'Summary Report Query AddressPostalCode' = 92879 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92880

Summary for 'Summary Report Query AddressPostalCode' = 92880 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92881

Summary for 'Summary Report Query AddressPostalCode' = 92881 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92882

Summary for 'Summary Report Query AddressPostalCode' = 92882 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92883

Summary for 'Summary Report Query AddressPostalCode' = 92883 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Corona (26 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Corona Del Mar

92625

Summary for 'Summary Report Query AddressPostalCode' = 92625 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Summary for 'Summary Report Query City' = Corona Del Mar (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Coronado

92118

Summary for 'Summary Report Query AddressPostalCode' = 92118 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Coronado (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Corralitos

95076

Summary for 'Summary Report Query AddressPostalCode' = 95076 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Corralitos (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Corte Madera

94925

Summary for 'Summary Report Query AddressPostalCode' = 94925 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	13	2	0
Percentage of Tests:	100.0 %	86.7 %	13.3 %	0.0 %

Summary for 'Summary Report Query City' = Corte Madera (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	13	2	0
Percentage of Tests:	100.0 %	86.7 %	13.3 %	0.0 %

Costa Mesa

92626

Summary for 'Summary Report Query AddressPostalCode' = 92626 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	6	2	2
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

92627

Summary for 'Summary Report Query AddressPostalCode' = 92627 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = Costa Mesa (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	12	3	3
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

Cotati

94931

Summary for 'Summary Report Query AddressPostalCode' = 94931 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Cotati (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Coto De Caza

92679

Summary for 'Summary Report Query AddressPostalCode' = 92679 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Coto De Caza (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Cottonwood

96022

Summary for 'Summary Report Query AddressPostalCode' = 96022 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Cottonwood (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Coulterville

95311

Summary for 'Summary Report Query AddressPostalCode' = 95311 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Coulterville (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Covina

91722

Summary for 'Summary Report Query AddressPostalCode' = 91722 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	1	1
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

91723

Summary for 'Summary Report Query AddressPostalCode' = 91723 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91724

Summary for 'Summary Report Query AddressPostalCode' = 91724 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	11	3	1
Percentage of Tests:	100.0 %	73.3 %	20.0 %	6.7 %

Summary for 'Summary Report Query City' = Covina (22 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	16	4	2
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

Crescent City

95531

Summary for 'Summary Report Query AddressPostalCode' = 95531 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	0	2
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Crescent City (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	0	2
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Crestline

92325

Summary for 'Summary Report Query AddressPostalCode' = 92325 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Crestline (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

CRESTON

93432

Summary for 'Summary Report Query AddressPostalCode' = 93432 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = CRESTON (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Crockett

94525

Summary for 'Summary Report Query AddressPostalCode' = 94525 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Crockett (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Cromberg

96103

Summary for 'Summary Report Query AddressPostalCode' = 96103 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Cromberg (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Crowley Lake

93546

Summary for 'Summary Report Query AddressPostalCode' = 93546 (36 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	36	21	8	7
Percentage of Tests:	100.0 %	58.3 %	22.2 %	19.4 %

Summary for 'Summary Report Query City' = Crowley Lake (36 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	36	21	8	7
Percentage of Tests:	100.0 %	58.3 %	22.2 %	19.4 %

Crystal Springs

96120

Summary for 'Summary Report Query AddressPostalCode' = 96120 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Crystal Springs (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Culver City

90230

Summary for 'Summary Report Query AddressPostalCode' = 90230 (38 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	38	29	6	3
Percentage of Tests:	100.0 %	76.3 %	15.8 %	7.9 %

90232

Summary for 'Summary Report Query AddressPostalCode' = 90232 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	14	6	2
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Summary for 'Summary Report Query City' = Culver City (60 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	60	43	12	5
Percentage of Tests:	100.0 %	71.7 %	20.0 %	8.3 %

Cupertino

Summary for 'Summary Report Query AddressPostalCode' = (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95014

Summary for 'Summary Report Query AddressPostalCode' = 95014 (115 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	115	90	13	12
Percentage of Tests:	100.0 %	78.3 %	11.3 %	10.4 %

95015

Summary for 'Summary Report Query AddressPostalCode' = 95015 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Cupertino (118 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	118	92	13	13
Percentage of Tests:	100.0 %	78.0 %	11.0 %	11.0 %

Cypress

90630

Summary for 'Summary Report Query AddressPostalCode' = 90630 (13 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	11	0	2
Percentage of Tests:	100.0 %	84.6 %	0.0 %	15.4 %

Summary for 'Summary Report Query City' = Cypress (13 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	11	0	2
Percentage of Tests:	100.0 %	84.6 %	0.0 %	15.4 %

Dairyville

96080

Summary for 'Summary Report Query AddressPostalCode' = 96080 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Dairyville (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Daly City

94014

Summary for 'Summary Report Query AddressPostalCode' = 94014 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	0	2
Percentage of Tests:	100.0 %	71.4 %	0.0 %	28.6 %

94015

Summary for 'Summary Report Query AddressPostalCode' = 94015 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	2	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Dalv City (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	13	2	2
Percentage of Tests:	100.0 %	76.5 %	11.8 %	11.8 %

Dana Point

92624

Summary for 'Summary Report Query AddressPostalCode' = 92624 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

92629

Summary for 'Summary Report Query AddressPostalCode' = 92629 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	1	1
Percentage of Tests:	100.0 %	81.8 %	9.1 %	9.1 %

Summary for 'Summary Report Query City' = Dana Point (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	11	2	1
Percentage of Tests:	100.0 %	78.6 %	14.3 %	7.1 %

Danville

94506

Summary for 'Summary Report Query AddressPostalCode' = 94506 (9 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	5	1	3
Percentage of Tests: 100.0 %	55.6 %	11.1 %	33.3 %

94526

Summary for 'Summary Report Query AddressPostalCode' = 94526 (28 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 28	17	5	6
Percentage of Tests: 100.0 %	60.7 %	17.9 %	21.4 %

Summary for 'Summary Report Query City' = Danville (37 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 37	22	6	9
Percentage of Tests: 100.0 %	59.5 %	16.2 %	24.3 %

Davenport

95017

Summary for 'Summary Report Query AddressPostalCode' = 95017 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Davenport (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Davis

95616

Summary for 'Summary Report Query AddressPostalCode' = 95616 (31 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 31	22	3	6
Percentage of Tests: 100.0 %	71.0 %	9.7 %	19.4 %

95618

Summary for 'Summary Report Query AddressPostalCode' = 95618 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	12	2	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Summary for 'Summary Report Query City' = Davis (45 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	45	34	5	6
Percentage of Tests:	100.0 %	75.6 %	11.1 %	13.3 %

Del Mar

92014

Summary for 'Summary Report Query AddressPostalCode' = 92014 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	3	2
Percentage of Tests:	100.0 %	54.5 %	27.3 %	18.2 %

Summary for 'Summary Report Query City' = Del Mar (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	6	3	2
Percentage of Tests:	100.0 %	54.5 %	27.3 %	18.2 %

Del Monte Forest

93953

Summary for 'Summary Report Query AddressPostalCode' = 93953 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Del Monte Forest (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

DELANO

93215

Summary for 'Summary Report Query AddressPostalCode' = 93215 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = DELANO (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Denair

95316

Summary for 'Summary Report Query AddressPostalCode' = 95316 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Denair (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Desert Hot Springs

92240

Summary for 'Summary Report Query AddressPostalCode' = 92240 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	5	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92241

Summary for 'Summary Report Query AddressPostalCode' = 92241 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Desert Hot Springs (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	1	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

Diablo

94528

Summary for 'Summary Report Query AddressPostalCode' = 94528 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Diablo (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Diamond Bar

91765

Summary for 'Summary Report Query AddressPostalCode' = 91765 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	5	5	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Diamond Bar (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	5	5	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Diamond Springs

95619

Summary for 'Summary Report Query AddressPostalCode' = 95619 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Summary for 'Summary Report Query City' = Diamond Springs (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Discovery Bay

94505

Summary for 'Summary Report Query AddressPostalCode' = 94505 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Discovery Bay (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Dixon

95620

Summary for 'Summary Report Query AddressPostalCode' = 95620 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Dixon (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Dorris

96023

Summary for 'Summary Report Query AddressPostalCode' = 96023 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Dorris (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Douglas City

96024

Summary for 'Summary Report Query AddressPostalCode' = 96024 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Douglas City (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Dove Canyon

92679

Summary for 'Summary Report Query AddressPostalCode' = 92679 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Dove Canyon (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Downey

90240

Summary for 'Summary Report Query AddressPostalCode' = 90240 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90241

Summary for 'Summary Report Query AddressPostalCode' = 90241 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Downey (3 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Doyle

96109

Summary for 'Summary Report Query AddressPostalCode' = 96109 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	0	1
Percentage of Tests: 100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Doyle (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	0	1
Percentage of Tests: 100.0 %	50.0 %	0.0 %	50.0 %

Duarte

91010

Summary for 'Summary Report Query AddressPostalCode' = 91010 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Duarte (5 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Dublin

94566

Summary for 'Summary Report Query AddressPostalCode' = 94566 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94568

Summary for 'Summary Report Query AddressPostalCode' = 94568 (78 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	78	58	14	6
Percentage of Tests:	100.0 %	74.4 %	17.9 %	7.7 %

Summary for 'Summary Report Query City' = Dublin (79 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	79	59	14	6
Percentage of Tests:	100.0 %	74.7 %	17.7 %	7.6 %

Durham

95938

Summary for 'Summary Report Query AddressPostalCode' = 95938 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Durham (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Dutch Flat

95714

Summary for 'Summary Report Query AddressPostalCode' = 95714 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Dutch Flat (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

EAGLEVILLE

96110

Summary for 'Summary Report Query AddressPostalCode' = 96110 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = EAGLEVILLE (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

East Garrison

93933

Summary for 'Summary Report Query AddressPostalCode' = 93933 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = East Garrison (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

East Palo Alto

94303

Summary for 'Summary Report Query AddressPostalCode' = 94303 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = East Palo Alto (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Eastvale

92880

Summary for 'Summary Report Query AddressPostalCode' = 92880 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Eastvale (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

EL CAJON

92019

Summary for 'Summary Report Query AddressPostalCode' = 92019 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92020

Summary for 'Summary Report Query AddressPostalCode' = 92020 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

92021

Summary for 'Summary Report Query AddressPostalCode' = 92021 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	2	1
Percentage of Tests:	100.0 %	50.0 %	33.3 %	16.7 %

Summary for 'Summary Report Query City' = EL CAJON (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	9	3	1
Percentage of Tests:	100.0 %	69.2 %	23.1 %	7.7 %

El Centro

92243

Summary for 'Summary Report Query AddressPostalCode' = 92243 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	3	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = El Centro (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	3	3	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

El Cerrito

94530

Summary for 'Summary Report Query AddressPostalCode' = 94530 (34 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	34	26	6	2
Percentage of Tests:	100.0 %	76.5 %	17.6 %	5.9 %

Summary for 'Summary Report Query City' = El Cerrito (34 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	26	6	2
Percentage of Tests:	100.0 %	76.5 %	17.6 %	5.9 %

El Dorado

95623

Summary for 'Summary Report Query AddressPostalCode' = 95623 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = El Dorado (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

EL DORADO HILLS

95762

Summary for 'Summary Report Query AddressPostalCode' = 95762 (40 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	40	31	2	7
Percentage of Tests:	100.0 %	77.5 %	5.0 %	17.5 %

Summary for 'Summary Report Query City' = EL DORADO HILLS (40 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	40	31	2	7
Percentage of Tests:	100.0 %	77.5 %	5.0 %	17.5 %

El Granada

94018

Summary for 'Summary Report Query AddressPostalCode' = 94018 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = El Granada (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

El Monte

91731

Summary for 'Summary Report Query AddressPostalCode' = 91731 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

91732

Summary for 'Summary Report Query AddressPostalCode' = 91732 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91733

Summary for 'Summary Report Query AddressPostalCode' = 91733 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = El Monte (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

El Portal

95318

Summary for 'Summary Report Query AddressPostalCode' = 95318 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = El Portal (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

El Segundo

90245

Summary for 'Summary Report Query AddressPostalCode' = 90245 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Summary for 'Summary Report Query City' = El Segundo (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

El Sobrante

94803

Summary for 'Summary Report Query AddressPostalCode' = 94803 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

Summary for 'Summary Report Query City' = El Sobrante (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

Elk Grove

95624

Summary for 'Summary Report Query AddressPostalCode' = 95624 (20 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	14	3	3
Percentage of Tests:	100.0 %	70.0 %	15.0 %	15.0 %

95757

Summary for 'Summary Report Query AddressPostalCode' = 95757 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	10	2	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

95758

Summary for 'Summary Report Query AddressPostalCode' = 95758 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	11	5	2
Percentage of Tests:	100.0 %	61.1 %	27.8 %	11.1 %

Summary for 'Summary Report Query City' = Elk Grove (50 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	50	35	10	5
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Elverta

95626

Summary for 'Summary Report Query AddressPostalCode' = 95626 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	1	1
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

Summary for 'Summary Report Query City' = Elverta (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	1	1
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

Emerald Hills

94062

Summary for 'Summary Report Query AddressPostalCode' = 94062 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	1	2
Percentage of Tests:	100.0 %	62.5 %	12.5 %	25.0 %

Summary for 'Summary Report Query City' = Emerald Hills (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	1	2
Percentage of Tests:	100.0 %	62.5 %	12.5 %	25.0 %

Emeryville

94608

Summary for 'Summary Report Query AddressPostalCode' = 94608 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	17	1	0
Percentage of Tests:	100.0 %	94.4 %	5.6 %	0.0 %

Summary for 'Summary Report Query City' = Emeryville (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	17	1	0
Percentage of Tests:	100.0 %	94.4 %	5.6 %	0.0 %

Encinitas

92007

Summary for 'Summary Report Query AddressPostalCode' = 92007 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

92023

Summary for 'Summary Report Query AddressPostalCode' = 92023 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

92024

Summary for 'Summary Report Query AddressPostalCode' = 92024 (25 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	18	5	2
Percentage of Tests:	100.0 %	72.0 %	20.0 %	8.0 %

Summary for 'Summary Report Query City' = Encinitas (28 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	28	19	6	3
Percentage of Tests:	100.0 %	67.9 %	21.4 %	10.7 %

Encino

91316

Summary for 'Summary Report Query AddressPostalCode' = 91316 (41 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	41	19	8	14
Percentage of Tests:	100.0 %	46.3 %	19.5 %	34.1 %

91436

Summary for 'Summary Report Query AddressPostalCode' = 91436 (48 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	48	34	11	3
Percentage of Tests:	100.0 %	70.8 %	22.9 %	6.3 %

Summary for 'Summary Report Query City' = Encino (89 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	89	53	19	17
Percentage of Tests:	100.0 %	59.6 %	21.3 %	19.1 %

Escalon

95320

Summary for 'Summary Report Query AddressPostalCode' = 95320 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	2	2
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Escalon (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	2	2	2
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Escondido

92025

Summary for 'Summary Report Query AddressPostalCode' = 92025 (41 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	41	37	3	1
Percentage of Tests:	100.0 %	90.2 %	7.3 %	2.4 %

92026

Summary for 'Summary Report Query AddressPostalCode' = 92026 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	6	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

92027

Summary for 'Summary Report Query AddressPostalCode' = 92027 (10 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	8	2	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

92029

Summary for 'Summary Report Query AddressPostalCode' = 92029 (6 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	5	0	1
Percentage of Tests: 100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Escondido (75 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 75	62	11	2
Percentage of Tests: 100.0 %	82.7 %	14.7 %	2.7 %

Etna

96027

Summary for 'Summary Report Query AddressPostalCode' = 96027 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Etna (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

EUREKA

95501

Summary for 'Summary Report Query AddressPostalCode' = 95501 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	2	2	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

95503

Summary for 'Summary Report Query AddressPostalCode' = 95503 (2 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 2 2 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = EUREKA (6 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 6 4 2 0

Percentage of Tests: 100.0% 66.7% 33.3% 0.0%

Exeter

93221

Summary for 'Summary Report Query AddressPostalCode' = 93221 (4 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 4 4 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = Exeter (4 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 4 4 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Fair Oaks

95628

Summary for 'Summary Report Query AddressPostalCode' = 95628 (29 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 29 13 11 5

Percentage of Tests: 100.0% 44.8% 37.9% 17.2%

Summary for 'Summary Report Query City' = Fair Oaks (29 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 29 13 11 5

Percentage of Tests: 100.0% 44.8% 37.9% 17.2%

Fairfax

94930

Summary for 'Summary Report Query AddressPostalCode' = 94930 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	6	1	2
Percentage of Tests:	100.0 %	66.7 %	11.1 %	22.2 %

Summary for 'Summary Report Query City' = Fairfax (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	6	1	2
Percentage of Tests:	100.0 %	66.7 %	11.1 %	22.2 %

Fairfield

94533

Summary for 'Summary Report Query AddressPostalCode' = 94533 (25 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	17	8	0
Percentage of Tests:	100.0 %	68.0 %	32.0 %	0.0 %

94534

Summary for 'Summary Report Query AddressPostalCode' = 94534 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	7	5	2
Percentage of Tests:	100.0 %	50.0 %	35.7 %	14.3 %

Summary for 'Summary Report Query City' = Fairfield (39 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	39	24	13	2
Percentage of Tests:	100.0 %	61.5 %	33.3 %	5.1 %

Fallbrook

92028

Summary for 'Summary Report Query AddressPostalCode' = 92028 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	5	1
Percentage of Tests:	100.0 %	66.7 %	27.8 %	5.6 %

Summary for 'Summary Report Query City' = Fallbrook (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	12	5	1
Percentage of Tests:	100.0 %	66.7 %	27.8 %	5.6 %

Felton

95018

Summary for 'Summary Report Query AddressPostalCode' = 95018 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	4	2
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Summary for 'Summary Report Query City' = Felton (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	12	4	2
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Fiddletown

95629

Summary for 'Summary Report Query AddressPostalCode' = 95629 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Fiddletown (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Fillmore

93015

Summary for 'Summary Report Query AddressPostalCode' = 93015 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Summary for 'Summary Report Query City' = Fillmore (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Firebaugh

93622

Summary for 'Summary Report Query AddressPostalCode' = 93622 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Firebaugh (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Fish Camp

93623

Summary for 'Summary Report Query AddressPostalCode' = 93623 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Fish Camp (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Flintridge

91011

Summary for 'Summary Report Query AddressPostalCode' = 91011 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Flintridge (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Floriston

96111

Summary for 'Summary Report Query AddressPostalCode' = 96111 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Floriston (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Folsom

95630

Summary for 'Summary Report Query AddressPostalCode' = 95630 (59 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	59	44	9	6
Percentage of Tests:	100.0 %	74.6 %	15.3 %	10.2 %

95762

Summary for 'Summary Report Query AddressPostalCode' = 95762 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Folsom (62 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	62	46	10	6
Percentage of Tests:	100.0 %	74.2 %	16.1 %	9.7 %

Fontana

92335

Summary for 'Summary Report Query AddressPostalCode' = 92335 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92336

Summary for 'Summary Report Query AddressPostalCode' = 92336 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	11	0	1
Percentage of Tests:	100.0 %	91.7 %	0.0 %	8.3 %

Summary for 'Summary Report Query City' = Fontana (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	12	0	1
Percentage of Tests:	100.0 %	92.3 %	0.0 %	7.7 %

Foothill Ranch

92610

Summary for 'Summary Report Query AddressPostalCode' = 92610 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Foothill Ranch (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

FOREST FALLS

92339

Summary for 'Summary Report Query AddressPostalCode' = 92339 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = FOREST FALLS (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Forest Ranch

95942

Summary for 'Summary Report Query AddressPostalCode' = 95942 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Forest Ranch (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Foresthill

95631

Summary for 'Summary Report Query AddressPostalCode' = 95631 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Foresthill (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Forestville

95436

Summary for 'Summary Report Query AddressPostalCode' = 95436 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	0	5	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Forestville (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	0	5	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Forks Of Salmon

96031

Summary for 'Summary Report Query AddressPostalCode' = 96031 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Forks Of Salmon (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Fort Bragg

95437

Summary for 'Summary Report Query AddressPostalCode' = 95437 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Fort Bragg (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Fort Hunter Liggett

93928

Summary for 'Summary Report Query AddressPostalCode' = 93928 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Fort Hunter Liggett (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Fortuna

95540

Summary for 'Summary Report Query AddressPostalCode' = 95540 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Fortuna (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Foster City

94404

Summary for 'Summary Report Query AddressPostalCode' = 94404 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Foster City (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Fountain Valley

92708

Summary for 'Summary Report Query AddressPostalCode' = 92708 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	3	0
Percentage of Tests:	100.0 %	57.1 %	42.9 %	0.0 %

Summary for 'Summary Report Query City' = Fountain Valley (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	3	0
Percentage of Tests:	100.0 %	57.1 %	42.9 %	0.0 %

Fowler

93625

Summary for 'Summary Report Query AddressPostalCode' = 93625 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Fowler (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Frazier Park

93222

Summary for 'Summary Report Query AddressPostalCode' = 93222 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

93225

Summary for 'Summary Report Query AddressPostalCode' = 93225 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Frazier Park (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Fremont

94536

Summary for 'Summary Report Query AddressPostalCode' = 94536 (81 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94538

Summary for 'Summary Report Query AddressPostalCode' = 94538 (45 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94539

Summary for 'Summary Report Query AddressPostalCode' = 94539 (82 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94555

Summary for 'Summary Report Query AddressPostalCode' = 94555 (38 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Fremont (246 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Fresno

93607

Summary for 'Summary Report Query AddressPostalCode' = 93607 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93702

Summary for 'Summary Report Query AddressPostalCode' = 93702 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93703

Summary for 'Summary Report Query AddressPostalCode' = 93703 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93704

Summary for 'Summary Report Query AddressPostalCode' = 93704 (24 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93705

Summary for 'Summary Report Query AddressPostalCode' = 93705 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93706

Summary for 'Summary Report Query AddressPostalCode' = 93706 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93710

Summary for 'Summary Report Query AddressPostalCode' = 93710 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93711

Summary for 'Summary Report Query AddressPostalCode' = 93711 (38 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93720

Summary for 'Summary Report Query AddressPostalCode' = 93720 (40 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93722

Summary for 'Summary Report Query AddressPostalCode' = 93722 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93723

Summary for 'Summary Report Query AddressPostalCode' = 93723 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93725

Summary for 'Summary Report Query AddressPostalCode' = 93725 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93726

Summary for 'Summary Report Query AddressPostalCode' = 93726 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93727

Summary for 'Summary Report Query AddressPostalCode' = 93727 (15 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 15	8	5	2
Percentage of Tests: 100.0 %	53.3 %	33.3 %	13.3 %

93728

Summary for 'Summary Report Query AddressPostalCode' = 93728 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	2	0	1
Percentage of Tests: 100.0 %	66.7 %	0.0 %	33.3 %

93729

Summary for 'Summary Report Query AddressPostalCode' = 93729 (4 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	0	0	4
Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %

93730

Summary for 'Summary Report Query AddressPostalCode' = 93730 (10 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	7	2	1
Percentage of Tests: 100.0 %	70.0 %	20.0 %	10.0 %

93737

Summary for 'Summary Report Query AddressPostalCode' = 93737 (7 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 7	3	3	1
Percentage of Tests: 100.0 %	42.9 %	42.9 %	14.3 %

Summary for 'Summary Report Query City' = Fresno (211 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 211	120	48	43
Percentage of Tests: 100.0 %	56.9 %	22.7 %	20.4 %

Friant

93626

Summary for 'Summary Report Query AddressPostalCode' = 93626 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Friant (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Fullerton

Summary for 'Summary Report Query AddressPostalCode' = (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

92831

Summary for 'Summary Report Query AddressPostalCode' = 92831 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	10	3	2
Percentage of Tests:	100.0 %	66.7 %	20.0 %	13.3 %

92832

Summary for 'Summary Report Query AddressPostalCode' = 92832 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	11	1	0
Percentage of Tests:	100.0 %	91.7 %	8.3 %	0.0 %

92833

Summary for 'Summary Report Query AddressPostalCode' = 92833 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	9	2	3
Percentage of Tests:	100.0 %	64.3 %	14.3 %	21.4 %

92835

Summary for 'Summary Report Query AddressPostalCode' = 92835 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Fullerton (49 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	49	35	8	6
Percentage of Tests:	100.0 %	71.4 %	16.3 %	12.2 %

Galt

95632

Summary for 'Summary Report Query AddressPostalCode' = 95632 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	14	0	1
Percentage of Tests:	100.0 %	93.3 %	0.0 %	6.7 %

Summary for 'Summary Report Query City' = Galt (15 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	14	0	1
Percentage of Tests:	100.0 %	93.3 %	0.0 %	6.7 %

Garden Grove

92840

Summary for 'Summary Report Query AddressPostalCode' = 92840 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92841

Summary for 'Summary Report Query AddressPostalCode' = 92841 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

92843

Summary for 'Summary Report Query AddressPostalCode' = 92843 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92844

Summary for 'Summary Report Query AddressPostalCode' = 92844 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92845

Summary for 'Summary Report Query AddressPostalCode' = 92845 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Garden Grove (31 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Garden Valley

95633

Summary for 'Summary Report Query AddressPostalCode' = 95633 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Garden Valley (2 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Gardena

90247

Summary for 'Summary Report Query AddressPostalCode' = 90247 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90248

Summary for 'Summary Report Query AddressPostalCode' = 90248 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90249

Summary for 'Summary Report Query AddressPostalCode' = 90249 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Gardena (11 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Georgetown

95634

Summary for 'Summary Report Query AddressPostalCode' = 95634 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Georgetown (6 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Gerber

96035

Summary for 'Summary Report Query AddressPostalCode' = 96035 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Gerber (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Gilroy

95020

Summary for 'Summary Report Query AddressPostalCode' = 95020 (36 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	36	25	6	5
Percentage of Tests:	100.0 %	69.4 %	16.7 %	13.9 %

95021

Summary for 'Summary Report Query AddressPostalCode' = 95021 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Gilroy (37 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	37	26	6	5
Percentage of Tests:	100.0 %	70.3 %	16.2 %	13.5 %

Glen Ellen

95442

Summary for 'Summary Report Query AddressPostalCode' = 95442 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Glen Ellen (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Glendale

91201

Summary for 'Summary Report Query AddressPostalCode' = 91201 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	3	0
Percentage of Tests:	100.0 %	57.1 %	42.9 %	0.0 %

91202

Summary for 'Summary Report Query AddressPostalCode' = 91202 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

91203

Summary for 'Summary Report Query AddressPostalCode' = 91203 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91204

Summary for 'Summary Report Query AddressPostalCode' = 91204 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

91205

Summary for 'Summary Report Query AddressPostalCode' = 91205 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	4	5	1
Percentage of Tests:	100.0 %	40.0 %	50.0 %	10.0 %

91206

Summary for 'Summary Report Query AddressPostalCode' = 91206 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	11	3	1
Percentage of Tests:	100.0 %	73.3 %	20.0 %	6.7 %

91207

Summary for 'Summary Report Query AddressPostalCode' = 91207 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

91208

Summary for 'Summary Report Query AddressPostalCode' = 91208 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	1	1
Percentage of Tests:	100.0 %	81.8 %	9.1 %	9.1 %

91214

Summary for 'Summary Report Query AddressPostalCode' = 91214 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	3	0
Percentage of Tests:	100.0 %	57.1 %	42.9 %	0.0 %

Summary for 'Summary Report Query City' = Glendale (72 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	72	48	18	6
Percentage of Tests:	100.0 %	66.7 %	25.0 %	8.3 %

Glendora

91740

Summary for 'Summary Report Query AddressPostalCode' = 91740 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

91741

Summary for 'Summary Report Query AddressPostalCode' = 91741 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	2	0
Percentage of Tests:	100.0 %	71.4 %	28.6 %	0.0 %

Summary for 'Summary Report Query City' = Glendora (14 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	10	3	1
Percentage of Tests:	100.0 %	71.4 %	21.4 %	7.1 %

Glenn

95943

Summary for 'Summary Report Query AddressPostalCode' = 95943 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Glenn (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Gold River

95670

Summary for 'Summary Report Query AddressPostalCode' = 95670 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Gold River (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Gold Run

95717

Summary for 'Summary Report Query AddressPostalCode' = 95717 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Gold Run (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Goleta

93117

Summary for 'Summary Report Query AddressPostalCode' = 93117 (62 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 62	32	9	21
Percentage of Tests: 100.0 %	51.6 %	14.5 %	33.9 %

Summary for 'Summary Report Query City' = Goleta (62 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 62	32	9	21
Percentage of Tests: 100.0 %	51.6 %	14.5 %	33.9 %

Granada Hills

91344

Summary for 'Summary Report Query AddressPostalCode' = 91344 (30 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 30	16	12	2
Percentage of Tests: 100.0 %	53.3 %	40.0 %	6.7 %

Summary for 'Summary Report Query City' = Granada Hills (30 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 30	16	12	2
Percentage of Tests: 100.0 %	53.3 %	40.0 %	6.7 %

Grand Terrace

92313

Summary for 'Summary Report Query AddressPostalCode' = 92313 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	0	1	1
Percentage of Tests: 100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Grand Terrace (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	0	1	1
Percentage of Tests: 100.0 %	0.0 %	50.0 %	50.0 %

Granite Bay

95746

Summary for 'Summary Report Query AddressPostalCode' = 95746 (31 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 31	22	5	4
Percentage of Tests: 100.0 %	71.0 %	16.1 %	12.9 %

Summary for 'Summary Report Query City' = Granite Bay (31 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 31	22	5	4
Percentage of Tests: 100.0 %	71.0 %	16.1 %	12.9 %

Grass Valley

95945

Summary for 'Summary Report Query AddressPostalCode' = 95945 (33 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 33	23	6	4
Percentage of Tests: 100.0 %	69.7 %	18.2 %	12.1 %

95949

Summary for 'Summary Report Query AddressPostalCode' = 95949 (26 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 26	16	5	5
Percentage of Tests: 100.0 %	61.5 %	19.2 %	19.2 %

95959

Summary for 'Summary Report Query AddressPostalCode' = 95959 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Grass Valley (60 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	60	39	11	10
Percentage of Tests:	100.0 %	65.0 %	18.3 %	16.7 %

Green Valley Lake

92341

Summary for 'Summary Report Query AddressPostalCode' = 92341 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Green Valley Lake (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Greenbrae

94904

Summary for 'Summary Report Query AddressPostalCode' = 94904 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Summary for 'Summary Report Query City' = Greenbrae (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Greenwood

95635

Summary for 'Summary Report Query AddressPostalCode' = 95635 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Greenwood (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Grizzly Flats

95636

Summary for 'Summary Report Query AddressPostalCode' = 95636 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Grizzly Flats (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Groveland

95321

Summary for 'Summary Report Query AddressPostalCode' = 95321 (6 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	3	1	2
Percentage of Tests: 100.0 %	50.0 %	16.7 %	33.3 %

Summary for 'Summary Report Query City' = Groveland (6 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 6	3	1	2
Percentage of Tests: 100.0 %	50.0 %	16.7 %	33.3 %

Grover Beach

93433

Summary for 'Summary Report Query AddressPostalCode' = 93433 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	2	0
Percentage of Tests: 100.0 %	60.0 %	40.0 %	0.0 %

Summary for 'Summary Report Query City' = Grover Beach (5 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	2	0
Percentage of Tests: 100.0 %	60.0 %	40.0 %	0.0 %

Guadalupe

93434

Summary for 'Summary Report Query AddressPostalCode' = 93434 (20 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 20	14	5	1
Percentage of Tests: 100.0 %	70.0 %	25.0 %	5.0 %

Summary for 'Summary Report Query City' = Guadalupe (20 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 20	14	5	1
Percentage of Tests: 100.0 %	70.0 %	25.0 %	5.0 %

Gualala

95445

Summary for 'Summary Report Query AddressPostalCode' = 95445 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	0	2
Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Gualala (5 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	0	2
Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %

Guatay

91931

Summary for 'Summary Report Query AddressPostalCode' = 91931 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Guatav (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Guerneville

95446

Summary for 'Summary Report Query AddressPostalCode' = 95446 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Guerneville (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Hacienda Heights

91745

Summary for 'Summary Report Query AddressPostalCode' = 91745 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = Hacienda Heights (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Halcyon

93420

Summary for 'Summary Report Query AddressPostalCode' = 93420 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Halcvon (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Half Moon Bay

94019

Summary for 'Summary Report Query AddressPostalCode' = 94019 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Summary for 'Summary Report Query City' = Half Moon Bay (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Hanford

93230

Summary for 'Summary Report Query AddressPostalCode' = 93230 (29 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	11	13	5
Percentage of Tests:	100.0 %	37.9 %	44.8 %	17.2 %

Summary for 'Summary Report Query City' = Hanford (29 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	29	11	13	5
Percentage of Tests:	100.0 %	37.9 %	44.8 %	17.2 %

Happy Camp

96039

Summary for 'Summary Report Query AddressPostalCode' = 96039 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Happy Camp (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Harbor City

90710

Summary for 'Summary Report Query AddressPostalCode' = 90710 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Harbor City (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Hathaway Pines

95233

Summary for 'Summary Report Query AddressPostalCode' = 95233 (7 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 7	6	1	0
Percentage of Tests: 100.0 %	85.7 %	14.3 %	0.0 %

Summary for 'Summary Report Query City' = Hathaway Pines (7 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 7	6	1	0
Percentage of Tests: 100.0 %	85.7 %	14.3 %	0.0 %

Hawaiian Gardens

90716

Summary for 'Summary Report Query AddressPostalCode' = 90716 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Hawaiian Gardens (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Hawthorne

90250

Summary for 'Summary Report Query AddressPostalCode' = 90250 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	3	0
Percentage of Tests:	100.0 %	62.5 %	37.5 %	0.0 %

Summary for 'Summary Report Query City' = Hawthorne (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	3	0
Percentage of Tests:	100.0 %	62.5 %	37.5 %	0.0 %

Hayward

94540

Summary for 'Summary Report Query AddressPostalCode' = 94540 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94541

Summary for 'Summary Report Query AddressPostalCode' = 94541 (43 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	43	32	4	7
Percentage of Tests:	100.0 %	74.4 %	9.3 %	16.3 %

94542

Summary for 'Summary Report Query AddressPostalCode' = 94542 (22 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 22	20	2	0
Percentage of Tests: 100.0 %	90.9 %	9.1 %	0.0 %

94544

Summary for 'Summary Report Query AddressPostalCode' = 94544 (22 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 22	17	3	2
Percentage of Tests: 100.0 %	77.3 %	13.6 %	9.1 %

94545

Summary for 'Summary Report Query AddressPostalCode' = 94545 (22 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 22	15	6	1
Percentage of Tests: 100.0 %	68.2 %	27.3 %	4.5 %

94546

Summary for 'Summary Report Query AddressPostalCode' = 94546 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	0	1
Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %

94557

Summary for 'Summary Report Query AddressPostalCode' = 94557 (8 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	7	1	0
Percentage of Tests: 100.0 %	87.5 %	12.5 %	0.0 %

Summary for 'Summary Report Query City' = Hayward (120 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 120	93	16	11
Percentage of Tests: 100.0 %	77.5 %	13.3 %	9.2 %

Healdsburg

95448

Summary for 'Summary Report Query AddressPostalCode' = 95448 (35 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 35	23	10	2
Percentage of Tests: 100.0 %	65.7 %	28.6 %	5.7 %

Summary for 'Summary Report Query City' = Healdsburg (35 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 35	23	10	2
Percentage of Tests: 100.0 %	65.7 %	28.6 %	5.7 %

HEMET

92543

Summary for 'Summary Report Query AddressPostalCode' = 92543 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92544

Summary for 'Summary Report Query AddressPostalCode' = 92544 (11 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	7	2	2
Percentage of Tests: 100.0 %	63.6 %	18.2 %	18.2 %

92545

Summary for 'Summary Report Query AddressPostalCode' = 92545 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = HEMET (13 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 13	9	2	2
Percentage of Tests: 100.0 %	69.2 %	15.4 %	15.4 %

Hercules

94547

Summary for 'Summary Report Query AddressPostalCode' = 94547 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	0	2
Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Hercules (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	0	2
Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %

Herlong

96113

Summary for 'Summary Report Query AddressPostalCode' = 96113 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Herlong (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Hermosa Beach

90254

Summary for 'Summary Report Query AddressPostalCode' = 90254 (11 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	10	1	0
Percentage of Tests: 100.0 %	90.9 %	9.1 %	0.0 %

Summary for 'Summary Report Query City' = Hermosa Beach (11 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 11	10	1	0
Percentage of Tests: 100.0 %	90.9 %	9.1 %	0.0 %

Hesperia

92344

Summary for 'Summary Report Query AddressPostalCode' = 92344 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 0 1 0

Percentage of Tests: 100.0% 0.0% 100.0% 0.0%

92345

Summary for 'Summary Report Query AddressPostalCode' = 92345 (5 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 5 5 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = Hesperia (6 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 6 5 1 0

Percentage of Tests: 100.0% 83.3% 16.7% 0.0%

Hidden Hills

91302

Summary for 'Summary Report Query AddressPostalCode' = 91302 (14 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 14 12 1 1

Percentage of Tests: 100.0% 85.7% 7.1% 7.1%

Summary for 'Summary Report Query City' = Hidden Hills (14 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 14 12 1 1

Percentage of Tests: 100.0% 85.7% 7.1% 7.1%

Hidden Valley Lake

95467

Summary for 'Summary Report Query AddressPostalCode' = 95467 (2 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 2 1 0 1

Percentage of Tests: 100.0% 50.0% 0.0% 50.0%

Summary for 'Summary Report Query City' = Hidden Valley Lake (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Highland

92346

Summary for 'Summary Report Query AddressPostalCode' = 92346 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Highland (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Hillsborough

94010

Summary for 'Summary Report Query AddressPostalCode' = 94010 (27 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	27	17	3	7
Percentage of Tests:	100.0 %	63.0 %	11.1 %	25.9 %

Summary for 'Summary Report Query City' = Hillsborough (27 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	27	17	3	7
Percentage of Tests:	100.0 %	63.0 %	11.1 %	25.9 %

Hollister

95023

Summary for 'Summary Report Query AddressPostalCode' = 95023 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Hollister (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

HOMELAND

92548

Summary for 'Summary Report Query AddressPostalCode' = 92548 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = HOMELAND (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Homewood

96141

Summary for 'Summary Report Query AddressPostalCode' = 96141 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Homewood (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Hume

93628

Summary for 'Summary Report Query AddressPostalCode' = 93628 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Hume (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Huntington Beach

92646

Summary for 'Summary Report Query AddressPostalCode' = 92646 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	6	3	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

92647

Summary for 'Summary Report Query AddressPostalCode' = 92647 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	10	5	3
Percentage of Tests:	100.0 %	55.6 %	27.8 %	16.7 %

92648

Summary for 'Summary Report Query AddressPostalCode' = 92648 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	12	3	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

92649

Summary for 'Summary Report Query AddressPostalCode' = 92649 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	6	2	1
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Summary for 'Summary Report Query City' = Huntington Beach (51 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	51	34	13	4
Percentage of Tests:	100.0 %	66.7 %	25.5 %	7.8 %

Idyllwild

92549

Summary for 'Summary Report Query AddressPostalCode' = 92549 (10 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	4	2	4
Percentage of Tests: 100.0 %	40.0 %	20.0 %	40.0 %

Summary for 'Summary Report Query City' = Idyllwild (10 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 10	4	2	4
Percentage of Tests: 100.0 %	40.0 %	20.0 %	40.0 %

Imperial

92251

Summary for 'Summary Report Query AddressPostalCode' = 92251 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Imperial (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Imperial Beach

91932

Summary for 'Summary Report Query AddressPostalCode' = 91932 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Imperial Beach (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Indian Wells

92210

Summary for 'Summary Report Query AddressPostalCode' = 92210 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Indian Wells (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Indio

92201

Summary for 'Summary Report Query AddressPostalCode' = 92201 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	8	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92202

Summary for 'Summary Report Query AddressPostalCode' = 92202 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92203

Summary for 'Summary Report Query AddressPostalCode' = 92203 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Indio (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	15	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Inglewood

90302

Summary for 'Summary Report Query AddressPostalCode' = 90302 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90303

Summary for 'Summary Report Query AddressPostalCode' = 90303 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Inglewood (6 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Inverness

94937

Summary for 'Summary Report Query AddressPostalCode' = 94937 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Inverness (4 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Inyokern

93527

Summary for 'Summary Report Query AddressPostalCode' = 93527 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Invokern (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

lone

95640

Summary for 'Summary Report Query AddressPostalCode' = 95640 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = lone (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Irvine

92602

Summary for 'Summary Report Query AddressPostalCode' = 92602 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	8	4	2
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

92603

Summary for 'Summary Report Query AddressPostalCode' = 92603 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	1	1
Percentage of Tests:	100.0 %	81.8 %	9.1 %	9.1 %

92604

Summary for 'Summary Report Query AddressPostalCode' = 92604 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	1	2
Percentage of Tests:	100.0 %	62.5 %	12.5 %	25.0 %

92606

Summary for 'Summary Report Query AddressPostalCode' = 92606 (14 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 14	11	2	1
------------------	----	---	---

Percentage of Tests: 100.0 %	78.6 %	14.3 %	7.1 %
------------------------------	--------	--------	-------

92612

Summary for 'Summary Report Query AddressPostalCode' = 92612 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 3	3	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

92614

Summary for 'Summary Report Query AddressPostalCode' = 92614 (10 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 10	7	3	0
------------------	---	---	---

Percentage of Tests: 100.0 %	70.0 %	30.0 %	0.0 %
------------------------------	--------	--------	-------

92617

Summary for 'Summary Report Query AddressPostalCode' = 92617 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 2	2	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

92618

Summary for 'Summary Report Query AddressPostalCode' = 92618 (16 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 16	11	2	3
------------------	----	---	---

Percentage of Tests: 100.0 %	68.8 %	12.5 %	18.8 %
------------------------------	--------	--------	--------

92619

Summary for 'Summary Report Query AddressPostalCode' = 92619 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	0	0	1
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %
------------------------------	-------	-------	---------

92620

Summary for 'Summary Report Query AddressPostalCode' = 92620 (22 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92623

Summary for 'Summary Report Query AddressPostalCode' = 92623 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Irvine (102 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Isleton

95641

Summary for 'Summary Report Query AddressPostalCode' = 95641 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Isleton (1 detail record)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Jackson

95642

Summary for 'Summary Report Query AddressPostalCode' = 95642 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Jackson (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	10	3	0
Percentage of Tests:	100.0 %	76.9 %	23.1 %	0.0 %

Jamestown

95327

Summary for 'Summary Report Query AddressPostalCode' = 95327 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Jamestown (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Jamul

91935

Summary for 'Summary Report Query AddressPostalCode' = 91935 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Jamul (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Jenner

95450

Summary for 'Summary Report Query AddressPostalCode' = 95450 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Jenner (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Johannesburg

93528

Summary for 'Summary Report Query AddressPostalCode' = 93528 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Johannesburg (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Joshua Tree

92252

Summary for 'Summary Report Query AddressPostalCode' = 92252 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Joshua Tree (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

June Lake

93529

Summary for 'Summary Report Query AddressPostalCode' = 93529 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = June Lake (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

JURUPA VALLEY

92509

Summary for 'Summary Report Query AddressPostalCode' = 92509 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = JURUPA VALLEY (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Keene

93531

Summary for 'Summary Report Query AddressPostalCode' = 93531 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Keene (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Kelseyville

95451

Summary for 'Summary Report Query AddressPostalCode' = 95451 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Kelseville (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Kensington

94707

Summary for 'Summary Report Query AddressPostalCode' = 94707 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

94708

Summary for 'Summary Report Query AddressPostalCode' = 94708 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Kensington (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Kentfield

94904

Summary for 'Summary Report Query AddressPostalCode' = 94904 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Kentfield (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Kerman

93630

Summary for 'Summary Report Query AddressPostalCode' = 93630 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Kerman (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Kettleman City

93239

Summary for 'Summary Report Query AddressPostalCode' = 93239 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Kettleman City (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Kings Beach

96143

Summary for 'Summary Report Query AddressPostalCode' = 96143 (17 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	15	1	1
Percentage of Tests: 100.0 %	88.2 %	5.9 %	5.9 %

Summary for 'Summary Report Query City' = Kings Beach (17 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 17	15	1	1
Percentage of Tests: 100.0 %	88.2 %	5.9 %	5.9 %

Kingsburg

93631

Summary for 'Summary Report Query AddressPostalCode' = 93631 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	1	2
Percentage of Tests:	100.0 %	25.0 %	25.0 %	50.0 %

Summary for 'Summary Report Query City' = Kingsburg (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	1	1	2
Percentage of Tests:	100.0 %	25.0 %	25.0 %	50.0 %

Kirkwood

95646

Summary for 'Summary Report Query AddressPostalCode' = 95646 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	0	2	1
Percentage of Tests:	100.0 %	0.0 %	66.7 %	33.3 %

Summary for 'Summary Report Query City' = Kirkwood (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	0	2	1
Percentage of Tests:	100.0 %	0.0 %	66.7 %	33.3 %

Klamath

95548

Summary for 'Summary Report Query AddressPostalCode' = 95548 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	3	2
Percentage of Tests:	100.0 %	54.5 %	27.3 %	18.2 %

Summary for 'Summary Report Query City' = Klamath (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	6	3	2
Percentage of Tests:	100.0 %	54.5 %	27.3 %	18.2 %

La Canada

91011

Summary for 'Summary Report Query AddressPostalCode' = 91011 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	1	2	2
Percentage of Tests:	100.0 %	20.0 %	40.0 %	40.0 %

Summary for 'Summary Report Query City' = La Canada (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	1	2	2
Percentage of Tests:	100.0 %	20.0 %	40.0 %	40.0 %

La Canada Flintridge

91011

Summary for 'Summary Report Query AddressPostalCode' = 91011 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	8	2	2
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

Summary for 'Summary Report Query City' = La Canada Flintridge (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	8	2	2
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

La Crescenta

91214

Summary for 'Summary Report Query AddressPostalCode' = 91214 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	19	2	1
Percentage of Tests:	100.0 %	86.4 %	9.1 %	4.5 %

Summary for 'Summary Report Query City' = La Crescenta (22 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	19	2	1
Percentage of Tests:	100.0 %	86.4 %	9.1 %	4.5 %

La Grange

95329

Summary for 'Summary Report Query AddressPostalCode' = 95329 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = La Grange (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

La Habra

90631

Summary for 'Summary Report Query AddressPostalCode' = 90631 (27 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	27	24	1	2
Percentage of Tests:	100.0 %	88.9 %	3.7 %	7.4 %

Summary for 'Summary Report Query City' = La Habra (27 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	27	24	1	2
Percentage of Tests:	100.0 %	88.9 %	3.7 %	7.4 %

La Jolla

92037

Summary for 'Summary Report Query AddressPostalCode' = 92037 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	10	4	2
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

92093

Summary for 'Summary Report Query AddressPostalCode' = 92093 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = La Jolla (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	11	4	2
Percentage of Tests:	100.0 %	64.7 %	23.5 %	11.8 %

La Mesa

91941

Summary for 'Summary Report Query AddressPostalCode' = 91941 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	2	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

91942

Summary for 'Summary Report Query AddressPostalCode' = 91942 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = La Mesa (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	12	4	2
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

La Mirada

90638

Summary for 'Summary Report Query AddressPostalCode' = 90638 (38 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	38	29	5	4
Percentage of Tests:	100.0 %	76.3 %	13.2 %	10.5 %

Summary for 'Summary Report Query City' = La Mirada (38 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	38	29	5	4
Percentage of Tests:	100.0 %	76.3 %	13.2 %	10.5 %

La Palma

90623

Summary for 'Summary Report Query AddressPostalCode' = 90623 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = La Palma (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

La Puente

91744

Summary for 'Summary Report Query AddressPostalCode' = 91744 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91746

Summary for 'Summary Report Query AddressPostalCode' = 91746 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = La Puente (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

La Quinta

92253

Summary for 'Summary Report Query AddressPostalCode' = 92253 (24 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	24	18	1	5
Percentage of Tests:	100.0 %	75.0 %	4.2 %	20.8 %

Summary for 'Summary Report Query City' = La Quinta (24 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	24	18	1	5
Percentage of Tests:	100.0 %	75.0 %	4.2 %	20.8 %

LA SELVA BEACH

95076

Summary for 'Summary Report Query AddressPostalCode' = 95076 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = LA SELVA BEACH (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

La Verne

91750

Summary for 'Summary Report Query AddressPostalCode' = 91750 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	9	2	2
Percentage of Tests:	100.0 %	69.2 %	15.4 %	15.4 %

Summary for 'Summary Report Query City' = La Verne (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	9	2	2
Percentage of Tests:	100.0 %	69.2 %	15.4 %	15.4 %

Ladera Ranch

92694

Summary for 'Summary Report Query AddressPostalCode' = 92694 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Ladera Ranch (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lafayette

94549

Summary for 'Summary Report Query AddressPostalCode' = 94549 (47 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	47	32	12	3
Percentage of Tests:	100.0 %	68.1 %	25.5 %	6.4 %

Summary for 'Summary Report Query City' = Lafayette (47 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	47	32	12	3
Percentage of Tests:	100.0 %	68.1 %	25.5 %	6.4 %

Laguna Beach

92651

Summary for 'Summary Report Query AddressPostalCode' = 92651 (21 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	21	16	3	2
Percentage of Tests:	100.0 %	76.2 %	14.3 %	9.5 %

92656

Summary for 'Summary Report Query AddressPostalCode' = 92656 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Laguna Beach (22 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	16	3	3
Percentage of Tests:	100.0 %	72.7 %	13.6 %	13.6 %

Laguna Hills

92637

Summary for 'Summary Report Query AddressPostalCode' = 92637 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92653

Summary for 'Summary Report Query AddressPostalCode' = 92653 (22 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	13	7	2
Percentage of Tests:	100.0 %	59.1 %	31.8 %	9.1 %

Summary for 'Summary Report Query City' = Laguna Hills (24 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	24	15	7	2
Percentage of Tests:	100.0 %	62.5 %	29.2 %	8.3 %

Laguna Niguel

92677

Summary for 'Summary Report Query AddressPostalCode' = 92677 (29 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	23	3	3
Percentage of Tests:	100.0 %	79.3 %	10.3 %	10.3 %

Summary for 'Summary Report Query City' = Laguna Niguel (29 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	29	23	3	3
Percentage of Tests:	100.0 %	79.3 %	10.3 %	10.3 %

Laguna Woods

92637

Summary for 'Summary Report Query AddressPostalCode' = 92637 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Laguna Woods (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Lagunitas

94938

Summary for 'Summary Report Query AddressPostalCode' = 94938 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lagunitas (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lagunitas-Forest Knolls

94933

Summary for 'Summary Report Query AddressPostalCode' = 94933 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lagunitas-Forest Knolls (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lake Almanor

96137

Summary for 'Summary Report Query AddressPostalCode' = 96137 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake Almanor (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lake Arrowhead

92352

Summary for 'Summary Report Query AddressPostalCode' = 92352 (32 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	32	16	12	4
Percentage of Tests:	100.0 %	50.0 %	37.5 %	12.5 %

Summary for 'Summary Report Query City' = Lake Arrowhead (32 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	32	16	12	4
Percentage of Tests:	100.0 %	50.0 %	37.5 %	12.5 %

Lake Balboa

91406

Summary for 'Summary Report Query AddressPostalCode' = 91406 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake Balboa (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Lake Elsinore

92530

Summary for 'Summary Report Query AddressPostalCode' = 92530 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

92532

Summary for 'Summary Report Query AddressPostalCode' = 92532 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	3	3	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Summary for 'Summary Report Query City' = Lake Elsinore (8 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	8	7	1	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %
----------------------	---------	--------	--------	-------

Lake Forest

92630

Summary for 'Summary Report Query AddressPostalCode' = 92630 (44 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	44	38	5	1
---------------	----	----	---	---

Percentage of Tests:	100.0 %	86.4 %	11.4 %	2.3 %
----------------------	---------	--------	--------	-------

Summary for 'Summary Report Query City' = Lake Forest (44 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	44	38	5	1
---------------	----	----	---	---

Percentage of Tests:	100.0 %	86.4 %	11.4 %	2.3 %
----------------------	---------	--------	--------	-------

Lake Hughes

93532

Summary for 'Summary Report Query AddressPostalCode' = 93532 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
------------------	-----------------------	-----------------------------	-----------------------

No. of Tests:	2	2	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Summary for 'Summary Report Query City' = Lake Hughes (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
------------------	----------------------------	-----------------------------	----------------------------

No. of Tests:	2	2	0	0
---------------	---	---	---	---

Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %
----------------------	---------	---------	-------	-------

Lake Isabella

93240

Summary for 'Summary Report Query AddressPostalCode' = 93240 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake Isabella (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lake Mary

93546

Summary for 'Summary Report Query AddressPostalCode' = 93546 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake Mary (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Lake Sherwood

91361

Summary for 'Summary Report Query AddressPostalCode' = 91361 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake Sherwood (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lake View Terrace

91342

Summary for 'Summary Report Query AddressPostalCode' = 91342 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	0	4	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Lake View Terrace (4 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	0	4	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Lakeport

95453

Summary for 'Summary Report Query AddressPostalCode' = 95453 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lakeport (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Lakeside

92040

Summary for 'Summary Report Query AddressPostalCode' = 92040 (8 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	5	3	0
Percentage of Tests: 100.0 %	62.5 %	37.5 %	0.0 %

Summary for 'Summary Report Query City' = Lakeside (8 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 8	5	3	0
Percentage of Tests: 100.0 %	62.5 %	37.5 %	0.0 %

Lakewood

90712

Summary for 'Summary Report Query AddressPostalCode' = 90712 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90713

Summary for 'Summary Report Query AddressPostalCode' = 90713 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90715

Summary for 'Summary Report Query AddressPostalCode' = 90715 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Lakewood (19 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Lancaster

93534

Summary for 'Summary Report Query AddressPostalCode' = 93534 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93535

Summary for 'Summary Report Query AddressPostalCode' = 93535 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93536

Summary for 'Summary Report Query AddressPostalCode' = 93536 (36 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	36	26	4	6
Percentage of Tests:	100.0 %	72.2 %	11.1 %	16.7 %

93539

Summary for 'Summary Report Query AddressPostalCode' = 93539 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

93586

Summary for 'Summary Report Query AddressPostalCode' = 93586 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lancaster (50 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	50	35	9	6
Percentage of Tests:	100.0 %	70.0 %	18.0 %	12.0 %

Larkspur

94939

Summary for 'Summary Report Query AddressPostalCode' = 94939 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	7	1	4
Percentage of Tests:	100.0 %	58.3 %	8.3 %	33.3 %

Summary for 'Summary Report Query City' = Larkspur (12 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	7	1	4
Percentage of Tests:	100.0 %	58.3 %	8.3 %	33.3 %

Lathrop

95330

Summary for 'Summary Report Query AddressPostalCode' = 95330 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lathrop (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Latrobe

95682

Summary for 'Summary Report Query AddressPostalCode' = 95682 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Latrobe (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

Lawndale

90260

Summary for 'Summary Report Query AddressPostalCode' = 90260 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Lawndale (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Lee Vining

93541

Summary for 'Summary Report Query AddressPostalCode' = 93541 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Lee Vining (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Leggett

95585

Summary for 'Summary Report Query AddressPostalCode' = 95585 (19 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	16	3	0
Percentage of Tests:	100.0 %	84.2 %	15.8 %	0.0 %

Summary for 'Summary Report Query City' = Leggett (19 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	16	3	0
Percentage of Tests:	100.0 %	84.2 %	15.8 %	0.0 %

Lemon Grove

91945

Summary for 'Summary Report Query AddressPostalCode' = 91945 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Lemon Grove (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Lemoore

93245

Summary for 'Summary Report Query AddressPostalCode' = 93245 (6 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	2	3	1
Percentage of Tests: 100.0 %	33.3 %	50.0 %	16.7 %

Summary for 'Summary Report Query City' = Lemoore (6 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 6	2	3	1
Percentage of Tests: 100.0 %	33.3 %	50.0 %	16.7 %

Leona Valley

93551

Summary for 'Summary Report Query AddressPostalCode' = 93551 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Leona Valley (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Lincoln

95648

Summary for 'Summary Report Query AddressPostalCode' = 95648 (20 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 20	13	5	2
Percentage of Tests: 100.0 %	65.0 %	25.0 %	10.0 %

Summary for 'Summary Report Query City' = Lincoln (20 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 20	13	5	2
Percentage of Tests: 100.0 %	65.0 %	25.0 %	10.0 %

Lincoln Acres

91950

Summary for 'Summary Report Query AddressPostalCode' = 91950 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Lincoln Acres (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Linden

95236

Summary for 'Summary Report Query AddressPostalCode' = 95236 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Linden (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

Lindsay

93247

Summary for 'Summary Report Query AddressPostalCode' = 93247 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Lindsay (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Litchfield

96117

Summary for 'Summary Report Query AddressPostalCode' = 96117 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Litchfield (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Littlerock

93543

Summary for 'Summary Report Query AddressPostalCode' = 93543 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Littlerock (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

Live Oak

95953

Summary for 'Summary Report Query AddressPostalCode' = 95953 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Live Oak (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Livermore

94550

Summary for 'Summary Report Query AddressPostalCode' = 94550 (90 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	90	72	14	4
Percentage of Tests:	100.0 %	80.0 %	15.6 %	4.4 %

94551

Summary for 'Summary Report Query AddressPostalCode' = 94551 (44 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	44	28	11	5
Percentage of Tests:	100.0 %	63.6 %	25.0 %	11.4 %

Summary for 'Summary Report Query City' = Livermore (134 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	134	100	25	9
Percentage of Tests:	100.0 %	74.6 %	18.7 %	6.7 %

Llano

93544

Summary for 'Summary Report Query AddressPostalCode' = 93544 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Llano (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Loch Lomond

95461

Summary for 'Summary Report Query AddressPostalCode' = 95461 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Loch Lomond (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Lockeford

95237

Summary for 'Summary Report Query AddressPostalCode' = 95237 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Lockeford (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Lodi

95240

Summary for 'Summary Report Query AddressPostalCode' = 95240 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

95242

Summary for 'Summary Report Query AddressPostalCode' = 95242 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Summary for 'Summary Report Query City' = Lodi (14 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	12	2	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Loleta

95551

Summary for 'Summary Report Query AddressPostalCode' = 95551 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Loleta (3 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Loma Linda

92354

Summary for 'Summary Report Query AddressPostalCode' = 92354 (9 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	7	0	2
Percentage of Tests: 100.0 %	77.8 %	0.0 %	22.2 %

Summary for 'Summary Report Query City' = Loma Linda (9 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 9	7	0	2
Percentage of Tests: 100.0 %	77.8 %	0.0 %	22.2 %

Loma Mar

94021

Summary for 'Summary Report Query AddressPostalCode' = 94021 (4 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Loma Mar (4 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

Lomita

90717

Summary for 'Summary Report Query AddressPostalCode' = 90717 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	1	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

Summary for 'Summary Report Query City' = Lomita (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	1	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

Lompoc

93436

Summary for 'Summary Report Query AddressPostalCode' = 93436 (25 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	20	2	3
Percentage of Tests:	100.0 %	80.0 %	8.0 %	12.0 %

Summary for 'Summary Report Query City' = Lompoc (25 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	25	20	2	3
Percentage of Tests:	100.0 %	80.0 %	8.0 %	12.0 %

Lone Pine

93545

Summary for 'Summary Report Query AddressPostalCode' = 93545 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lone Pine (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Long Beach

90802

Summary for 'Summary Report Query AddressPostalCode' = 90802 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90803

Summary for 'Summary Report Query AddressPostalCode' = 90803 (33 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	33	23	5	5
Percentage of Tests:	100.0 %	69.7 %	15.2 %	15.2 %

90804

Summary for 'Summary Report Query AddressPostalCode' = 90804 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

90805

Summary for 'Summary Report Query AddressPostalCode' = 90805 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

90806

Summary for 'Summary Report Query AddressPostalCode' = 90806 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90807

Summary for 'Summary Report Query AddressPostalCode' = 90807 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	13	5	1
Percentage of Tests:	100.0 %	68.4 %	26.3 %	5.3 %

90808

Summary for 'Summary Report Query AddressPostalCode' = 90808 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90810

Summary for 'Summary Report Query AddressPostalCode' = 90810 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90814

Summary for 'Summary Report Query AddressPostalCode' = 90814 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90815

Summary for 'Summary Report Query AddressPostalCode' = 90815 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Long Beach (92 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Loomis

95650

Summary for 'Summary Report Query AddressPostalCode' = 95650 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Loomis (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	10	2	1
Percentage of Tests:	100.0 %	76.9 %	15.4 %	7.7 %

Los Alamitos

90720

Summary for 'Summary Report Query AddressPostalCode' = 90720 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

Summary for 'Summary Report Query City' = Los Alamitos (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

Los Altos Hills

94022

Summary for 'Summary Report Query AddressPostalCode' = 94022 (76 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	76	54	16	6
Percentage of Tests:	100.0 %	71.1 %	21.1 %	7.9 %

94024

Summary for 'Summary Report Query AddressPostalCode' = 94024 (97 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	97	59	30	8
Percentage of Tests:	100.0 %	60.8 %	30.9 %	8.2 %

Summary for 'Summary Report Query City' = Los Altos Hills (173 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	173	113	46	14
Percentage of Tests:	100.0 %	65.3 %	26.6 %	8.1 %

Los Angeles

90001

Summary for 'Summary Report Query AddressPostalCode' = 90001 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 2	2	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

90002

Summary for 'Summary Report Query AddressPostalCode' = 90002 (4 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 4	2	0	2
-----------------	---	---	---

Percentage of Tests: 100.0 %	50.0 %	0.0 %	50.0 %
------------------------------	--------	-------	--------

90003

Summary for 'Summary Report Query AddressPostalCode' = 90003 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 2	2	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

90004

Summary for 'Summary Report Query AddressPostalCode' = 90004 (29 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 29	19	4	6
------------------	----	---	---

Percentage of Tests: 100.0 %	65.5 %	13.8 %	20.7 %
------------------------------	--------	--------	--------

90005

Summary for 'Summary Report Query AddressPostalCode' = 90005 (6 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 6	6	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

90006

Summary for 'Summary Report Query AddressPostalCode' = 90006 (6 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 6	4	2	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %
------------------------------	--------	--------	-------

90007

Summary for 'Summary Report Query AddressPostalCode' = 90007 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90008

Summary for 'Summary Report Query AddressPostalCode' = 90008 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90011

Summary for 'Summary Report Query AddressPostalCode' = 90011 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90012

Summary for 'Summary Report Query AddressPostalCode' = 90012 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90013

Summary for 'Summary Report Query AddressPostalCode' = 90013 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90015

Summary for 'Summary Report Query AddressPostalCode' = 90015 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90016

Summary for 'Summary Report Query AddressPostalCode' = 90016 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	12	1	1
Percentage of Tests:	100.0 %	85.7 %	7.1 %	7.1 %

90017

Summary for 'Summary Report Query AddressPostalCode' = 90017 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90018

Summary for 'Summary Report Query AddressPostalCode' = 90018 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	3	3	1
Percentage of Tests:	100.0 %	42.9 %	42.9 %	14.3 %

90019

Summary for 'Summary Report Query AddressPostalCode' = 90019 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	14	2	3
Percentage of Tests:	100.0 %	73.7 %	10.5 %	15.8 %

90020

Summary for 'Summary Report Query AddressPostalCode' = 90020 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	7	1	1
Percentage of Tests:	100.0 %	77.8 %	11.1 %	11.1 %

90021

Summary for 'Summary Report Query AddressPostalCode' = 90021 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

90022

Summary for 'Summary Report Query AddressPostalCode' = 90022 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90023

Summary for 'Summary Report Query AddressPostalCode' = 90023 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90024

Summary for 'Summary Report Query AddressPostalCode' = 90024 (27 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90025

Summary for 'Summary Report Query AddressPostalCode' = 90025 (30 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90026

Summary for 'Summary Report Query AddressPostalCode' = 90026 (73 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90027

Summary for 'Summary Report Query AddressPostalCode' = 90027 (55 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90028

Summary for 'Summary Report Query AddressPostalCode' = 90028 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90029

Summary for 'Summary Report Query AddressPostalCode' = 90029 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90031

Summary for 'Summary Report Query AddressPostalCode' = 90031 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90032

Summary for 'Summary Report Query AddressPostalCode' = 90032 (20 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90033

Summary for 'Summary Report Query AddressPostalCode' = 90033 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90034

Summary for 'Summary Report Query AddressPostalCode' = 90034 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90035

Summary for 'Summary Report Query AddressPostalCode' = 90035 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90036

Summary for 'Summary Report Query AddressPostalCode' = 90036 (16 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90037

Summary for 'Summary Report Query AddressPostalCode' = 90037 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90038

Summary for 'Summary Report Query AddressPostalCode' = 90038 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90039

Summary for 'Summary Report Query AddressPostalCode' = 90039 (28 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90041

Summary for 'Summary Report Query AddressPostalCode' = 90041 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90042

Summary for 'Summary Report Query AddressPostalCode' = 90042 (34 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90043

Summary for 'Summary Report Query AddressPostalCode' = 90043 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90044

Summary for 'Summary Report Query AddressPostalCode' = 90044 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90045

Summary for 'Summary Report Query AddressPostalCode' = 90045 (27 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90046

Summary for 'Summary Report Query AddressPostalCode' = 90046 (38 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90047

Summary for 'Summary Report Query AddressPostalCode' = 90047 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90048

Summary for 'Summary Report Query AddressPostalCode' = 90048 (29 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	14	10	5
Percentage of Tests:	100.0 %	48.3 %	34.5 %	17.2 %

90049

Summary for 'Summary Report Query AddressPostalCode' = 90049 (124 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	124	74	35	15
Percentage of Tests:	100.0 %	59.7 %	28.2 %	12.1 %

90056

Summary for 'Summary Report Query AddressPostalCode' = 90056 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90057

Summary for 'Summary Report Query AddressPostalCode' = 90057 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90058

Summary for 'Summary Report Query AddressPostalCode' = 90058 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90061

Summary for 'Summary Report Query AddressPostalCode' = 90061 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90062

Summary for 'Summary Report Query AddressPostalCode' = 90062 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90063

Summary for 'Summary Report Query AddressPostalCode' = 90063 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90064

Summary for 'Summary Report Query AddressPostalCode' = 90064 (26 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90065

Summary for 'Summary Report Query AddressPostalCode' = 90065 (71 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90066

Summary for 'Summary Report Query AddressPostalCode' = 90066 (42 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90067

Summary for 'Summary Report Query AddressPostalCode' = 90067 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90068

Summary for 'Summary Report Query AddressPostalCode' = 90068 (54 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 54	34	13	7
Percentage of Tests: 100.0 %	63.0 %	24.1 %	13.0 %

90069

Summary for 'Summary Report Query AddressPostalCode' = 90069 (11 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	8	2	1
Percentage of Tests: 100.0 %	72.7 %	18.2 %	9.1 %

90077

Summary for 'Summary Report Query AddressPostalCode' = 90077 (44 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 44	20	8	16
Percentage of Tests: 100.0 %	45.5 %	18.2 %	36.4 %

90094

Summary for 'Summary Report Query AddressPostalCode' = 90094 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	2	0
Percentage of Tests: 100.0 %	60.0 %	40.0 %	0.0 %

90230

Summary for 'Summary Report Query AddressPostalCode' = 90230 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

90272

Summary for 'Summary Report Query AddressPostalCode' = 90272 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

90291

Summary for 'Summary Report Query AddressPostalCode' = 90291 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90731

Summary for 'Summary Report Query AddressPostalCode' = 90731 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90732

Summary for 'Summary Report Query AddressPostalCode' = 90732 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91042

Summary for 'Summary Report Query AddressPostalCode' = 91042 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91304

Summary for 'Summary Report Query AddressPostalCode' = 91304 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91307

Summary for 'Summary Report Query AddressPostalCode' = 91307 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91311

Summary for 'Summary Report Query AddressPostalCode' = 91311 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 3	0	1	2
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	33.3 %	66.7 %
------------------------------	-------	--------	--------

91316

Summary for 'Summary Report Query AddressPostalCode' = 91316 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	0	1	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %
------------------------------	-------	---------	-------

91326

Summary for 'Summary Report Query AddressPostalCode' = 91326 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	1	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

91335

Summary for 'Summary Report Query AddressPostalCode' = 91335 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	1	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

91343

Summary for 'Summary Report Query AddressPostalCode' = 91343 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	0	0	1
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %
------------------------------	-------	-------	---------

91356

Summary for 'Summary Report Query AddressPostalCode' = 91356 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 2	2	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

91364

Summary for 'Summary Report Query AddressPostalCode' = 91364 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

91367

Summary for 'Summary Report Query AddressPostalCode' = 91367 (7 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 7	2	3	2
Percentage of Tests: 100.0 %	28.6 %	42.9 %	28.6 %

91403

Summary for 'Summary Report Query AddressPostalCode' = 91403 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	0	1
Percentage of Tests: 100.0 %	50.0 %	0.0 %	50.0 %

91406

Summary for 'Summary Report Query AddressPostalCode' = 91406 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91411

Summary for 'Summary Report Query AddressPostalCode' = 91411 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91423

Summary for 'Summary Report Query AddressPostalCode' = 91423 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	1	1	1
Percentage of Tests: 100.0 %	33.3 %	33.3 %	33.3 %

91602

Summary for 'Summary Report Query AddressPostalCode' = 91602 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91604

Summary for 'Summary Report Query AddressPostalCode' = 91604 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91606

Summary for 'Summary Report Query AddressPostalCode' = 91606 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91607

Summary for 'Summary Report Query AddressPostalCode' = 91607 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Los Angeles (1056 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Los Banos

93635

Summary for 'Summary Report Query AddressPostalCode' = 93635 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Los Banos (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Los Gatos

95030

Summary for 'Summary Report Query AddressPostalCode' = 95030 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	12	5	3
Percentage of Tests:	100.0 %	60.0 %	25.0 %	15.0 %

95031

Summary for 'Summary Report Query AddressPostalCode' = 95031 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

95032

Summary for 'Summary Report Query AddressPostalCode' = 95032 (76 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	76	38	25	13
Percentage of Tests:	100.0 %	50.0 %	32.9 %	17.1 %

95033

Summary for 'Summary Report Query AddressPostalCode' = 95033 (74 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	74	36	18	20
Percentage of Tests:	100.0 %	48.6 %	24.3 %	27.0 %

Summary for 'Summary Report Query City' = Los Gatos (171 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	171	86	49	36
Percentage of Tests:	100.0 %	50.3 %	28.7 %	21.1 %

Los Olivos

93441

Summary for 'Summary Report Query AddressPostalCode' = 93441 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	2	1	2
Percentage of Tests:	100.0 %	40.0 %	20.0 %	40.0 %

Summary for 'Summary Report Query City' = Los Olivos (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	2	1	2
Percentage of Tests:	100.0 %	40.0 %	20.0 %	40.0 %

Los Osos

93402

Summary for 'Summary Report Query AddressPostalCode' = 93402 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

Summary for 'Summary Report Query City' = Los Osos (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

Lotus

95651

Summary for 'Summary Report Query AddressPostalCode' = 95651 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lotus (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Loyalton

96118

Summary for 'Summary Report Query AddressPostalCode' = 96118 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Loyalton (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Lucerne

95458

Summary for 'Summary Report Query AddressPostalCode' = 95458 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lucerne (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Lucerne Valley

92356

Summary for 'Summary Report Query AddressPostalCode' = 92356 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Lucerne Valley (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Lynwood

90262

Summary for 'Summary Report Query AddressPostalCode' = 90262 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Lynwood (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Madera

93636

Summary for 'Summary Report Query AddressPostalCode' = 93636 (26 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	26	7	11	8
Percentage of Tests:	100.0 %	26.9 %	42.3 %	30.8 %

93637

Summary for 'Summary Report Query AddressPostalCode' = 93637 (24 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	24	16	4	4
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

93638

Summary for 'Summary Report Query AddressPostalCode' = 93638 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	11	1	0
Percentage of Tests:	100.0 %	91.7 %	8.3 %	0.0 %

Summary for 'Summary Report Query City' = Madera (62 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	62	34	16	12
Percentage of Tests:	100.0 %	54.8 %	25.8 %	19.4 %

Madison

95653

Summary for 'Summary Report Query AddressPostalCode' = 95653 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Madison (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Malibu

90265

Summary for 'Summary Report Query AddressPostalCode' = 90265 (54 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	54	35	7	12
Percentage of Tests:	100.0 %	64.8 %	13.0 %	22.2 %

Summary for 'Summary Report Query City' = Malibu (54 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	54	35	7	12
Percentage of Tests:	100.0 %	64.8 %	13.0 %	22.2 %

Mammoth Lakes

93546

Summary for 'Summary Report Query AddressPostalCode' = 93546 (68 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	68	42	18	8
Percentage of Tests:	100.0 %	61.8 %	26.5 %	11.8 %

Summary for 'Summary Report Query City' = Mammoth Lakes (68 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	68	42	18	8
Percentage of Tests:	100.0 %	61.8 %	26.5 %	11.8 %

Manchester

95459

Summary for 'Summary Report Query AddressPostalCode' = 95459 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Manchester (1 detail record)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Manhattan Beach

90266

Summary for 'Summary Report Query AddressPostalCode' = 90266 (25 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 25	22	1	2
Percentage of Tests: 100.0 %	88.0 %	4.0 %	8.0 %

Summary for 'Summary Report Query City' = Manhattan Beach (25 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 25	22	1	2
Percentage of Tests: 100.0 %	88.0 %	4.0 %	8.0 %

Manteca

95336

Summary for 'Summary Report Query AddressPostalCode' = 95336 (9 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	5	2	2
Percentage of Tests: 100.0 %	55.6 %	22.2 %	22.2 %

95337

Summary for 'Summary Report Query AddressPostalCode' = 95337 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Manteca (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	6	3	2
Percentage of Tests:	100.0 %	54.5 %	27.3 %	18.2 %

Manton

96059

Summary for 'Summary Report Query AddressPostalCode' = 96059 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Manton (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Marina

93933

Summary for 'Summary Report Query AddressPostalCode' = 93933 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Summary for 'Summary Report Query City' = Marina (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Marina Del Rey

90292

Summary for 'Summary Report Query AddressPostalCode' = 90292 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	2	0
Percentage of Tests:	100.0 %	81.8 %	18.2 %	0.0 %

Summary for 'Summary Report Query City' = Marina Del Rey (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	9	2	0
Percentage of Tests:	100.0 %	81.8 %	18.2 %	0.0 %

Marina DI Rey

90292

Summary for 'Summary Report Query AddressPostalCode' = 90292 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Marina DI Rey (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mariposa

95338

Summary for 'Summary Report Query AddressPostalCode' = 95338 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	12	3	3
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

Summary for 'Summary Report Query City' = Mariposa (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	12	3	3
Percentage of Tests:	100.0 %	66.7 %	16.7 %	16.7 %

MARKLEEVILLE

96120

Summary for 'Summary Report Query AddressPostalCode' = 96120 (53 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	53	42	6	5
Percentage of Tests:	100.0 %	79.2 %	11.3 %	9.4 %

96141

Summary for 'Summary Report Query AddressPostalCode' = 96141 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = MARKLEEVILLE (54 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	54	43	6	5
Percentage of Tests:	100.0 %	79.6 %	11.1 %	9.3 %

Marshall

94940

Summary for 'Summary Report Query AddressPostalCode' = 94940 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Marshall (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Martinez

94553

Summary for 'Summary Report Query AddressPostalCode' = 94553 (36 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	36	24	7	5
Percentage of Tests:	100.0 %	66.7 %	19.4 %	13.9 %

Summary for 'Summary Report Query City' = Martinez (36 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	36	24	7	5
Percentage of Tests:	100.0 %	66.7 %	19.4 %	13.9 %

Marysville

95901

Summary for 'Summary Report Query AddressPostalCode' = 95901 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Marvsville (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mather

95655

Summary for 'Summary Report Query AddressPostalCode' = 95655 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mather (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

McClellan Park

95652

Summary for 'Summary Report Query AddressPostalCode' = 95652 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = McClellan Park (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

McFarland

93250

Summary for 'Summary Report Query AddressPostalCode' = 93250 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	0	1
Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = McFarland (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	0	0	1
Percentage of Tests: 100.0 %	0.0 %	0.0 %	100.0 %

McKinleyville

95519

Summary for 'Summary Report Query AddressPostalCode' = 95519 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	2	0	1
Percentage of Tests: 100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = McKinleyville (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	2	0	1
Percentage of Tests: 100.0 %	66.7 %	0.0 %	33.3 %

Meadow Valley

95956

Summary for 'Summary Report Query AddressPostalCode' = 95956 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Meadow Valley (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Meadow Vista

95722

Summary for 'Summary Report Query AddressPostalCode' = 95722 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Meadow Vista (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Mendocino

95460

Summary for 'Summary Report Query AddressPostalCode' = 95460 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mendocino (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Menifee

92584

Summary for 'Summary Report Query AddressPostalCode' = 92584 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	9	3	3
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

92585

Summary for 'Summary Report Query AddressPostalCode' = 92585 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92586

Summary for 'Summary Report Query AddressPostalCode' = 92586 (25 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 25	25	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92587

Summary for 'Summary Report Query AddressPostalCode' = 92587 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Menifee (44 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 44	38	3	3
Percentage of Tests: 100.0 %	86.4 %	6.8 %	6.8 %

Menlo Park

94025

Summary for 'Summary Report Query AddressPostalCode' = 94025 (76 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 76	47	17	12
Percentage of Tests: 100.0 %	61.8 %	22.4 %	15.8 %

94027

Summary for 'Summary Report Query AddressPostalCode' = 94027 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Menlo Park (77 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 77	47	18	12
Percentage of Tests: 100.0 %	61.0 %	23.4 %	15.6 %

Mentone

92359

Summary for 'Summary Report Query AddressPostalCode' = 92359 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mentone (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Merced

95340

Summary for 'Summary Report Query AddressPostalCode' = 95340 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	1	1
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

95344

Summary for 'Summary Report Query AddressPostalCode' = 95344 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

95348

Summary for 'Summary Report Query AddressPostalCode' = 95348 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	2	1
Percentage of Tests:	100.0 %	25.0 %	50.0 %	25.0 %

Summary for 'Summary Report Query City' = Merced (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	8	3	3
Percentage of Tests:	100.0 %	57.1 %	21.4 %	21.4 %

Mi Wuk Village

95346

Summary for 'Summary Report Query AddressPostalCode' = 95346 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	1	2	1
Percentage of Tests:	100.0 %	25.0 %	50.0 %	25.0 %

Summary for 'Summary Report Query City' = Mi Wuk Village (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	1	2	1
Percentage of Tests:	100.0 %	25.0 %	50.0 %	25.0 %

Midlines

95345

Summary for 'Summary Report Query AddressPostalCode' = 95345 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Midlines (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mill Valley

94941

Summary for 'Summary Report Query AddressPostalCode' = 94941 (23 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	23	12	5	6
Percentage of Tests:	100.0 %	52.2 %	21.7 %	26.1 %

Summary for 'Summary Report Query City' = Mill Valley (23 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	23	12	5	6
Percentage of Tests:	100.0 %	52.2 %	21.7 %	26.1 %

Millbrae

94030

Summary for 'Summary Report Query AddressPostalCode' = 94030 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Summary for 'Summary Report Query City' = Millbrae (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Milpitas

95035

Summary for 'Summary Report Query AddressPostalCode' = 95035 (46 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	46	32	8	6
Percentage of Tests:	100.0 %	69.6 %	17.4 %	13.0 %

Summary for 'Summary Report Query City' = Milpitas (46 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	46	32	8	6
Percentage of Tests:	100.0 %	69.6 %	17.4 %	13.0 %

Mira Loma

91752

Summary for 'Summary Report Query AddressPostalCode' = 91752 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mira Loma (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Miramonte

93641

Summary for 'Summary Report Query AddressPostalCode' = 93641 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Miramonte (1 detail record)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	0	1	0
Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %

Mission Hills

91345

Summary for 'Summary Report Query AddressPostalCode' = 91345 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	2	1	0
Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Mission Hills (3 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	2	1	0
Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %

Mission Viejo

92690

Summary for 'Summary Report Query AddressPostalCode' = 92690 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92691

Summary for 'Summary Report Query AddressPostalCode' = 92691 (16 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 16	12	2	2
Percentage of Tests: 100.0 %	75.0 %	12.5 %	12.5 %

92692

Summary for 'Summary Report Query AddressPostalCode' = 92692 (19 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	16	2	1
Percentage of Tests: 100.0 %	84.2 %	10.5 %	5.3 %

Summary for 'Summary Report Query City' = Mission Viejo (36 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 36	29	4	3
Percentage of Tests: 100.0 %	80.6 %	11.1 %	8.3 %

Modesto

95350

Summary for 'Summary Report Query AddressPostalCode' = 95350 (10 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	5	3	2
Percentage of Tests: 100.0 %	50.0 %	30.0 %	20.0 %

95351

Summary for 'Summary Report Query AddressPostalCode' = 95351 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

95354

Summary for 'Summary Report Query AddressPostalCode' = 95354 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

95355

Summary for 'Summary Report Query AddressPostalCode' = 95355 (8 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	5	1	2
Percentage of Tests: 100.0 %	62.5 %	12.5 %	25.0 %

95356

Summary for 'Summary Report Query AddressPostalCode' = 95356 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95357

Summary for 'Summary Report Query AddressPostalCode' = 95357 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95358

Summary for 'Summary Report Query AddressPostalCode' = 95358 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Modesto (36 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Mojave

93501

Summary for 'Summary Report Query AddressPostalCode' = 93501 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Mojave (1 detail record)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Mokelumne Hill

95245

Summary for 'Summary Report Query AddressPostalCode' = 95245 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mokelumne Hill (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Monrovia

91016

Summary for 'Summary Report Query AddressPostalCode' = 91016 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	10	1	0
Percentage of Tests:	100.0 %	90.9 %	9.1 %	0.0 %

Summary for 'Summary Report Query City' = Monrovia (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	10	1	0
Percentage of Tests:	100.0 %	90.9 %	9.1 %	0.0 %

Montara

94037

Summary for 'Summary Report Query AddressPostalCode' = 94037 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Montara (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Montclair

91763

Summary for 'Summary Report Query AddressPostalCode' = 91763 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Montclair (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Monte Nido

91302

Summary for 'Summary Report Query AddressPostalCode' = 91302 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	2	3	0
Percentage of Tests:	100.0 %	40.0 %	60.0 %	0.0 %

Summary for 'Summary Report Query City' = Monte Nido (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	2	3	0
Percentage of Tests:	100.0 %	40.0 %	60.0 %	0.0 %

MONTE RIO

95462

Summary for 'Summary Report Query AddressPostalCode' = 95462 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = MONTE RIO (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Monte Sereno

95030

Summary for 'Summary Report Query AddressPostalCode' = 95030 (14 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 14	10	1	3
Percentage of Tests: 100.0 %	71.4 %	7.1 %	21.4 %

Summary for 'Summary Report Query City' = Monte Sereno (14 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 14	10	1	3
Percentage of Tests: 100.0 %	71.4 %	7.1 %	21.4 %

Monte Vista

95014

Summary for 'Summary Report Query AddressPostalCode' = 95014 (10 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	9	1	0
Percentage of Tests: 100.0 %	90.0 %	10.0 %	0.0 %

Summary for 'Summary Report Query City' = Monte Vista (10 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 10	9	1	0
Percentage of Tests: 100.0 %	90.0 %	10.0 %	0.0 %

Montebello

90640

Summary for 'Summary Report Query AddressPostalCode' = 90640 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Montebello (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Montecito

93108

Summary for 'Summary Report Query AddressPostalCode' = 93108 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Montecito (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Monterey

93940

Summary for 'Summary Report Query AddressPostalCode' = 93940 (20 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	15	3	2
Percentage of Tests:	100.0 %	75.0 %	15.0 %	10.0 %

Summary for 'Summary Report Query City' = Monterey (20 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	20	15	3	2
Percentage of Tests:	100.0 %	75.0 %	15.0 %	10.0 %

Monterey Park

91754

Summary for 'Summary Report Query AddressPostalCode' = 91754 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	10	2	4
Percentage of Tests:	100.0 %	62.5 %	12.5 %	25.0 %

91755

Summary for 'Summary Report Query AddressPostalCode' = 91755 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Monterey Park (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	11	3	4
Percentage of Tests:	100.0 %	61.1 %	16.7 %	22.2 %

Moorpark

93021

Summary for 'Summary Report Query AddressPostalCode' = 93021 (25 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	17	5	3
Percentage of Tests:	100.0 %	68.0 %	20.0 %	12.0 %

Summary for 'Summary Report Query City' = Moorpark (25 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	25	17	5	3
Percentage of Tests:	100.0 %	68.0 %	20.0 %	12.0 %

Moraga

94556

Summary for 'Summary Report Query AddressPostalCode' = 94556 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	8	1	3
Percentage of Tests:	100.0 %	66.7 %	8.3 %	25.0 %

Summary for 'Summary Report Query City' = Moraga (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	8	1	3
Percentage of Tests:	100.0 %	66.7 %	8.3 %	25.0 %

Moreno Valley

92551

Summary for 'Summary Report Query AddressPostalCode' = 92551 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

92553

Summary for 'Summary Report Query AddressPostalCode' = 92553 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92555

Summary for 'Summary Report Query AddressPostalCode' = 92555 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92557

Summary for 'Summary Report Query AddressPostalCode' = 92557 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Moreno Valley (13 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Morgan Hill

95037

Summary for 'Summary Report Query AddressPostalCode' = 95037 (52 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Morgan Hill (52 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Morongo Valley

92256

Summary for 'Summary Report Query AddressPostalCode' = 92256 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Morongo Valley (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Morro Bay

93442

Summary for 'Summary Report Query AddressPostalCode' = 93442 (33 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 33	27	0	6
Percentage of Tests: 100.0 %	81.8 %	0.0 %	18.2 %

Summary for 'Summary Report Query City' = Morro Bay (33 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 33	27	0	6
Percentage of Tests: 100.0 %	81.8 %	0.0 %	18.2 %

Mount Aukum

95656

Summary for 'Summary Report Query AddressPostalCode' = 95656 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Mount Aukum (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Mount Hamilton

95140

Summary for 'Summary Report Query AddressPostalCode' = 95140 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mount Hamilton (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mount Hermon

95041

Summary for 'Summary Report Query AddressPostalCode' = 95041 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mount Hermon (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mount Shasta

96067

Summary for 'Summary Report Query AddressPostalCode' = 96067 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	3	2	2
Percentage of Tests:	100.0 %	42.9 %	28.6 %	28.6 %

Summary for 'Summary Report Query City' = Mount Shasta (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	3	2	2
Percentage of Tests:	100.0 %	42.9 %	28.6 %	28.6 %

Mountain House

95391

Summary for 'Summary Report Query AddressPostalCode' = 95391 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mountain House (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Mountain Ranch

95246

Summary for 'Summary Report Query AddressPostalCode' = 95246 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Mountain Ranch (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Mountain View

94039

Summary for 'Summary Report Query AddressPostalCode' = 94039 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94040

Summary for 'Summary Report Query AddressPostalCode' = 94040 (58 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	58	42	13	3
Percentage of Tests:	100.0 %	72.4 %	22.4 %	5.2 %

94041

Summary for 'Summary Report Query AddressPostalCode' = 94041 (45 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	45	29	8	8
Percentage of Tests:	100.0 %	64.4 %	17.8 %	17.8 %

94043

Summary for 'Summary Report Query AddressPostalCode' = 94043 (63 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	63	48	9	6
Percentage of Tests:	100.0 %	76.2 %	14.3 %	9.5 %

Summary for 'Summary Report Query City' = Mountain View (167 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	167	120	30	17
Percentage of Tests:	100.0 %	71.9 %	18.0 %	10.2 %

Mt Baldy

91759

Summary for 'Summary Report Query AddressPostalCode' = 91759 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Mt Baldy (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Murphys

95247

Summary for 'Summary Report Query AddressPostalCode' = 95247 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	6	2	1
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Summary for 'Summary Report Query City' = Murphys (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	6	2	1
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Murrieta

92562

Summary for 'Summary Report Query AddressPostalCode' = 92562 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	13	5	2
Percentage of Tests:	100.0 %	65.0 %	25.0 %	10.0 %

92563

Summary for 'Summary Report Query AddressPostalCode' = 92563 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	12	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Murrieta (32 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	32	25	5	2
Percentage of Tests:	100.0 %	78.1 %	15.6 %	6.3 %

N Hollywood

91601

Summary for 'Summary Report Query AddressPostalCode' = 91601 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	10	1	3
Percentage of Tests:	100.0 %	71.4 %	7.1 %	21.4 %

91605

Summary for 'Summary Report Query AddressPostalCode' = 91605 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91606

Summary for 'Summary Report Query AddressPostalCode' = 91606 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

91607

Summary for 'Summary Report Query AddressPostalCode' = 91607 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = N Hollywood (20 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 20 16 1 3

Percentage of Tests: 100.0% 80.0% 5.0% 15.0%

Napa

94558

Summary for 'Summary Report Query AddressPostalCode' = 94558 (17 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 17 13 3 1

Percentage of Tests: 100.0% 76.5% 17.6% 5.9%

94559

Summary for 'Summary Report Query AddressPostalCode' = 94559 (13 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 13 9 1 3

Percentage of Tests: 100.0% 69.2% 7.7% 23.1%

Summary for 'Summary Report Query City' = Napa (30 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 30 22 4 4

Percentage of Tests: 100.0% 73.3% 13.3% 13.3%

National City

91950

Summary for 'Summary Report Query AddressPostalCode' = 91950 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 0 1 0

Percentage of Tests: 100.0% 0.0% 100.0% 0.0%

Summary for 'Summary Report Query City' = National City (1 detail record)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 1 0 1 0

Percentage of Tests: 100.0% 0.0% 100.0% 0.0%

NEEDLES

92363

Summary for 'Summary Report Query AddressPostalCode' = 92363 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = NEEDLES (1 detail record)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Nevada City

95959

Summary for 'Summary Report Query AddressPostalCode' = 95959 (64 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 64 34 16 14

Percentage of Tests: 100.0% 53.1% 25.0% 21.9%

Summary for 'Summary Report Query City' = Nevada City (64 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 64 34 16 14

Percentage of Tests: 100.0% 53.1% 25.0% 21.9%

Newark

94560

Summary for 'Summary Report Query AddressPostalCode' = 94560 (38 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	38	33	3	2
Percentage of Tests:	100.0 %	86.8 %	7.9 %	5.3 %

Summary for 'Summary Report Query City' = Newark (38 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	38	33	3	2
Percentage of Tests:	100.0 %	86.8 %	7.9 %	5.3 %

Newbury Park

91319

Summary for 'Summary Report Query AddressPostalCode' = 91319 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

91320

Summary for 'Summary Report Query AddressPostalCode' = 91320 (39 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	39	34	3	2
Percentage of Tests:	100.0 %	87.2 %	7.7 %	5.1 %

Summary for 'Summary Report Query City' = Newbury Park (40 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	40	34	4	2
Percentage of Tests:	100.0 %	85.0 %	10.0 %	5.0 %

Newcastle

95658

Summary for 'Summary Report Query AddressPostalCode' = 95658 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	0	1
Percentage of Tests:	100.0 %	87.5 %	0.0 %	12.5 %

Summary for 'Summary Report Query City' = Newcastle (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	7	0	1
Percentage of Tests:	100.0 %	87.5 %	0.0 %	12.5 %

Newhall

91321

Summary for 'Summary Report Query AddressPostalCode' = 91321 (16 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	12	1	3
Percentage of Tests:	100.0 %	75.0 %	6.3 %	18.8 %

Summary for 'Summary Report Query City' = Newhall (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	12	1	3
Percentage of Tests:	100.0 %	75.0 %	6.3 %	18.8 %

Newport Beach

92625

Summary for 'Summary Report Query AddressPostalCode' = 92625 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92660

Summary for 'Summary Report Query AddressPostalCode' = 92660 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

92661

Summary for 'Summary Report Query AddressPostalCode' = 92661 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92663

Summary for 'Summary Report Query AddressPostalCode' = 92663 (26 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	26	19	5	2
Percentage of Tests:	100.0 %	73.1 %	19.2 %	7.7 %

Summary for 'Summary Report Query City' = Newport Beach (37 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	37	29	6	2
Percentage of Tests:	100.0 %	78.4 %	16.2 %	5.4 %

Newport Coast

92657

Summary for 'Summary Report Query AddressPostalCode' = 92657 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Newport Coast (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Nipomo

93444

Summary for 'Summary Report Query AddressPostalCode' = 93444 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	6	2	1
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Summary for 'Summary Report Query City' = Nipomo (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	6	2	1
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Norco

92860

Summary for 'Summary Report Query AddressPostalCode' = 92860 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Norco (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

North Fork

93643

Summary for 'Summary Report Query AddressPostalCode' = 93643 (43 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 43	10	12	21
Percentage of Tests: 100.0 %	23.3 %	27.9 %	48.8 %

Summary for 'Summary Report Query City' = North Fork (43 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 43	10	12	21
Percentage of Tests: 100.0 %	23.3 %	27.9 %	48.8 %

North Highlands

95660

Summary for 'Summary Report Query AddressPostalCode' = 95660 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = North Highlands (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

North Hills

91343

Summary for 'Summary Report Query AddressPostalCode' = 91343 (10 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Summary for 'Summary Report Query City' = North Hills (10 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

North Hollywood

91601

Summary for 'Summary Report Query AddressPostalCode' = 91601 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

91602

Summary for 'Summary Report Query AddressPostalCode' = 91602 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91605

Summary for 'Summary Report Query AddressPostalCode' = 91605 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

91606

Summary for 'Summary Report Query AddressPostalCode' = 91606 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	3	0
Percentage of Tests:	100.0 %	57.1 %	42.9 %	0.0 %

91607

Summary for 'Summary Report Query AddressPostalCode' = 91607 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = North Hollywood (24 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 24	19	4	1
Percentage of Tests: 100.0 %	79.2 %	16.7 %	4.2 %

NORTHRIDGE

91324

Summary for 'Summary Report Query AddressPostalCode' = 91324 (18 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 18	13	3	2
Percentage of Tests: 100.0 %	72.2 %	16.7 %	11.1 %

91325

Summary for 'Summary Report Query AddressPostalCode' = 91325 (16 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 16	8	6	2
Percentage of Tests: 100.0 %	50.0 %	37.5 %	12.5 %

91326

Summary for 'Summary Report Query AddressPostalCode' = 91326 (23 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 23	21	1	1
Percentage of Tests: 100.0 %	91.3 %	4.3 %	4.3 %

91343

Summary for 'Summary Report Query AddressPostalCode' = 91343 (6 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	4	2	0
Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = NORTHRIDGE (63 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	63	46	12	5
Percentage of Tests:	100.0 %	73.0 %	19.0 %	7.9 %

Norwalk

90650

Summary for 'Summary Report Query AddressPostalCode' = 90650 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	17	2	0
Percentage of Tests:	100.0 %	89.5 %	10.5 %	0.0 %

Summary for 'Summary Report Query City' = Norwalk (19 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	17	2	0
Percentage of Tests:	100.0 %	89.5 %	10.5 %	0.0 %

Novato

94945

Summary for 'Summary Report Query AddressPostalCode' = 94945 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

94947

Summary for 'Summary Report Query AddressPostalCode' = 94947 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	12	0	2
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

94948

Summary for 'Summary Report Query AddressPostalCode' = 94948 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94949

Summary for 'Summary Report Query AddressPostalCode' = 94949 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	0	2
Percentage of Tests:	100.0 %	60.0 %	0.0 %	40.0 %

Summary for 'Summary Report Query City' = Novato (28 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	28	23	1	4
Percentage of Tests:	100.0 %	82.1 %	3.6 %	14.3 %

Nuevo

92567

Summary for 'Summary Report Query AddressPostalCode' = 92567 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Nuevo (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

O Neals

93645

Summary for 'Summary Report Query AddressPostalCode' = 93645 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = O Neals (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Oak Hills

92344

Summary for 'Summary Report Query AddressPostalCode' = 92344 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	2	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Oak Hills (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	2	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Oak Park

91377

Summary for 'Summary Report Query AddressPostalCode' = 91377 (44 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	44	21	14	9
Percentage of Tests:	100.0 %	47.7 %	31.8 %	20.5 %

Summary for 'Summary Report Query City' = Oak Park (44 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	44	21	14	9
Percentage of Tests:	100.0 %	47.7 %	31.8 %	20.5 %

Oak View

93022

Summary for 'Summary Report Query AddressPostalCode' = 93022 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	3	4	3
Percentage of Tests:	100.0 %	30.0 %	40.0 %	30.0 %

Summary for 'Summary Report Query City' = Oak View (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	3	4	3
Percentage of Tests:	100.0 %	30.0 %	40.0 %	30.0 %

Oakdale

95361

Summary for 'Summary Report Query AddressPostalCode' = 95361 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	2	0
Percentage of Tests:	100.0 %	81.8 %	18.2 %	0.0 %

Summary for 'Summary Report Query City' = Oakdale (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	9	2	0
Percentage of Tests:	100.0 %	81.8 %	18.2 %	0.0 %

Oakhurst

93644

Summary for 'Summary Report Query AddressPostalCode' = 93644 (72 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	72	20	19	33
Percentage of Tests:	100.0 %	27.8 %	26.4 %	45.8 %

Summary for 'Summary Report Query City' = Oakhurst (72 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	72	20	19	33
Percentage of Tests:	100.0 %	27.8 %	26.4 %	45.8 %

OAKLAND

94541

Summary for 'Summary Report Query AddressPostalCode' = 94541 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94601

Summary for 'Summary Report Query AddressPostalCode' = 94601 (28 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	28	22	6	0
Percentage of Tests:	100.0 %	78.6 %	21.4 %	0.0 %

94602

Summary for 'Summary Report Query AddressPostalCode' = 94602 (76 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	76	54	17	5
Percentage of Tests:	100.0 %	71.1 %	22.4 %	6.6 %

94603

Summary for 'Summary Report Query AddressPostalCode' = 94603 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	1	2
Percentage of Tests:	100.0 %	50.0 %	16.7 %	33.3 %

94605

Summary for 'Summary Report Query AddressPostalCode' = 94605 (50 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	50	36	8	6
Percentage of Tests:	100.0 %	72.0 %	16.0 %	12.0 %

94606

Summary for 'Summary Report Query AddressPostalCode' = 94606 (26 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	26	19	5	2
Percentage of Tests:	100.0 %	73.1 %	19.2 %	7.7 %

94607

Summary for 'Summary Report Query AddressPostalCode' = 94607 (20 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	13	4	3
Percentage of Tests:	100.0 %	65.0 %	20.0 %	15.0 %

94608

Summary for 'Summary Report Query AddressPostalCode' = 94608 (29 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	23	3	3
Percentage of Tests:	100.0 %	79.3 %	10.3 %	10.3 %

94609

Summary for 'Summary Report Query AddressPostalCode' = 94609 (35 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	35	26	4	5
Percentage of Tests:	100.0 %	74.3 %	11.4 %	14.3 %

94610

Summary for 'Summary Report Query AddressPostalCode' = 94610 (62 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	62	42	12	8
Percentage of Tests:	100.0 %	67.7 %	19.4 %	12.9 %

94611

Summary for 'Summary Report Query AddressPostalCode' = 94611 (123 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	123	88	16	19
Percentage of Tests:	100.0 %	71.5 %	13.0 %	15.4 %

94612

Summary for 'Summary Report Query AddressPostalCode' = 94612 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94618

Summary for 'Summary Report Query AddressPostalCode' = 94618 (91 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	91	69	14	8
Percentage of Tests:	100.0 %	75.8 %	15.4 %	8.8 %

94619

Summary for 'Summary Report Query AddressPostalCode' = 94619 (55 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	55	43	9	3
Percentage of Tests:	100.0 %	78.2 %	16.4 %	5.5 %

94621

Summary for 'Summary Report Query AddressPostalCode' = 94621 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94649

Summary for 'Summary Report Query AddressPostalCode' = 94649 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = OAKLAND (614 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Oakley

94561

Summary for 'Summary Report Query AddressPostalCode' = 94561 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Oakley (8 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Occidental

95465

Summary for 'Summary Report Query AddressPostalCode' = 95465 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Occidental (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Oceanside

92054

Summary for 'Summary Report Query AddressPostalCode' = 92054 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

92056

Summary for 'Summary Report Query AddressPostalCode' = 92056 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	14	1	0
Percentage of Tests:	100.0 %	93.3 %	6.7 %	0.0 %

92057

Summary for 'Summary Report Query AddressPostalCode' = 92057 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	2	2
Percentage of Tests:	100.0 %	55.6 %	22.2 %	22.2 %

92058

Summary for 'Summary Report Query AddressPostalCode' = 92058 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	1	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

Summary for 'Summary Report Query City' = Oceanside (38 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	38	31	5	2
Percentage of Tests:	100.0 %	81.6 %	13.2 %	5.3 %

Ojai

93023

Summary for 'Summary Report Query AddressPostalCode' = 93023 (34 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	34	18	9	7
Percentage of Tests:	100.0 %	52.9 %	26.5 %	20.6 %

Summary for 'Summary Report Query City' = Oiai (34 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	18	9	7
Percentage of Tests:	100.0 %	52.9 %	26.5 %	20.6 %

Olivehurst

95961

Summary for 'Summary Report Query AddressPostalCode' = 95961 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Olivehurst (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Olympic Valley

96146

Summary for 'Summary Report Query AddressPostalCode' = 96146 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	4	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Olympic Valley (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	4	4	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Ontario

91761

Summary for 'Summary Report Query AddressPostalCode' = 91761 (11 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	9	1	1
Percentage of Tests: 100.0 %	81.8 %	9.1 %	9.1 %

91762

Summary for 'Summary Report Query AddressPostalCode' = 91762 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	0	2
Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %

91764

Summary for 'Summary Report Query AddressPostalCode' = 91764 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Ontario (18 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 18	14	1	3
Percentage of Tests: 100.0 %	77.8 %	5.6 %	16.7 %

Orange

92865

Summary for 'Summary Report Query AddressPostalCode' = 92865 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

92866

Summary for 'Summary Report Query AddressPostalCode' = 92866 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	2	1	0
Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %

92867

Summary for 'Summary Report Query AddressPostalCode' = 92867 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92868

Summary for 'Summary Report Query AddressPostalCode' = 92868 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92869

Summary for 'Summary Report Query AddressPostalCode' = 92869 (17 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Orange (36 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Orange Cove

93646

Summary for 'Summary Report Query AddressPostalCode' = 93646 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

93675

Summary for 'Summary Report Query AddressPostalCode' = 93675 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Orange Cove (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	5	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Orangevale

95662

Summary for 'Summary Report Query AddressPostalCode' = 95662 (17 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	14	3	0
Percentage of Tests:	100.0 %	82.4 %	17.6 %	0.0 %

Summary for 'Summary Report Query City' = Orangevale (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	14	3	0
Percentage of Tests:	100.0 %	82.4 %	17.6 %	0.0 %

Orcutt

93455

Summary for 'Summary Report Query AddressPostalCode' = 93455 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Orcutt (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Oregon House

95962

Summary for 'Summary Report Query AddressPostalCode' = 95962 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Oregon House (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Orinda

94563

Summary for 'Summary Report Query AddressPostalCode' = 94563 (46 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	46	30	11	5
Percentage of Tests:	100.0 %	65.2 %	23.9 %	10.9 %

Summary for 'Summary Report Query City' = Orinda (46 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	46	30	11	5
Percentage of Tests:	100.0 %	65.2 %	23.9 %	10.9 %

Orland

95963

Summary for 'Summary Report Query AddressPostalCode' = 95963 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Orland (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Orosi

93647

Summary for 'Summary Report Query AddressPostalCode' = 93647 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Oroshi (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Oroville

95965

Summary for 'Summary Report Query AddressPostalCode' = 95965 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95966

Summary for 'Summary Report Query AddressPostalCode' = 95966 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	2	0
Percentage of Tests:	100.0 %	71.4 %	28.6 %	0.0 %

Summary for 'Summary Report Query City' = Oroville (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	2	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Oxnard

93030

Summary for 'Summary Report Query AddressPostalCode' = 93030 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

93033

Summary for 'Summary Report Query AddressPostalCode' = 93033 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

93035

Summary for 'Summary Report Query AddressPostalCode' = 93035 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	3	1
Percentage of Tests:	100.0 %	55.6 %	33.3 %	11.1 %

93036

Summary for 'Summary Report Query AddressPostalCode' = 93036 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	0	1
Percentage of Tests:	100.0 %	87.5 %	0.0 %	12.5 %

Summary for 'Summary Report Query City' = Oxnard (27 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	27	20	4	3
Percentage of Tests:	100.0 %	74.1 %	14.8 %	11.1 %

PACHECO

94553

Summary for 'Summary Report Query AddressPostalCode' = 94553 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = PACHECO (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Pacific Grove

93950

Summary for 'Summary Report Query AddressPostalCode' = 93950 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	11	2	1
Percentage of Tests:	100.0 %	78.6 %	14.3 %	7.1 %

Summary for 'Summary Report Query City' = Pacific Grove (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	11	2	1
Percentage of Tests:	100.0 %	78.6 %	14.3 %	7.1 %

Pacific Palisades

90272

Summary for 'Summary Report Query AddressPostalCode' = 90272 (106 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	106	53	32	21
Percentage of Tests:	100.0 %	50.0 %	30.2 %	19.8 %

Summary for 'Summary Report Query City' = Pacific Palisades (106 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	106	53	32	21
Percentage of Tests:	100.0 %	50.0 %	30.2 %	19.8 %

Pacifica

94044

Summary for 'Summary Report Query AddressPostalCode' = 94044 (36 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	36	25	5	6
Percentage of Tests:	100.0 %	69.4 %	13.9 %	16.7 %

Summary for 'Summary Report Query City' = Pacifica (36 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	36	25	5	6
Percentage of Tests:	100.0 %	69.4 %	13.9 %	16.7 %

Pacoima

91331

Summary for 'Summary Report Query AddressPostalCode' = 91331 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Pacoima (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Palermo

95968

Summary for 'Summary Report Query AddressPostalCode' = 95968 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Palermo (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Palm Desert

Summary for 'Summary Report Query AddressPostalCode' = (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92211

Summary for 'Summary Report Query AddressPostalCode' = 92211 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	9	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92260

Summary for 'Summary Report Query AddressPostalCode' = 92260 (21 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	21	14	4	3
Percentage of Tests:	100.0 %	66.7 %	19.0 %	14.3 %

Summary for 'Summary Report Query City' = Palm Desert (31 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	31	24	4	3
Percentage of Tests:	100.0 %	77.4 %	12.9 %	9.7 %

Palm Springs

92262

Summary for 'Summary Report Query AddressPostalCode' = 92262 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	19	1	0
Percentage of Tests:	100.0 %	95.0 %	5.0 %	0.0 %

92263

Summary for 'Summary Report Query AddressPostalCode' = 92263 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92264

Summary for 'Summary Report Query AddressPostalCode' = 92264 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	4	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Palm Springs (27 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	27	22	5	0
Percentage of Tests:	100.0 %	81.5 %	18.5 %	0.0 %

Palmdale

93550

Summary for 'Summary Report Query AddressPostalCode' = 93550 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	2	2	1
Percentage of Tests:	100.0 %	40.0 %	40.0 %	20.0 %

93551

Summary for 'Summary Report Query AddressPostalCode' = 93551 (17 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	12	2	3
Percentage of Tests:	100.0 %	70.6 %	11.8 %	17.6 %

93552

Summary for 'Summary Report Query AddressPostalCode' = 93552 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Palmdale (26 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	26	18	4	4
Percentage of Tests:	100.0 %	69.2 %	15.4 %	15.4 %

Palo Alto

94301

Summary for 'Summary Report Query AddressPostalCode' = 94301 (83 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	83	43	26	14
Percentage of Tests:	100.0 %	51.8 %	31.3 %	16.9 %

94303

Summary for 'Summary Report Query AddressPostalCode' = 94303 (66 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	66	43	12	11
Percentage of Tests:	100.0 %	65.2 %	18.2 %	16.7 %

94304

Summary for 'Summary Report Query AddressPostalCode' = 94304 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

94305

Summary for 'Summary Report Query AddressPostalCode' = 94305 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

94306

Summary for 'Summary Report Query AddressPostalCode' = 94306 (72 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	72	50	12	10
Percentage of Tests:	100.0 %	69.4 %	16.7 %	13.9 %

Summary for 'Summary Report Query City' = Palo Alto (225 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	225	137	53	35
Percentage of Tests:	100.0 %	60.9 %	23.6 %	15.6 %

Palo Cedro

96073

Summary for 'Summary Report Query AddressPostalCode' = 96073 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Palo Cedro (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Palos Verdes Estates

90274

Summary for 'Summary Report Query AddressPostalCode' = 90274 (65 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	65	37	16	12
Percentage of Tests:	100.0 %	56.9 %	24.6 %	18.5 %

Summary for 'Summary Report Query City' = Palos Verdes Estates (65 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	65	37	16	12
Percentage of Tests:	100.0 %	56.9 %	24.6 %	18.5 %

Palos Verdes Peninsula

90274

Summary for 'Summary Report Query AddressPostalCode' = 90274 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	9	3	8
Percentage of Tests:	100.0 %	45.0 %	15.0 %	40.0 %

90275

Summary for 'Summary Report Query AddressPostalCode' = 90275 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	10	2	2
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Palos Verdes Peninsula (34 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	19	5	10
Percentage of Tests:	100.0 %	55.9 %	14.7 %	29.4 %

Panorama City

91402

Summary for 'Summary Report Query AddressPostalCode' = 91402 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Panorama City (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Paradise

95969

Summary for 'Summary Report Query AddressPostalCode' = 95969 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	3	0	1
Percentage of Tests: 100.0 %	75.0 %	0.0 %	25.0 %

Summary for 'Summary Report Query City' = Paradise (4 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	3	0	1
Percentage of Tests: 100.0 %	75.0 %	0.0 %	25.0 %

Pasadena

91101

Summary for 'Summary Report Query AddressPostalCode' = 91101 (9 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	5	0	4
Percentage of Tests: 100.0 %	55.6 %	0.0 %	44.4 %

91103

Summary for 'Summary Report Query AddressPostalCode' = 91103 (14 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 14	12	2	0
Percentage of Tests: 100.0 %	85.7 %	14.3 %	0.0 %

91104

Summary for 'Summary Report Query AddressPostalCode' = 91104 (55 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 55	33	17	5
Percentage of Tests: 100.0 %	60.0 %	30.9 %	9.1 %

91105

Summary for 'Summary Report Query AddressPostalCode' = 91105 (17 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	14	3	0
Percentage of Tests: 100.0 %	82.4 %	17.6 %	0.0 %

91106

Summary for 'Summary Report Query AddressPostalCode' = 91106 (19 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	16	1	2
Percentage of Tests: 100.0 %	84.2 %	5.3 %	10.5 %

91107

Summary for 'Summary Report Query AddressPostalCode' = 91107 (32 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 32	25	4	3
Percentage of Tests: 100.0 %	78.1 %	12.5 %	9.4 %

91108

Summary for 'Summary Report Query AddressPostalCode' = 91108 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91109

Summary for 'Summary Report Query AddressPostalCode' = 91109 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91117

Summary for 'Summary Report Query AddressPostalCode' = 91117 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Pasadena (149 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 149	108	27	14
Percentage of Tests: 100.0 %	72.5 %	18.1 %	9.4 %

Paso Robles

93446

Summary for 'Summary Report Query AddressPostalCode' = 93446 (39 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	39	25	7	7
Percentage of Tests:	100.0 %	64.1 %	17.9 %	17.9 %

93447

Summary for 'Summary Report Query AddressPostalCode' = 93447 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Paso Robles (40 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	40	26	7	7
Percentage of Tests:	100.0 %	65.0 %	17.5 %	17.5 %

Patterson

95363

Summary for 'Summary Report Query AddressPostalCode' = 95363 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Patterson (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Pauma Valley

92061

Summary for 'Summary Report Query AddressPostalCode' = 92061 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Pauma Valley (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Pebble Beach

93953

Summary for 'Summary Report Query AddressPostalCode' = 93953 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Pebble Beach (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

PEGALAMA

94952

Summary for 'Summary Report Query AddressPostalCode' = 94952 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = PEGALAMA (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Penn Valley

95946

Summary for 'Summary Report Query AddressPostalCode' = 95946 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	7	2	0
Percentage of Tests:	100.0 %	77.8 %	22.2 %	0.0 %

Summary for 'Summary Report Query City' = Penn Valley (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	7	2	0
Percentage of Tests:	100.0 %	77.8 %	22.2 %	0.0 %

Penngrove

94951

Summary for 'Summary Report Query AddressPostalCode' = 94951 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Penngrove (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Penryn

95663

Summary for 'Summary Report Query AddressPostalCode' = 95663 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Penryn (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Perris

92570

Summary for 'Summary Report Query AddressPostalCode' = 92570 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92571

Summary for 'Summary Report Query AddressPostalCode' = 92571 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Perris (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	8	0	1
Percentage of Tests:	100.0 %	88.9 %	0.0 %	11.1 %

Pescadero

94060

Summary for 'Summary Report Query AddressPostalCode' = 94060 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Pescadero (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Petaluma

94952

Summary for 'Summary Report Query AddressPostalCode' = 94952 (21 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	21	15	1	5
Percentage of Tests:	100.0 %	71.4 %	4.8 %	23.8 %

94954

Summary for 'Summary Report Query AddressPostalCode' = 94954 (13 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	11	2	0
Percentage of Tests:	100.0 %	84.6 %	15.4 %	0.0 %

Summary for 'Summary Report Query City' = Petaluma (34 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	26	3	5
Percentage of Tests:	100.0 %	76.5 %	8.8 %	14.7 %

Phelan

92371

Summary for 'Summary Report Query AddressPostalCode' = 92371 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Phelan (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Phillips Ranch

91766

Summary for 'Summary Report Query AddressPostalCode' = 91766 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Phillips Ranch (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Philo

95466

Summary for 'Summary Report Query AddressPostalCode' = 95466 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Philo (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Pico Rivera

90660

Summary for 'Summary Report Query AddressPostalCode' = 90660 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Pico Rivera (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Piedmont

94610

Summary for 'Summary Report Query AddressPostalCode' = 94610 (10 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	9	1	0
Percentage of Tests:	100.0 %	90.0 %	10.0 %	0.0 %

94611

Summary for 'Summary Report Query AddressPostalCode' = 94611 (34 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	34	25	2	7
Percentage of Tests:	100.0 %	73.5 %	5.9 %	20.6 %

Summary for 'Summary Report Query City' = Piedmont (44 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	44	34	3	7
Percentage of Tests:	100.0 %	77.3 %	6.8 %	15.9 %

Piedra

93649

Summary for 'Summary Report Query AddressPostalCode' = 93649 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Piedra (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Pine Grove

95665

Summary for 'Summary Report Query AddressPostalCode' = 95665 (17 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	12	2	3
Percentage of Tests:	100.0 %	70.6 %	11.8 %	17.6 %

Summary for 'Summary Report Query City' = Pine Grove (17 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	12	2	3
Percentage of Tests:	100.0 %	70.6 %	11.8 %	17.6 %

Pine Mountain Club

93222

Summary for 'Summary Report Query AddressPostalCode' = 93222 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	1	3
Percentage of Tests:	100.0 %	55.6 %	11.1 %	33.3 %

Summary for 'Summary Report Query City' = Pine Mountain Club (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	5	1	3
Percentage of Tests:	100.0 %	55.6 %	11.1 %	33.3 %

Pine Valley

91962

Summary for 'Summary Report Query AddressPostalCode' = 91962 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Pine Vallev (4 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

Pincrest

95364

Summary for 'Summary Report Query AddressPostalCode' = 95364 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Pincrest (1 detail record)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Pinole

94564

Summary for 'Summary Report Query AddressPostalCode' = 94564 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Pinole (5 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	3	1	1
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Pinon Hills

92372

Summary for 'Summary Report Query AddressPostalCode' = 92372 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Pinon Hills (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Pioneer

95666

Summary for 'Summary Report Query AddressPostalCode' = 95666 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	7	5	0
Percentage of Tests:	100.0 %	58.3 %	41.7 %	0.0 %

Summary for 'Summary Report Query City' = Pioneer (12 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	7	5	0
Percentage of Tests:	100.0 %	58.3 %	41.7 %	0.0 %

Pioneertown

92268

Summary for 'Summary Report Query AddressPostalCode' = 92268 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Pioneertown (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Pismo Beach

93449

Summary for 'Summary Report Query AddressPostalCode' = 93449 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	8	2	3
Percentage of Tests:	100.0 %	61.5 %	15.4 %	23.1 %

Summary for 'Summary Report Query City' = Pismo Beach (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	8	2	3
Percentage of Tests:	100.0 %	61.5 %	15.4 %	23.1 %

Pittsburg

94565

Summary for 'Summary Report Query AddressPostalCode' = 94565 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	0	4
Percentage of Tests:	100.0 %	33.3 %	0.0 %	66.7 %

Summary for 'Summary Report Query City' = Pittsburg (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	2	0	4
Percentage of Tests:	100.0 %	33.3 %	0.0 %	66.7 %

Placentia

92870

Summary for 'Summary Report Query AddressPostalCode' = 92870 (16 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	7	2	7
Percentage of Tests:	100.0 %	43.8 %	12.5 %	43.8 %

Summary for 'Summary Report Query City' = Placentia (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	7	2	7
Percentage of Tests:	100.0 %	43.8 %	12.5 %	43.8 %

Placerville

95667

Summary for 'Summary Report Query AddressPostalCode' = 95667 (73 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	73	51	8	14
Percentage of Tests:	100.0 %	69.9 %	11.0 %	19.2 %

Summary for 'Summary Report Query City' = Placerville (73 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	73	51	8	14
Percentage of Tests:	100.0 %	69.9 %	11.0 %	19.2 %

Playa Del Rey

90293

Summary for 'Summary Report Query AddressPostalCode' = 90293 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Playa Del Rey (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Pleasant Grove

95668

Summary for 'Summary Report Query AddressPostalCode' = 95668 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	4	5	0
Percentage of Tests:	100.0 %	44.4 %	55.6 %	0.0 %

Summary for 'Summary Report Query City' = Pleasant Grove (9 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	4	5	0
Percentage of Tests:	100.0 %	44.4 %	55.6 %	0.0 %

Pleasant Hill

94523

Summary for 'Summary Report Query AddressPostalCode' = 94523 (32 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 32	19	8	5
Percentage of Tests: 100.0 %	59.4 %	25.0 %	15.6 %

Summary for 'Summary Report Query City' = Pleasant Hill (32 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 32	19	8	5
Percentage of Tests: 100.0 %	59.4 %	25.0 %	15.6 %

Pleasanton

94566

Summary for 'Summary Report Query AddressPostalCode' = 94566 (72 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 72	58	10	4
Percentage of Tests: 100.0 %	80.6 %	13.9 %	5.6 %

94568

Summary for 'Summary Report Query AddressPostalCode' = 94568 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

94588

Summary for 'Summary Report Query AddressPostalCode' = 94588 (32 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 32	21	6	5
Percentage of Tests: 100.0 %	65.6 %	18.8 %	15.6 %

Summary for 'Summary Report Query City' = Pleasanton (105 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 105	80	16	9
Percentage of Tests: 100.0 %	76.2 %	15.2 %	8.6 %

Plumas Lake

95961

Summary for 'Summary Report Query AddressPostalCode' = 95961 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Plumas Lake (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Plymouth

95669

Summary for 'Summary Report Query AddressPostalCode' = 95669 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Plymouth (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Point Arena

95468

Summary for 'Summary Report Query AddressPostalCode' = 95468 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Point Arena (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

POINT REYES STATION

94956

Summary for 'Summary Report Query AddressPostalCode' = 94956 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = POINT REYES STATION (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Pollock Pines

95726

Summary for 'Summary Report Query AddressPostalCode' = 95726 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	7	6	6
Percentage of Tests:	100.0 %	36.8 %	31.6 %	31.6 %

Summary for 'Summary Report Query City' = Pollock Pines (19 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	7	6	6
Percentage of Tests:	100.0 %	36.8 %	31.6 %	31.6 %

Pomona

91766

Summary for 'Summary Report Query AddressPostalCode' = 91766 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

91767

Summary for 'Summary Report Query AddressPostalCode' = 91767 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	7	2	0
Percentage of Tests:	100.0 %	77.8 %	22.2 %	0.0 %

91768

Summary for 'Summary Report Query AddressPostalCode' = 91768 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	2	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Pomona (17 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	11	5	1
Percentage of Tests:	100.0 %	64.7 %	29.4 %	5.9 %

Port Costa

94569

Summary for 'Summary Report Query AddressPostalCode' = 94569 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Port Costa (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Port Hueneme

93041

Summary for 'Summary Report Query AddressPostalCode' = 93041 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

93043

Summary for 'Summary Report Query AddressPostalCode' = 93043 (80 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	80	69	11	0
Percentage of Tests:	100.0 %	86.3 %	13.8 %	0.0 %

Summary for 'Summary Report Query City' = Port Hueneme (88 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	88	76	12	0
Percentage of Tests:	100.0 %	86.4 %	13.6 %	0.0 %

Porter Ranch

91326

Summary for 'Summary Report Query AddressPostalCode' = 91326 (38 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	38	29	2	7
Percentage of Tests:	100.0 %	76.3 %	5.3 %	18.4 %

Summary for 'Summary Report Query City' = Porter Ranch (38 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	38	29	2	7
Percentage of Tests:	100.0 %	76.3 %	5.3 %	18.4 %

Porterville

93257

Summary for 'Summary Report Query AddressPostalCode' = 93257 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Porterville (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Portola

96122

Summary for 'Summary Report Query AddressPostalCode' = 96122 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Portola (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Portola Valley

94028

Summary for 'Summary Report Query AddressPostalCode' = 94028 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	15	4	3
Percentage of Tests:	100.0 %	68.2 %	18.2 %	13.6 %

Summary for 'Summary Report Query City' = Portola Valley (22 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	15	4	3
Percentage of Tests:	100.0 %	68.2 %	18.2 %	13.6 %

Poway

92064

Summary for 'Summary Report Query AddressPostalCode' = 92064 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	12	2	1
Percentage of Tests:	100.0 %	80.0 %	13.3 %	6.7 %

Summary for 'Summary Report Query City' = Poway (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	12	2	1
Percentage of Tests:	100.0 %	80.0 %	13.3 %	6.7 %

Prather

93651

Summary for 'Summary Report Query AddressPostalCode' = 93651 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Prather (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Pt Reyes Station

94956

Summary for 'Summary Report Query AddressPostalCode' = 94956 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	10	1	1
Percentage of Tests:	100.0 %	83.3 %	8.3 %	8.3 %

Summary for 'Summary Report Query City' = Pt Reyes Station (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	10	1	1
Percentage of Tests:	100.0 %	83.3 %	8.3 %	8.3 %

Quail Valley

92587

Summary for 'Summary Report Query AddressPostalCode' = 92587 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Quail Valley (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Quartz Hill

93536

Summary for 'Summary Report Query AddressPostalCode' = 93536 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Quartz Hill (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Quincy

95971

Summary for 'Summary Report Query AddressPostalCode' = 95971 (19 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	13	6	0
Percentage of Tests:	100.0 %	68.4 %	31.6 %	0.0 %

Summary for 'Summary Report Query City' = Quincy (19 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	13	6	0
Percentage of Tests:	100.0 %	68.4 %	31.6 %	0.0 %

Ramona

92065

Summary for 'Summary Report Query AddressPostalCode' = 92065 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	7	2	2
Percentage of Tests:	100.0 %	63.6 %	18.2 %	18.2 %

Summary for 'Summary Report Query City' = Ramona (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	7	2	2
Percentage of Tests:	100.0 %	63.6 %	18.2 %	18.2 %

Ranchita

92066

Summary for 'Summary Report Query AddressPostalCode' = 92066 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Ranchita (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rancho Cordova

95670

Summary for 'Summary Report Query AddressPostalCode' = 95670 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	12	0	2
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

95670

Summary for 'Summary Report Query AddressPostalCode' = 95670 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	0	0	6
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

95742

Summary for 'Summary Report Query AddressPostalCode' = 95742 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	2	1
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Summary for 'Summary Report Query City' = Rancho Cordova (27 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	27	16	2	9
Percentage of Tests:	100.0 %	59.3 %	7.4 %	33.3 %

Rancho Cucamonga

91701

Summary for 'Summary Report Query AddressPostalCode' = 91701 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91730

Summary for 'Summary Report Query AddressPostalCode' = 91730 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91739

Summary for 'Summary Report Query AddressPostalCode' = 91739 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rancho Cucamonga (14 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	14	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rancho Mirage

92270

Summary for 'Summary Report Query AddressPostalCode' = 92270 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Rancho Mirage (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	3	1	0
Percentage of Tests:	100.0 %	75.0 %	25.0 %	0.0 %

Rancho Mission Viejo

92694

Summary for 'Summary Report Query AddressPostalCode' = 92694 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Summary for 'Summary Report Query City' = Rancho Mission Viejo (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Rancho Murieta

95683

Summary for 'Summary Report Query AddressPostalCode' = 95683 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Rancho Murieta (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Rancho Palos Verdes

90275

Summary for 'Summary Report Query AddressPostalCode' = 90275 (115 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	115	69	27	19
Percentage of Tests:	100.0 %	60.0 %	23.5 %	16.5 %

Summary for 'Summary Report Query City' = Rancho Palos Verdes (115 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	115	69	27	19
Percentage of Tests:	100.0 %	60.0 %	23.5 %	16.5 %

Rancho Santa Fe

92067

Summary for 'Summary Report Query AddressPostalCode' = 92067 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rancho Santa Fe (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rancho Santa Margarita

92688

Summary for 'Summary Report Query AddressPostalCode' = 92688 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	10	2	1
Percentage of Tests:	100.0 %	76.9 %	15.4 %	7.7 %

Summary for 'Summary Report Query City' = Rancho Santa Margarita (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	10	2	1
Percentage of Tests:	100.0 %	76.9 %	15.4 %	7.7 %

Raymond

93653

Summary for 'Summary Report Query AddressPostalCode' = 93653 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	2	2	3
Percentage of Tests:	100.0 %	28.6 %	28.6 %	42.9 %

Summary for 'Summary Report Query City' = Raymond (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	2	2	3
Percentage of Tests:	100.0 %	28.6 %	28.6 %	42.9 %

Red Bluff

96080

Summary for 'Summary Report Query AddressPostalCode' = 96080 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Red Bluff (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Redding

96001

Summary for 'Summary Report Query AddressPostalCode' = 96001 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	4	1
Percentage of Tests:	100.0 %	54.5 %	36.4 %	9.1 %

96002

Summary for 'Summary Report Query AddressPostalCode' = 96002 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

96003

Summary for 'Summary Report Query AddressPostalCode' = 96003 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Redding (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	9	6	2
Percentage of Tests:	100.0 %	52.9 %	35.3 %	11.8 %

Redlands

92373

Summary for 'Summary Report Query AddressPostalCode' = 92373 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	11	3	1
Percentage of Tests:	100.0 %	73.3 %	20.0 %	6.7 %

92374

Summary for 'Summary Report Query AddressPostalCode' = 92374 (11 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	9	2	0
Percentage of Tests: 100.0 %	81.8 %	18.2 %	0.0 %

Summary for 'Summary Report Query City' = Redlands (26 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 26	20	5	1
Percentage of Tests: 100.0 %	76.9 %	19.2 %	3.8 %

Redondo Beach

90274

Summary for 'Summary Report Query AddressPostalCode' = 90274 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

90277

Summary for 'Summary Report Query AddressPostalCode' = 90277 (27 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 27	18	6	3
Percentage of Tests: 100.0 %	66.7 %	22.2 %	11.1 %

90278

Summary for 'Summary Report Query AddressPostalCode' = 90278 (13 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 13	11	1	1
Percentage of Tests: 100.0 %	84.6 %	7.7 %	7.7 %

Summary for 'Summary Report Query City' = Redondo Beach (41 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 41	30	7	4
Percentage of Tests: 100.0 %	73.2 %	17.1 %	9.8 %

Redwood City

94061

Summary for 'Summary Report Query AddressPostalCode' = 94061 (58 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94062

Summary for 'Summary Report Query AddressPostalCode' = 94062 (29 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94063

Summary for 'Summary Report Query AddressPostalCode' = 94063 (17 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94065

Summary for 'Summary Report Query AddressPostalCode' = 94065 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Redwood City (110 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Redwood Valley

95470

Summary for 'Summary Report Query AddressPostalCode' = 95470 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Redwood Valley (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Reedley

93654

Summary for 'Summary Report Query AddressPostalCode' = 93654 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	6	3	4
Percentage of Tests:	100.0 %	46.2 %	23.1 %	30.8 %

Summary for 'Summary Report Query City' = Reedley (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	6	3	4
Percentage of Tests:	100.0 %	46.2 %	23.1 %	30.8 %

Rescue

95672

Summary for 'Summary Report Query AddressPostalCode' = 95672 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	17	2	1
Percentage of Tests:	100.0 %	85.0 %	10.0 %	5.0 %

Summary for 'Summary Report Query City' = Rescue (20 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	20	17	2	1
Percentage of Tests:	100.0 %	85.0 %	10.0 %	5.0 %

Reseda

91335

Summary for 'Summary Report Query AddressPostalCode' = 91335 (23 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	23	16	4	3
Percentage of Tests:	100.0 %	69.6 %	17.4 %	13.0 %

Summary for 'Summary Report Query City' = Reseda (23 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	23	16	4	3
Percentage of Tests:	100.0 %	69.6 %	17.4 %	13.0 %

Rialto

92376

Summary for 'Summary Report Query AddressPostalCode' = 92376 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Rialto (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

RICHMOND

94801

Summary for 'Summary Report Query AddressPostalCode' = 94801 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

94803

Summary for 'Summary Report Query AddressPostalCode' = 94803 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94804

Summary for 'Summary Report Query AddressPostalCode' = 94804 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	10	4	0
Percentage of Tests:	100.0 %	71.4 %	28.6 %	0.0 %

94805

Summary for 'Summary Report Query AddressPostalCode' = 94805 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	0	2
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

94806

Summary for 'Summary Report Query AddressPostalCode' = 94806 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = RICHMOND (35 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	35	25	6	4
Percentage of Tests:	100.0 %	71.4 %	17.1 %	11.4 %

Ridgecrest

93555

Summary for 'Summary Report Query AddressPostalCode' = 93555 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Ridgecrest (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	7	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rimforest

92378

Summary for 'Summary Report Query AddressPostalCode' = 92378 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Rimforest (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Rio Linda

95673

Summary for 'Summary Report Query AddressPostalCode' = 95673 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Rio Linda (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Rio Vista

94571

Summary for 'Summary Report Query AddressPostalCode' = 94571 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Rio Vista (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Ripon

95366

Summary for 'Summary Report Query AddressPostalCode' = 95366 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Ripon (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

River Pines

95675

Summary for 'Summary Report Query AddressPostalCode' = 95675 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = River Pines (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Riverdale

93607

Summary for 'Summary Report Query AddressPostalCode' = 93607 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

93656

Summary for 'Summary Report Query AddressPostalCode' = 93656 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Riverdale (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Riverside

92501

Summary for 'Summary Report Query AddressPostalCode' = 92501 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92503

Summary for 'Summary Report Query AddressPostalCode' = 92503 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92504

Summary for 'Summary Report Query AddressPostalCode' = 92504 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92505

Summary for 'Summary Report Query AddressPostalCode' = 92505 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92506

Summary for 'Summary Report Query AddressPostalCode' = 92506 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92507

Summary for 'Summary Report Query AddressPostalCode' = 92507 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92508

Summary for 'Summary Report Query AddressPostalCode' = 92508 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92509

Summary for 'Summary Report Query AddressPostalCode' = 92509 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92516

Summary for 'Summary Report Query AddressPostalCode' = 92516 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92518

Summary for 'Summary Report Query AddressPostalCode' = 92518 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Riverside (44 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

RNCHO CORDOVA

95670

Summary for 'Summary Report Query AddressPostalCode' = 95670 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = RNCHO CORDOVA (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rocklin

95677

Summary for 'Summary Report Query AddressPostalCode' = 95677 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	14	5	1
Percentage of Tests:	100.0 %	70.0 %	25.0 %	5.0 %

95765

Summary for 'Summary Report Query AddressPostalCode' = 95765 (30 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	30	26	3	1
Percentage of Tests:	100.0 %	86.7 %	10.0 %	3.3 %

Summary for 'Summary Report Query City' = Rocklin (50 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	50	40	8	2
Percentage of Tests:	100.0 %	80.0 %	16.0 %	4.0 %

Rodeo

94572

Summary for 'Summary Report Query AddressPostalCode' = 94572 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Rodeo (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Rohnert Park

94928

Summary for 'Summary Report Query AddressPostalCode' = 94928 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Summary for 'Summary Report Query City' = Rohnert Park (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	7	3	1
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

Rolling Hills

90274

Summary for 'Summary Report Query AddressPostalCode' = 90274 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rolling Hills (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rolling Hills Estates

90274

Summary for 'Summary Report Query AddressPostalCode' = 90274 (39 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	39	25	7	7
Percentage of Tests:	100.0 %	64.1 %	17.9 %	17.9 %

90275

Summary for 'Summary Report Query AddressPostalCode' = 90275 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Rolling Hills Estates (42 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	42	26	9	7
Percentage of Tests:	100.0 %	61.9 %	21.4 %	16.7 %

Rosamond

93560

Summary for 'Summary Report Query AddressPostalCode' = 93560 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rosamond (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rosemead

91770

Summary for 'Summary Report Query AddressPostalCode' = 91770 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Rosemead (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	2	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Roseville

95661

Summary for 'Summary Report Query AddressPostalCode' = 95661 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	13	1	1
Percentage of Tests:	100.0 %	86.7 %	6.7 %	6.7 %

95678

Summary for 'Summary Report Query AddressPostalCode' = 95678 (22 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95746

Summary for 'Summary Report Query AddressPostalCode' = 95746 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95747

Summary for 'Summary Report Query AddressPostalCode' = 95747 (40 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Roseville (78 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Ross

94957

Summary for 'Summary Report Query AddressPostalCode' = 94957 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Ross (2 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Rossmoor

90720

Summary for 'Summary Report Query AddressPostalCode' = 90720 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rossmoor (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Rowland Heights

91748

Summary for 'Summary Report Query AddressPostalCode' = 91748 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Rowland Heights (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Royal Oaks

95076

Summary for 'Summary Report Query AddressPostalCode' = 95076 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Royal Oaks (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Running Springs

92382

Summary for 'Summary Report Query AddressPostalCode' = 92382 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Running Springs (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Sacramento

95811

Summary for 'Summary Report Query AddressPostalCode' = 95811 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95814

Summary for 'Summary Report Query AddressPostalCode' = 95814 (21 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	21	13	4	4
Percentage of Tests:	100.0 %	61.9 %	19.0 %	19.0 %

95815

Summary for 'Summary Report Query AddressPostalCode' = 95815 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

95816

Summary for 'Summary Report Query AddressPostalCode' = 95816 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	13	2	1
Percentage of Tests:	100.0 %	81.3 %	12.5 %	6.3 %

95817

Summary for 'Summary Report Query AddressPostalCode' = 95817 (8 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	7	1	0
Percentage of Tests: 100.0 %	87.5 %	12.5 %	0.0 %

95818

Summary for 'Summary Report Query AddressPostalCode' = 95818 (20 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 20	15	2	3
Percentage of Tests: 100.0 %	75.0 %	10.0 %	15.0 %

95819

Summary for 'Summary Report Query AddressPostalCode' = 95819 (18 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 18	10	6	2
Percentage of Tests: 100.0 %	55.6 %	33.3 %	11.1 %

95820

Summary for 'Summary Report Query AddressPostalCode' = 95820 (19 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	15	2	2
Percentage of Tests: 100.0 %	78.9 %	10.5 %	10.5 %

95821

Summary for 'Summary Report Query AddressPostalCode' = 95821 (9 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	5	2	2
Percentage of Tests: 100.0 %	55.6 %	22.2 %	22.2 %

95822

Summary for 'Summary Report Query AddressPostalCode' = 95822 (19 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	16	2	1
Percentage of Tests: 100.0 %	84.2 %	10.5 %	5.3 %

95823

Summary for 'Summary Report Query AddressPostalCode' = 95823 (13 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	11	1	1
Percentage of Tests:	100.0 %	84.6 %	7.7 %	7.7 %

95825

Summary for 'Summary Report Query AddressPostalCode' = 95825 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	18	1	0
Percentage of Tests:	100.0 %	94.7 %	5.3 %	0.0 %

95826

Summary for 'Summary Report Query AddressPostalCode' = 95826 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	13	2	0
Percentage of Tests:	100.0 %	86.7 %	13.3 %	0.0 %

95827

Summary for 'Summary Report Query AddressPostalCode' = 95827 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

95828

Summary for 'Summary Report Query AddressPostalCode' = 95828 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

95829

Summary for 'Summary Report Query AddressPostalCode' = 95829 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	3	2	2
Percentage of Tests:	100.0 %	42.9 %	28.6 %	28.6 %

95831

Summary for 'Summary Report Query AddressPostalCode' = 95831 (43 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	43	26	15	2
Percentage of Tests:	100.0 %	60.5 %	34.9 %	4.7 %

95832

Summary for 'Summary Report Query AddressPostalCode' = 95832 (33 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	33	33	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95833

Summary for 'Summary Report Query AddressPostalCode' = 95833 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	11	2	2
Percentage of Tests:	100.0 %	73.3 %	13.3 %	13.3 %

95834

Summary for 'Summary Report Query AddressPostalCode' = 95834 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	10	1	1
Percentage of Tests:	100.0 %	83.3 %	8.3 %	8.3 %

95835

Summary for 'Summary Report Query AddressPostalCode' = 95835 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

95837

Summary for 'Summary Report Query AddressPostalCode' = 95837 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95838

Summary for 'Summary Report Query AddressPostalCode' = 95838 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95841

Summary for 'Summary Report Query AddressPostalCode' = 95841 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95842

Summary for 'Summary Report Query AddressPostalCode' = 95842 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95864

Summary for 'Summary Report Query AddressPostalCode' = 95864 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Sacramento (355 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Saint Helena

94574

Summary for 'Summary Report Query AddressPostalCode' = 94574 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Saint Helena (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	5	0	2
Percentage of Tests:	100.0 %	71.4 %	0.0 %	28.6 %

Salinas

93901

Summary for 'Summary Report Query AddressPostalCode' = 93901 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	0	1
Percentage of Tests:	100.0 %	80.0 %	0.0 %	20.0 %

93906

Summary for 'Summary Report Query AddressPostalCode' = 93906 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

93907

Summary for 'Summary Report Query AddressPostalCode' = 93907 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

93908

Summary for 'Summary Report Query AddressPostalCode' = 93908 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

93912

Summary for 'Summary Report Query AddressPostalCode' = 93912 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Salinas (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	14	2	2
Percentage of Tests:	100.0 %	77.8 %	11.1 %	11.1 %

San Andreas

95249

Summary for 'Summary Report Query AddressPostalCode' = 95249 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = San Andreas (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

San Anselmo

94960

Summary for 'Summary Report Query AddressPostalCode' = 94960 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	7	1	4
Percentage of Tests:	100.0 %	58.3 %	8.3 %	33.3 %

Summary for 'Summary Report Query City' = San Anselmo (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	7	1	4
Percentage of Tests:	100.0 %	58.3 %	8.3 %	33.3 %

San Bernardino

92404

Summary for 'Summary Report Query AddressPostalCode' = 92404 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

92405

Summary for 'Summary Report Query AddressPostalCode' = 92405 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92407

Summary for 'Summary Report Query AddressPostalCode' = 92407 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92408

Summary for 'Summary Report Query AddressPostalCode' = 92408 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92410

Summary for 'Summary Report Query AddressPostalCode' = 92410 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Bernardino (22 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

San Bruno

94066

Summary for 'Summary Report Query AddressPostalCode' = 94066 (22 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Bruno (22 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	22	17	3	2
Percentage of Tests:	100.0 %	77.3 %	13.6 %	9.1 %

San Carlos

94070

Summary for 'Summary Report Query AddressPostalCode' = 94070 (43 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	43	30	9	4
Percentage of Tests:	100.0 %	69.8 %	20.9 %	9.3 %

Summary for 'Summary Report Query City' = San Carlos (43 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	43	30	9	4
Percentage of Tests:	100.0 %	69.8 %	20.9 %	9.3 %

San Clemente

92672

Summary for 'Summary Report Query AddressPostalCode' = 92672 (12 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	9	2	1
Percentage of Tests:	100.0 %	75.0 %	16.7 %	8.3 %

92673

Summary for 'Summary Report Query AddressPostalCode' = 92673 (17 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	9	3	5
Percentage of Tests:	100.0 %	52.9 %	17.6 %	29.4 %

Summary for 'Summary Report Query City' = San Clemente (29 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	29	18	5	6
Percentage of Tests:	100.0 %	62.1 %	17.2 %	20.7 %

San Diego

92101

Summary for 'Summary Report Query AddressPostalCode' = 92101 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92102

Summary for 'Summary Report Query AddressPostalCode' = 92102 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92103

Summary for 'Summary Report Query AddressPostalCode' = 92103 (16 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92104

Summary for 'Summary Report Query AddressPostalCode' = 92104 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92105

Summary for 'Summary Report Query AddressPostalCode' = 92105 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92106

Summary for 'Summary Report Query AddressPostalCode' = 92106 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92107

Summary for 'Summary Report Query AddressPostalCode' = 92107 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92108

Summary for 'Summary Report Query AddressPostalCode' = 92108 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92109

Summary for 'Summary Report Query AddressPostalCode' = 92109 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92110

Summary for 'Summary Report Query AddressPostalCode' = 92110 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92111

Summary for 'Summary Report Query AddressPostalCode' = 92111 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92113

Summary for 'Summary Report Query AddressPostalCode' = 92113 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92114

Summary for 'Summary Report Query AddressPostalCode' = 92114 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92115

Summary for 'Summary Report Query AddressPostalCode' = 92115 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92116

Summary for 'Summary Report Query AddressPostalCode' = 92116 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92117

Summary for 'Summary Report Query AddressPostalCode' = 92117 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92119

Summary for 'Summary Report Query AddressPostalCode' = 92119 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92120

Summary for 'Summary Report Query AddressPostalCode' = 92120 (16 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92121

Summary for 'Summary Report Query AddressPostalCode' = 92121 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92122

Summary for 'Summary Report Query AddressPostalCode' = 92122 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92123

Summary for 'Summary Report Query AddressPostalCode' = 92123 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92124

Summary for 'Summary Report Query AddressPostalCode' = 92124 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92126

Summary for 'Summary Report Query AddressPostalCode' = 92126 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92127

Summary for 'Summary Report Query AddressPostalCode' = 92127 (18 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92128

Summary for 'Summary Report Query AddressPostalCode' = 92128 (10 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

92129

Summary for 'Summary Report Query AddressPostalCode' = 92129 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	11	2	1
Percentage of Tests:	100.0 %	78.6 %	14.3 %	7.1 %

92130

Summary for 'Summary Report Query AddressPostalCode' = 92130 (27 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	27	21	3	3
Percentage of Tests:	100.0 %	77.8 %	11.1 %	11.1 %

92131

Summary for 'Summary Report Query AddressPostalCode' = 92131 (17 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	12	3	2
Percentage of Tests:	100.0 %	70.6 %	17.6 %	11.8 %

92136

Summary for 'Summary Report Query AddressPostalCode' = 92136 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	1	17	0
Percentage of Tests:	100.0 %	5.6 %	94.4 %	0.0 %

92139

Summary for 'Summary Report Query AddressPostalCode' = 92139 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

92152

Summary for 'Summary Report Query AddressPostalCode' = 92152 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92154

Summary for 'Summary Report Query AddressPostalCode' = 92154 (73 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92163

Summary for 'Summary Report Query AddressPostalCode' = 92163 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92192

Summary for 'Summary Report Query AddressPostalCode' = 92192 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Diego (384 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

San Dimas

91773

Summary for 'Summary Report Query AddressPostalCode' = 91773 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Dimas (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	6	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

San Fernando

91340

Summary for 'Summary Report Query AddressPostalCode' = 91340 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = San Fernando (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

San Francisco

94102

Summary for 'Summary Report Query AddressPostalCode' = 94102 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	4	1
Percentage of Tests:	100.0 %	54.5 %	36.4 %	9.1 %

94103

Summary for 'Summary Report Query AddressPostalCode' = 94103 (10 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	1	1
Percentage of Tests:	100.0 %	80.0 %	10.0 %	10.0 %

94104

Summary for 'Summary Report Query AddressPostalCode' = 94104 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

94105

Summary for 'Summary Report Query AddressPostalCode' = 94105 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94107

Summary for 'Summary Report Query AddressPostalCode' = 94107 (18 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94108

Summary for 'Summary Report Query AddressPostalCode' = 94108 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94109

Summary for 'Summary Report Query AddressPostalCode' = 94109 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94110

Summary for 'Summary Report Query AddressPostalCode' = 94110 (159 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94111

Summary for 'Summary Report Query AddressPostalCode' = 94111 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94112

Summary for 'Summary Report Query AddressPostalCode' = 94112 (45 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94114

Summary for 'Summary Report Query AddressPostalCode' = 94114 (61 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94115

Summary for 'Summary Report Query AddressPostalCode' = 94115 (24 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94116

Summary for 'Summary Report Query AddressPostalCode' = 94116 (30 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94117

Summary for 'Summary Report Query AddressPostalCode' = 94117 (28 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94118

Summary for 'Summary Report Query AddressPostalCode' = 94118 (27 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94121

Summary for 'Summary Report Query AddressPostalCode' = 94121 (18 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94122

Summary for 'Summary Report Query AddressPostalCode' = 94122 (29 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94123

Summary for 'Summary Report Query AddressPostalCode' = 94123 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94124

Summary for 'Summary Report Query AddressPostalCode' = 94124 (14 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94127

Summary for 'Summary Report Query AddressPostalCode' = 94127 (58 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94129

Summary for 'Summary Report Query AddressPostalCode' = 94129 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94131

Summary for 'Summary Report Query AddressPostalCode' = 94131 (30 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94132

Summary for 'Summary Report Query AddressPostalCode' = 94132 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94133

Summary for 'Summary Report Query AddressPostalCode' = 94133 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94134

Summary for 'Summary Report Query AddressPostalCode' = 94134 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94158

Summary for 'Summary Report Query AddressPostalCode' = 94158 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Francisco (629 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

San Gabriel

91775

Summary for 'Summary Report Query AddressPostalCode' = 91775 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	10	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91776

Summary for 'Summary Report Query AddressPostalCode' = 91776 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = San Gabriel (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	11	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

San Jacinto

92583

Summary for 'Summary Report Query AddressPostalCode' = 92583 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = San Jacinto (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

San Joaquin

93660

Summary for 'Summary Report Query AddressPostalCode' = 93660 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	0	1
Percentage of Tests:	100.0 %	88.9 %	0.0 %	11.1 %

Summary for 'Summary Report Query City' = San Joaquin (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	8	0	1
Percentage of Tests:	100.0 %	88.9 %	0.0 %	11.1 %

San Jose

95110

Summary for 'Summary Report Query AddressPostalCode' = 95110 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	8	4	2
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

95111

Summary for 'Summary Report Query AddressPostalCode' = 95111 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

95112

Summary for 'Summary Report Query AddressPostalCode' = 95112 (33 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	33	28	3	2
Percentage of Tests:	100.0 %	84.8 %	9.1 %	6.1 %

95113

Summary for 'Summary Report Query AddressPostalCode' = 95113 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	3	0	1
Percentage of Tests:	100.0 %	75.0 %	0.0 %	25.0 %

95116

Summary for 'Summary Report Query AddressPostalCode' = 95116 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	5	2	2
Percentage of Tests:	100.0 %	55.6 %	22.2 %	22.2 %

95117

Summary for 'Summary Report Query AddressPostalCode' = 95117 (33 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 33	19	11	3
Percentage of Tests: 100.0 %	57.6 %	33.3 %	9.1 %

95118

Summary for 'Summary Report Query AddressPostalCode' = 95118 (33 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 33	14	13	6
Percentage of Tests: 100.0 %	42.4 %	39.4 %	18.2 %

95119

Summary for 'Summary Report Query AddressPostalCode' = 95119 (10 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	8	2	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

95120

Summary for 'Summary Report Query AddressPostalCode' = 95120 (66 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 66	55	10	1
Percentage of Tests: 100.0 %	83.3 %	15.2 %	1.5 %

95121

Summary for 'Summary Report Query AddressPostalCode' = 95121 (12 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 12	8	3	1
Percentage of Tests: 100.0 %	66.7 %	25.0 %	8.3 %

95122

Summary for 'Summary Report Query AddressPostalCode' = 95122 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

95123

Summary for 'Summary Report Query AddressPostalCode' = 95123 (42 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95124

Summary for 'Summary Report Query AddressPostalCode' = 95124 (72 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95125

Summary for 'Summary Report Query AddressPostalCode' = 95125 (83 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95126

Summary for 'Summary Report Query AddressPostalCode' = 95126 (51 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95127

Summary for 'Summary Report Query AddressPostalCode' = 95127 (32 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95128

Summary for 'Summary Report Query AddressPostalCode' = 95128 (26 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95129

Summary for 'Summary Report Query AddressPostalCode' = 95129 (62 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95130

Summary for 'Summary Report Query AddressPostalCode' = 95130 (12 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95131

Summary for 'Summary Report Query AddressPostalCode' = 95131 (29 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95132

Summary for 'Summary Report Query AddressPostalCode' = 95132 (36 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95133

Summary for 'Summary Report Query AddressPostalCode' = 95133 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95134

Summary for 'Summary Report Query AddressPostalCode' = 95134 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95135

Summary for 'Summary Report Query AddressPostalCode' = 95135 (29 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95136

Summary for 'Summary Report Query AddressPostalCode' = 95136 (27 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95138

Summary for 'Summary Report Query AddressPostalCode' = 95138 (22 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95139

Summary for 'Summary Report Query AddressPostalCode' = 95139 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95148

Summary for 'Summary Report Query AddressPostalCode' = 95148 (29 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95150

Summary for 'Summary Report Query AddressPostalCode' = 95150 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95158

Summary for 'Summary Report Query AddressPostalCode' = 95158 (1 detail record)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0 % 100.0 % 0.0 % 0.0 %

Summary for 'Summary Report Query City' = San Jose (802 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 802 576 153 73

Percentage of Tests: 100.0 % 71.8 % 19.1 % 9.1 %

San Juan Bautista

95045

Summary for 'Summary Report Query AddressPostalCode' = 95045 (6 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 6 6 0 0

Percentage of Tests: 100.0 % 100.0 % 0.0 % 0.0 %

Summary for 'Summary Report Query City' = San Juan Bautista (6 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 6 6 0 0

Percentage of Tests: 100.0 % 100.0 % 0.0 % 0.0 %

San Juan Capistrano

92675

Summary for 'Summary Report Query AddressPostalCode' = 92675 (23 detail records)

All Test Results Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 23 11 9 3

Percentage of Tests: 100.0 % 47.8 % 39.1 % 13.0 %

Summary for 'Summary Report Query City' = San Juan Capistrano (23 detail records)

All Test Results Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 23 11 9 3

Percentage of Tests: 100.0 % 47.8 % 39.1 % 13.0 %

San Leandro

94577

Summary for 'Summary Report Query AddressPostalCode' = 94577 (65 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94578

Summary for 'Summary Report Query AddressPostalCode' = 94578 (20 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94579

Summary for 'Summary Report Query AddressPostalCode' = 94579 (9 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Leandro (94 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

San Lorenzo

94580

Summary for 'Summary Report Query AddressPostalCode' = 94580 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = San Lorenzo (19 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

San Luis Obispo

93401

Summary for 'Summary Report Query AddressPostalCode' = 93401 (29 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	20	5	4
Percentage of Tests:	100.0 %	69.0 %	17.2 %	13.8 %

93402

Summary for 'Summary Report Query AddressPostalCode' = 93402 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

93405

Summary for 'Summary Report Query AddressPostalCode' = 93405 (19 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	15	3	1
Percentage of Tests:	100.0 %	78.9 %	15.8 %	5.3 %

Summary for 'Summary Report Query City' = San Luis Obispo (49 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	49	36	8	5
Percentage of Tests:	100.0 %	73.5 %	16.3 %	10.2 %

San Marcos

92069

Summary for 'Summary Report Query AddressPostalCode' = 92069 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92078

Summary for 'Summary Report Query AddressPostalCode' = 92078 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	10	2	2
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = San Marcos (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	12	2	2
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

San Marino

91108

Summary for 'Summary Report Query AddressPostalCode' = 91108 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	3	4	0
Percentage of Tests:	100.0 %	42.9 %	57.1 %	0.0 %

Summary for 'Summary Report Query City' = San Marino (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	3	4	0
Percentage of Tests:	100.0 %	42.9 %	57.1 %	0.0 %

San Martin

95046

Summary for 'Summary Report Query AddressPostalCode' = 95046 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = San Martin (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

San Mateo

94401

Summary for 'Summary Report Query AddressPostalCode' = 94401 (73 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	73	65	3	5
Percentage of Tests:	100.0 %	89.0 %	4.1 %	6.8 %

94402

Summary for 'Summary Report Query AddressPostalCode' = 94402 (30 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	30	22	7	1
Percentage of Tests:	100.0 %	73.3 %	23.3 %	3.3 %

94403

Summary for 'Summary Report Query AddressPostalCode' = 94403 (29 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	29	16	10	3
Percentage of Tests:	100.0 %	55.2 %	34.5 %	10.3 %

Summary for 'Summary Report Query City' = San Mateo (132 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	132	103	20	9
Percentage of Tests:	100.0 %	78.0 %	15.2 %	6.8 %

San Pablo

94806

Summary for 'Summary Report Query AddressPostalCode' = 94806 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = San Pablo (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

San Pedro

90731

Summary for 'Summary Report Query AddressPostalCode' = 90731 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	11	2	0
Percentage of Tests:	100.0 %	84.6 %	15.4 %	0.0 %

90732

Summary for 'Summary Report Query AddressPostalCode' = 90732 (19 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	10	3	6
Percentage of Tests: 100.0 %	52.6 %	15.8 %	31.6 %

Summary for 'Summary Report Query City' = San Pedro (32 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 32	21	5	6
Percentage of Tests: 100.0 %	65.6 %	15.6 %	18.8 %

San Rafael

94901

Summary for 'Summary Report Query AddressPostalCode' = 94901 (24 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 24	16	7	1
Percentage of Tests: 100.0 %	66.7 %	29.2 %	4.2 %

94903

Summary for 'Summary Report Query AddressPostalCode' = 94903 (19 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 19	13	3	3
Percentage of Tests: 100.0 %	68.4 %	15.8 %	15.8 %

Summary for 'Summary Report Query City' = San Rafael (43 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 43	29	10	4
Percentage of Tests: 100.0 %	67.4 %	23.3 %	9.3 %

San Ramon

94582

Summary for 'Summary Report Query AddressPostalCode' = 94582 (17 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	11	4	2
Percentage of Tests: 100.0 %	64.7 %	23.5 %	11.8 %

94583

Summary for 'Summary Report Query AddressPostalCode' = 94583 (19 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	15	3	1
Percentage of Tests:	100.0 %	78.9 %	15.8 %	5.3 %

Summary for 'Summary Report Query City' = San Ramon (36 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	36	26	7	3
Percentage of Tests:	100.0 %	72.2 %	19.4 %	8.3 %

San Ysidro

92173

Summary for 'Summary Report Query AddressPostalCode' = 92173 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = San Ysidro (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Sanger

93657

Summary for 'Summary Report Query AddressPostalCode' = 93657 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	1	2	3
Percentage of Tests:	100.0 %	16.7 %	33.3 %	50.0 %

Summary for 'Summary Report Query City' = Sanger (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	1	2	3
Percentage of Tests:	100.0 %	16.7 %	33.3 %	50.0 %

Santa Ana

92701

Summary for 'Summary Report Query AddressPostalCode' = 92701 (17 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92703

Summary for 'Summary Report Query AddressPostalCode' = 92703 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92705

Summary for 'Summary Report Query AddressPostalCode' = 92705 (24 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92706

Summary for 'Summary Report Query AddressPostalCode' = 92706 (6 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92707

Summary for 'Summary Report Query AddressPostalCode' = 92707 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

92708

Summary for 'Summary Report Query AddressPostalCode' = 92708 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Santa Ana (52 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	52	43	6	3
Percentage of Tests:	100.0 %	82.7 %	11.5 %	5.8 %

Santa Barbara

93101

Summary for 'Summary Report Query AddressPostalCode' = 93101 (38 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	38	23	10	5
Percentage of Tests:	100.0 %	60.5 %	26.3 %	13.2 %

93103

Summary for 'Summary Report Query AddressPostalCode' = 93103 (62 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	62	25	9	28
Percentage of Tests:	100.0 %	40.3 %	14.5 %	45.2 %

93105

Summary for 'Summary Report Query AddressPostalCode' = 93105 (173 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	173	80	40	53
Percentage of Tests:	100.0 %	46.2 %	23.1 %	30.6 %

93107

Summary for 'Summary Report Query AddressPostalCode' = 93107 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

93108

Summary for 'Summary Report Query AddressPostalCode' = 93108 (162 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	162	96	30	36
Percentage of Tests:	100.0 %	59.3 %	18.5 %	22.2 %

93109

Summary for 'Summary Report Query AddressPostalCode' = 93109 (75 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 75 43 18 14

Percentage of Tests: 100.0% 57.3% 24.0% 18.7%

93110

Summary for 'Summary Report Query AddressPostalCode' = 93110 (75 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 75 43 18 14

Percentage of Tests: 100.0% 57.3% 24.0% 18.7%

93111

Summary for 'Summary Report Query AddressPostalCode' = 93111 (64 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 64 32 22 10

Percentage of Tests: 100.0% 50.0% 34.4% 15.6%

93117

Summary for 'Summary Report Query AddressPostalCode' = 93117 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 1 1 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

93140

Summary for 'Summary Report Query AddressPostalCode' = 93140 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests: 5 5 0 0

Percentage of Tests: 100.0% 100.0% 0.0% 0.0%

Summary for 'Summary Report Query City' = Santa Barbara (656 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests: 656 348 147 161

Percentage of Tests: 100.0% 53.0% 22.4% 24.5%

Santa Clara

95050

Summary for 'Summary Report Query AddressPostalCode' = 95050 (61 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	61	36	16	9
Percentage of Tests:	100.0 %	59.0 %	26.2 %	14.8 %

95051

Summary for 'Summary Report Query AddressPostalCode' = 95051 (78 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	78	47	24	7
Percentage of Tests:	100.0 %	60.3 %	30.8 %	9.0 %

95054

Summary for 'Summary Report Query AddressPostalCode' = 95054 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	10	1	0
Percentage of Tests:	100.0 %	90.9 %	9.1 %	0.0 %

Summary for 'Summary Report Query City' = Santa Clara (150 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	150	93	41	16
Percentage of Tests:	100.0 %	62.0 %	27.3 %	10.7 %

Santa Clarita

91321

Summary for 'Summary Report Query AddressPostalCode' = 91321 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91350

Summary for 'Summary Report Query AddressPostalCode' = 91350 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	9	5	0
Percentage of Tests:	100.0 %	64.3 %	35.7 %	0.0 %

91351

Summary for 'Summary Report Query AddressPostalCode' = 91351 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	0	1	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	100.0 %	0.0 %
------------------------------	-------	---------	-------

91354

Summary for 'Summary Report Query AddressPostalCode' = 91354 (4 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 4	4	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

91355

Summary for 'Summary Report Query AddressPostalCode' = 91355 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 5	5	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

91381

Summary for 'Summary Report Query AddressPostalCode' = 91381 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 2	0	1	1
-----------------	---	---	---

Percentage of Tests: 100.0 %	0.0 %	50.0 %	50.0 %
------------------------------	-------	--------	--------

91387

Summary for 'Summary Report Query AddressPostalCode' = 91387 (3 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 3	2	1	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	66.7 %	33.3 %	0.0 %
------------------------------	--------	--------	-------

91390

Summary for 'Summary Report Query AddressPostalCode' = 91390 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 5	3	0	2
-----------------	---	---	---

Percentage of Tests: 100.0 %	60.0 %	0.0 %	40.0 %
------------------------------	--------	-------	--------

Summary for 'Summary Report Query City' = Santa Clarita (35 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	35	24	8	3
Percentage of Tests:	100.0 %	68.6 %	22.9 %	8.6 %

Santa Cruz

95060

Summary for 'Summary Report Query AddressPostalCode' = 95060 (46 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	46	28	9	9
Percentage of Tests:	100.0 %	60.9 %	19.6 %	19.6 %

95062

Summary for 'Summary Report Query AddressPostalCode' = 95062 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	8	5	2
Percentage of Tests:	100.0 %	53.3 %	33.3 %	13.3 %

95064

Summary for 'Summary Report Query AddressPostalCode' = 95064 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	2	3
Percentage of Tests:	100.0 %	54.5 %	18.2 %	27.3 %

95065

Summary for 'Summary Report Query AddressPostalCode' = 95065 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	0	1
Percentage of Tests:	100.0 %	83.3 %	0.0 %	16.7 %

Summary for 'Summary Report Query City' = Santa Cruz (78 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	78	47	16	15
Percentage of Tests:	100.0 %	60.3 %	20.5 %	19.2 %

Santa Fe Springs

90670

Summary for 'Summary Report Query AddressPostalCode' = 90670 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Santa Fe Springs (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Santa Maria

93454

Summary for 'Summary Report Query AddressPostalCode' = 93454 (27 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	27	25	1	1
Percentage of Tests:	100.0 %	92.6 %	3.7 %	3.7 %

93455

Summary for 'Summary Report Query AddressPostalCode' = 93455 (14 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	13	0	1
Percentage of Tests:	100.0 %	92.9 %	0.0 %	7.1 %

Summary for 'Summary Report Query City' = Santa Maria (41 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	41	38	1	2
Percentage of Tests:	100.0 %	92.7 %	2.4 %	4.9 %

Santa Monica

90402

Summary for 'Summary Report Query AddressPostalCode' = 90402 (56 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	56	37	12	7
Percentage of Tests:	100.0 %	66.1 %	21.4 %	12.5 %

90403

Summary for 'Summary Report Query AddressPostalCode' = 90403 (25 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90404

Summary for 'Summary Report Query AddressPostalCode' = 90404 (19 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90405

Summary for 'Summary Report Query AddressPostalCode' = 90405 (26 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Santa Monica (126 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Santa Paula

93060

Summary for 'Summary Report Query AddressPostalCode' = 93060 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Santa Paula (8 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Santa Rosa

95401

Summary for 'Summary Report Query AddressPostalCode' = 95401 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95403

Summary for 'Summary Report Query AddressPostalCode' = 95403 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95404

Summary for 'Summary Report Query AddressPostalCode' = 95404 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95405

Summary for 'Summary Report Query AddressPostalCode' = 95405 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95407

Summary for 'Summary Report Query AddressPostalCode' = 95407 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95409

Summary for 'Summary Report Query AddressPostalCode' = 95409 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Santa Rosa (44 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	44	32	4	8
Percentage of Tests:	100.0 %	72.7 %	9.1 %	18.2 %

Santa Rosa Valley

93012

Summary for 'Summary Report Query AddressPostalCode' = 93012 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Santa Rosa Valley (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Santa Ynez

93460

Summary for 'Summary Report Query AddressPostalCode' = 93460 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	6	1	4
Percentage of Tests:	100.0 %	54.5 %	9.1 %	36.4 %

Summary for 'Summary Report Query City' = Santa Ynez (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	6	1	4
Percentage of Tests:	100.0 %	54.5 %	9.1 %	36.4 %

Santa Ysabel

92070

Summary for 'Summary Report Query AddressPostalCode' = 92070 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Santa Ysabel (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Santee

92071

Summary for 'Summary Report Query AddressPostalCode' = 92071 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	7	3	2
Percentage of Tests:	100.0 %	58.3 %	25.0 %	16.7 %

Summary for 'Summary Report Query City' = Santee (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	7	3	2
Percentage of Tests:	100.0 %	58.3 %	25.0 %	16.7 %

Saratoga

95070

Summary for 'Summary Report Query AddressPostalCode' = 95070 (95 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	95	69	18	8
Percentage of Tests:	100.0 %	72.6 %	18.9 %	8.4 %

Summary for 'Summary Report Query City' = Saratoga (95 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	95	69	18	8
Percentage of Tests:	100.0 %	72.6 %	18.9 %	8.4 %

Sausalito

94965

Summary for 'Summary Report Query AddressPostalCode' = 94965 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	9	0	1
Percentage of Tests:	100.0 %	90.0 %	0.0 %	10.0 %

Summary for 'Summary Report Query City' = Sausalito (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	9	0	1
Percentage of Tests:	100.0 %	90.0 %	0.0 %	10.0 %

Scotts Valley

95066

Summary for 'Summary Report Query AddressPostalCode' = 95066 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	9	4	2
Percentage of Tests:	100.0 %	60.0 %	26.7 %	13.3 %

Summary for 'Summary Report Query City' = Scotts Valley (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	9	4	2
Percentage of Tests:	100.0 %	60.0 %	26.7 %	13.3 %

Seal Beach

90740

Summary for 'Summary Report Query AddressPostalCode' = 90740 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	7	3	0
Percentage of Tests:	100.0 %	70.0 %	30.0 %	0.0 %

Summary for 'Summary Report Query City' = Seal Beach (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	3	0
Percentage of Tests:	100.0 %	70.0 %	30.0 %	0.0 %

Seascape

95003

Summary for 'Summary Report Query AddressPostalCode' = 95003 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Seaside (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Seaside

93955

Summary for 'Summary Report Query AddressPostalCode' = 93955 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Seaside (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	1	1
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Sebastopol

95472

Summary for 'Summary Report Query AddressPostalCode' = 95472 (25 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	19	5	1
Percentage of Tests:	100.0 %	76.0 %	20.0 %	4.0 %

Summary for 'Summary Report Query City' = Sebastopol (25 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	25	19	5	1
Percentage of Tests:	100.0 %	76.0 %	20.0 %	4.0 %

Selma

93662

Summary for 'Summary Report Query AddressPostalCode' = 93662 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Selma (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Serene Lakes

95728

Summary for 'Summary Report Query AddressPostalCode' = 95728 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Serene Lakes (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Shadow Hills

91040

Summary for 'Summary Report Query AddressPostalCode' = 91040 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = Shadow Hills (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	1	1
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Shafter

93263

Summary for 'Summary Report Query AddressPostalCode' = 93263 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	9	0	1
Percentage of Tests:	100.0 %	90.0 %	0.0 %	10.0 %

Summary for 'Summary Report Query City' = Shafter (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	9	0	1
Percentage of Tests:	100.0 %	90.0 %	0.0 %	10.0 %

Sharon

93610

Summary for 'Summary Report Query AddressPostalCode' = 93610 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sharon (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Sharp Park

94044

Summary for 'Summary Report Query AddressPostalCode' = 94044 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sharp Park (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Shasta

96087

Summary for 'Summary Report Query AddressPostalCode' = 96087 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Shasta (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Shasta Lake

96019

Summary for 'Summary Report Query AddressPostalCode' = 96019 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Shasta Lake (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Shaver Lake

93664

Summary for 'Summary Report Query AddressPostalCode' = 93664 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	3	2	0
Percentage of Tests:	100.0 %	60.0 %	40.0 %	0.0 %

Summary for 'Summary Report Query City' = Shaver Lake (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	3	2	0
Percentage of Tests:	100.0 %	60.0 %	40.0 %	0.0 %

SHERMAN DOCKS

91423

Summary for 'Summary Report Query AddressPostalCode' = 91423 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = SHERMAN DOCKS (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

SHERMAN OAKS

91401

Summary for 'Summary Report Query AddressPostalCode' = 91401 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91403

Summary for 'Summary Report Query AddressPostalCode' = 91403 (53 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	53	32	7	14
Percentage of Tests:	100.0 %	60.4 %	13.2 %	26.4 %

91411

Summary for 'Summary Report Query AddressPostalCode' = 91411 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

91423

Summary for 'Summary Report Query AddressPostalCode' = 91423 (61 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	61	31	18	12
Percentage of Tests:	100.0 %	50.8 %	29.5 %	19.7 %

Summary for 'Summary Report Query City' = SHERMAN OAKS (124 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	124	69	27	28
Percentage of Tests:	100.0 %	55.6 %	21.8 %	22.6 %

Sherwood Forest

91325

Summary for 'Summary Report Query AddressPostalCode' = 91325 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	2	6	1
Percentage of Tests:	100.0 %	22.2 %	66.7 %	11.1 %

Summary for 'Summary Report Query City' = Sherwood Forest (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	2	6	1
Percentage of Tests:	100.0 %	22.2 %	66.7 %	11.1 %

Shingle Springs

95682

Summary for 'Summary Report Query AddressPostalCode' = 95682 (16 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	12	2	2
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = Shingle Springs (16 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	12	2	2
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

Shingletown

96088

Summary for 'Summary Report Query AddressPostalCode' = 96088 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Shingletown (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Sierra City

96125

Summary for 'Summary Report Query AddressPostalCode' = 96125 (4 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Sierra City (4 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	2	0	2
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Sierra Madre

91024

Summary for 'Summary Report Query AddressPostalCode' = 91024 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	0	2
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Sierra Madre (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	4	0	2
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Sierraville

96126

Summary for 'Summary Report Query AddressPostalCode' = 96126 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sierraville (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Silver Spring

92705

Summary for 'Summary Report Query AddressPostalCode' = 92705 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Silver Spring (1 detail record)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Silverado

92676

Summary for 'Summary Report Query AddressPostalCode' = 92676 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	0	1	1
Percentage of Tests: 100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Silverado (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	0	1	1
Percentage of Tests: 100.0 %	0.0 %	50.0 %	50.0 %

Simi Valley

93063

Summary for 'Summary Report Query AddressPostalCode' = 93063 (40 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 40	24	9	7
Percentage of Tests: 100.0 %	60.0 %	22.5 %	17.5 %

93065

Summary for 'Summary Report Query AddressPostalCode' = 93065 (68 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 68	48	15	5
Percentage of Tests: 100.0 %	70.6 %	22.1 %	7.4 %

Summary for 'Summary Report Query City' = Simi Valley (108 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	108	72	24	12
Percentage of Tests:	100.0 %	66.7 %	22.2 %	11.1 %

Sloughhouse

95683

Summary for 'Summary Report Query AddressPostalCode' = 95683 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sloughhouse (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Smartsville

95977

Summary for 'Summary Report Query AddressPostalCode' = 95977 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Summary for 'Summary Report Query City' = Smartsville (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	4	1	2
Percentage of Tests:	100.0 %	57.1 %	14.3 %	28.6 %

Soda Springs

95728

Summary for 'Summary Report Query AddressPostalCode' = 95728 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Summary for 'Summary Report Query City' = Soda Springs (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Solana Beach

92075

Summary for 'Summary Report Query AddressPostalCode' = 92075 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	11	1	2
Percentage of Tests:	100.0 %	78.6 %	7.1 %	14.3 %

Summary for 'Summary Report Query City' = Solana Beach (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	11	1	2
Percentage of Tests:	100.0 %	78.6 %	7.1 %	14.3 %

Solvang

93463

Summary for 'Summary Report Query AddressPostalCode' = 93463 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	10	5	7
Percentage of Tests:	100.0 %	45.5 %	22.7 %	31.8 %

93464

Summary for 'Summary Report Query AddressPostalCode' = 93464 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Solvang (23 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	23	10	6	7
Percentage of Tests:	100.0 %	43.5 %	26.1 %	30.4 %

Somerset

95684

Summary for 'Summary Report Query AddressPostalCode' = 95684 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

Summary for 'Summary Report Query City' = Somerset (4 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	3	1	0
Percentage of Tests: 100.0 %	75.0 %	25.0 %	0.0 %

SOMIS

93066

Summary for 'Summary Report Query AddressPostalCode' = 93066 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = SOMIS (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Sonoma

95476

Summary for 'Summary Report Query AddressPostalCode' = 95476 (14 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 14	10	2	2
Percentage of Tests: 100.0 %	71.4 %	14.3 %	14.3 %

Summary for 'Summary Report Query City' = Sonoma (14 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 14	10	2	2
Percentage of Tests: 100.0 %	71.4 %	14.3 %	14.3 %

Sonora

95370

Summary for 'Summary Report Query AddressPostalCode' = 95370 (33 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	33	23	3	7
Percentage of Tests:	100.0 %	69.7 %	9.1 %	21.2 %

Summary for 'Summary Report Query City' = Sonora (33 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	33	23	3	7
Percentage of Tests:	100.0 %	69.7 %	9.1 %	21.2 %

Soquel

95073

Summary for 'Summary Report Query AddressPostalCode' = 95073 (15 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	10	2	3
Percentage of Tests:	100.0 %	66.7 %	13.3 %	20.0 %

Summary for 'Summary Report Query City' = Soquel (15 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	10	2	3
Percentage of Tests:	100.0 %	66.7 %	13.3 %	20.0 %

Soulsbyville

95372

Summary for 'Summary Report Query AddressPostalCode' = 95372 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Soulsbyville (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

South El Monte

91733

Summary for 'Summary Report Query AddressPostalCode' = 91733 (2 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = South El Monte (2 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	1	1	0
Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %

South Gate

90280

Summary for 'Summary Report Query AddressPostalCode' = 90280 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = South Gate (5 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

South Lake Tahoe

Summary for 'Summary Report Query AddressPostalCode' = (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

96150

Summary for 'Summary Report Query AddressPostalCode' = 96150 (350 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 350	223	72	55
Percentage of Tests: 100.0 %	63.7 %	20.6 %	15.7 %

96151

Summary for 'Summary Report Query AddressPostalCode' = 96151 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

96155

Summary for 'Summary Report Query AddressPostalCode' = 96155 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

96158

Summary for 'Summary Report Query AddressPostalCode' = 96158 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = South Lake Tahoe (367 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

South Pasadena

91030

Summary for 'Summary Report Query AddressPostalCode' = 91030 (33 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = South Pasadena (33 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

South San Francisco

94080

Summary for 'Summary Report Query AddressPostalCode' = 94080 (114 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	114	108	4	2
Percentage of Tests:	100.0 %	94.7 %	3.5 %	1.8 %

Summary for 'Summary Report Query City' = South San Francisco (114 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	114	108	4	2
Percentage of Tests:	100.0 %	94.7 %	3.5 %	1.8 %

Spring Valley

91977

Summary for 'Summary Report Query AddressPostalCode' = 91977 (5 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Spring Valley (5 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Springville

93265

Summary for 'Summary Report Query AddressPostalCode' = 93265 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	1	0	2
Percentage of Tests:	100.0 %	33.3 %	0.0 %	66.7 %

Summary for 'Summary Report Query City' = Springville (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	1	0	2
Percentage of Tests:	100.0 %	33.3 %	0.0 %	66.7 %

Squaw Valley

93675

Summary for 'Summary Report Query AddressPostalCode' = 93675 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Squaw Valley (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Stanford

94305

Summary for 'Summary Report Query AddressPostalCode' = 94305 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Summary for 'Summary Report Query City' = Stanford (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	1	0
Percentage of Tests:	100.0 %	85.7 %	14.3 %	0.0 %

Stanton

90680

Summary for 'Summary Report Query AddressPostalCode' = 90680 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Stanton (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

STEVENSON RANCH

91381

Summary for 'Summary Report Query AddressPostalCode' = 91381 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = STEVENSON RANCH (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Stockton

95203

Summary for 'Summary Report Query AddressPostalCode' = 95203 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95204

Summary for 'Summary Report Query AddressPostalCode' = 95204 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	3	0
Percentage of Tests:	100.0 %	62.5 %	37.5 %	0.0 %

95205

Summary for 'Summary Report Query AddressPostalCode' = 95205 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95206

Summary for 'Summary Report Query AddressPostalCode' = 95206 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

95207

Summary for 'Summary Report Query AddressPostalCode' = 95207 (13 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95209

Summary for 'Summary Report Query AddressPostalCode' = 95209 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95210

Summary for 'Summary Report Query AddressPostalCode' = 95210 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95212

Summary for 'Summary Report Query AddressPostalCode' = 95212 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95215

Summary for 'Summary Report Query AddressPostalCode' = 95215 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95219

Summary for 'Summary Report Query AddressPostalCode' = 95219 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Stockton (49 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	49	18	14	17
Percentage of Tests:	100.0 %	36.7 %	28.6 %	34.7 %

STONYFORD

95979

Summary for 'Summary Report Query AddressPostalCode' = 95979 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = STONYFORD (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Strathmore

93267

Summary for 'Summary Report Query AddressPostalCode' = 93267 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Strathmore (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Strawberry

95375

Summary for 'Summary Report Query AddressPostalCode' = 95375 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Strawberry (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Studio City

91604

Summary for 'Summary Report Query AddressPostalCode' = 91604 (97 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	97	54	16	27
Percentage of Tests:	100.0 %	55.7 %	16.5 %	27.8 %

Summary for 'Summary Report Query City' = Studio City (97 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	97	54	16	27
Percentage of Tests:	100.0 %	55.7 %	16.5 %	27.8 %

Sugarloaf

92386

Summary for 'Summary Report Query AddressPostalCode' = 92386 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Summary for 'Summary Report Query City' = Sugarloaf (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Suisun City

94585

Summary for 'Summary Report Query AddressPostalCode' = 94585 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Suisun City (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summerland

93067

Summary for 'Summary Report Query AddressPostalCode' = 93067 (32 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	32	13	2	17
Percentage of Tests:	100.0 %	40.6 %	6.3 %	53.1 %

Summary for 'Summary Report Query City' = Summerland (32 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	32	13	2	17
Percentage of Tests:	100.0 %	40.6 %	6.3 %	53.1 %

Sun City

92586

Summary for 'Summary Report Query AddressPostalCode' = 92586 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sun City (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Sun Valley

91352

Summary for 'Summary Report Query AddressPostalCode' = 91352 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Summary for 'Summary Report Query City' = Sun Valley (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Sunland

91040

Summary for 'Summary Report Query AddressPostalCode' = 91040 (13 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	13	13	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Sunland (13 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	13	13	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Sunnyvale

94085

Summary for 'Summary Report Query AddressPostalCode' = 94085 (48 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	48	29	10	9
Percentage of Tests:	100.0 %	60.4 %	20.8 %	18.8 %

94086

Summary for 'Summary Report Query AddressPostalCode' = 94086 (62 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	62	44	9	9
Percentage of Tests:	100.0 %	71.0 %	14.5 %	14.5 %

94087

Summary for 'Summary Report Query AddressPostalCode' = 94087 (134 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	134	85	34	15
Percentage of Tests:	100.0 %	63.4 %	25.4 %	11.2 %

94089

Summary for 'Summary Report Query AddressPostalCode' = 94089 (15 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 15	9	3	3
Percentage of Tests: 100.0 %	60.0 %	20.0 %	20.0 %

Summary for 'Summary Report Query City' = Sunnysvale (259 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 259	167	56	36
Percentage of Tests: 100.0 %	64.5 %	21.6 %	13.9 %

Sunol

94586

Summary for 'Summary Report Query AddressPostalCode' = 94586 (25 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 25	9	3	13
Percentage of Tests: 100.0 %	36.0 %	12.0 %	52.0 %

Summary for 'Summary Report Query City' = Sunol (25 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 25	9	3	13
Percentage of Tests: 100.0 %	36.0 %	12.0 %	52.0 %

Susanville

96130

Summary for 'Summary Report Query AddressPostalCode' = 96130 (15 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 15	10	3	2
Percentage of Tests: 100.0 %	66.7 %	20.0 %	13.3 %

Summary for 'Summary Report Query City' = Susanville (15 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 15	10	3	2
Percentage of Tests: 100.0 %	66.7 %	20.0 %	13.3 %

SUTTER

95982

Summary for 'Summary Report Query AddressPostalCode' = 95982 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = SUTTER (1 detail record)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Sutter Creek

95685

Summary for 'Summary Report Query AddressPostalCode' = 95685 (11 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 11	9	2	0
Percentage of Tests: 100.0 %	81.8 %	18.2 %	0.0 %

Summary for 'Summary Report Query City' = Sutter Creek (11 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 11	9	2	0
Percentage of Tests: 100.0 %	81.8 %	18.2 %	0.0 %

Sylmar

91342

Summary for 'Summary Report Query AddressPostalCode' = 91342 (13 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 13	9	2	2
Percentage of Tests: 100.0 %	69.2 %	15.4 %	15.4 %

Summary for 'Summary Report Query City' = Sylmar (13 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 13	9	2	2
Percentage of Tests: 100.0 %	69.2 %	15.4 %	15.4 %

Taft

93268

Summary for 'Summary Report Query AddressPostalCode' = 93268 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Taft (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Tahoe City

94610

Summary for 'Summary Report Query AddressPostalCode' = 94610 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

96145

Summary for 'Summary Report Query AddressPostalCode' = 96145 (37 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	37	16	11	10
Percentage of Tests:	100.0 %	43.2 %	29.7 %	27.0 %

Summary for 'Summary Report Query City' = Tahoe City (38 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	38	17	11	10
Percentage of Tests:	100.0 %	44.7 %	28.9 %	26.3 %

Tahoe Vista

96148

Summary for 'Summary Report Query AddressPostalCode' = 96148 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Summary for 'Summary Report Query City' = Tahoe Vista (10 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	7	2	1
Percentage of Tests:	100.0 %	70.0 %	20.0 %	10.0 %

Tahoma

96142

Summary for 'Summary Report Query AddressPostalCode' = 96142 (11 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

Summary for 'Summary Report Query City' = Tahoma (11 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

Tarzana

91335

Summary for 'Summary Report Query AddressPostalCode' = 91335 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	4	2	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

91356

Summary for 'Summary Report Query AddressPostalCode' = 91356 (52 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	52	30	12	10
Percentage of Tests:	100.0 %	57.7 %	23.1 %	19.2 %

Summary for 'Summary Report Query City' = Tarzana (58 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	58	34	14	10
Percentage of Tests:	100.0 %	58.6 %	24.1 %	17.2 %

Taylorsville

95983

Summary for 'Summary Report Query AddressPostalCode' = 95983 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Taylorsville (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Tecopa

92389

Summary for 'Summary Report Query AddressPostalCode' = 92389 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Tecopa (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Tehachapi

93561

Summary for 'Summary Report Query AddressPostalCode' = 93561 (17 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	17	15	2	0
Percentage of Tests:	100.0 %	88.2 %	11.8 %	0.0 %

Summary for 'Summary Report Query City' = Tehachapi (17 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	17	15	2	0
Percentage of Tests:	100.0 %	88.2 %	11.8 %	0.0 %

Temecula

92590

Summary for 'Summary Report Query AddressPostalCode' = 92590 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 1	1	0	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %
------------------------------	---------	-------	-------

92591

Summary for 'Summary Report Query AddressPostalCode' = 92591 (8 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 8	4	4	0
-----------------	---	---	---

Percentage of Tests: 100.0 %	50.0 %	50.0 %	0.0 %
------------------------------	--------	--------	-------

92592

Summary for 'Summary Report Query AddressPostalCode' = 92592 (12 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 12	9	2	1
------------------	---	---	---

Percentage of Tests: 100.0 %	75.0 %	16.7 %	8.3 %
------------------------------	--------	--------	-------

Summary for 'Summary Report Query City' = Temecula (21 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
-------------------	----------------------------	-----------------------------	----------------------------

No. of Tests: 21	14	6	1
------------------	----	---	---

Percentage of Tests: 100.0 %	66.7 %	28.6 %	4.8 %
------------------------------	--------	--------	-------

Temple City

91780

Summary for 'Summary Report Query AddressPostalCode' = 91780 (7 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
-------------------	-----------------------	-----------------------------	-----------------------

No. of Tests: 7	5	1	1
-----------------	---	---	---

Percentage of Tests: 100.0 %	71.4 %	14.3 %	14.3 %
------------------------------	--------	--------	--------

Summary for 'Summary Report Query City' = Temple City (7 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
-------------------	----------------------------	-----------------------------	----------------------------

No. of Tests: 7	5	1	1
-----------------	---	---	---

Percentage of Tests: 100.0 %	71.4 %	14.3 %	14.3 %
------------------------------	--------	--------	--------

Templeton

93465

Summary for 'Summary Report Query AddressPostalCode' = 93465 (17 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	12	2	3
Percentage of Tests: 100.0 %	70.6 %	11.8 %	17.6 %

Summary for 'Summary Report Query City' = Templeton (17 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 17	12	2	3
Percentage of Tests: 100.0 %	70.6 %	11.8 %	17.6 %

Thousand Oaks

91320

Summary for 'Summary Report Query AddressPostalCode' = 91320 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91360

Summary for 'Summary Report Query AddressPostalCode' = 91360 (71 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 71	43	17	11
Percentage of Tests: 100.0 %	60.6 %	23.9 %	15.5 %

91361

Summary for 'Summary Report Query AddressPostalCode' = 91361 (5 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

91362

Summary for 'Summary Report Query AddressPostalCode' = 91362 (87 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 87	47	24	16
Percentage of Tests: 100.0 %	54.0 %	27.6 %	18.4 %

Summary for 'Summary Report Query City' = Thousand Oaks (166 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	166	97	42	27
Percentage of Tests:	100.0 %	58.4 %	25.3 %	16.3 %

Three Rivers

93271

Summary for 'Summary Report Query AddressPostalCode' = 93271 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

Summary for 'Summary Report Query City' = Three Rivers (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	8	2	1
Percentage of Tests:	100.0 %	72.7 %	18.2 %	9.1 %

Tiburon

94920

Summary for 'Summary Report Query AddressPostalCode' = 94920 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Tiburon (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Tivy Valley

93657

Summary for 'Summary Report Query AddressPostalCode' = 93657 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Summary for 'Summary Report Query City' = Tivy Valley (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

Tollhouse

93667

Summary for 'Summary Report Query AddressPostalCode' = 93667 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	3	4	2
Percentage of Tests:	100.0 %	33.3 %	44.4 %	22.2 %

Summary for 'Summary Report Query City' = Tollhouse (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	3	4	2
Percentage of Tests:	100.0 %	33.3 %	44.4 %	22.2 %

TOMS PLACE

93546

Summary for 'Summary Report Query AddressPostalCode' = 93546 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = TOMS PLACE (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Topanga

90290

Summary for 'Summary Report Query AddressPostalCode' = 90290 (19 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	19	10	5	4
Percentage of Tests:	100.0 %	52.6 %	26.3 %	21.1 %

Summary for 'Summary Report Query City' = Topanga (19 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	19	10	5	4
Percentage of Tests:	100.0 %	52.6 %	26.3 %	21.1 %

Topaz

96133

Summary for 'Summary Report Query AddressPostalCode' = 96133 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Topaz (3 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Torrance

90501

Summary for 'Summary Report Query AddressPostalCode' = 90501 (10 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	1	1
Percentage of Tests:	100.0 %	80.0 %	10.0 %	10.0 %

90502

Summary for 'Summary Report Query AddressPostalCode' = 90502 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

90503

Summary for 'Summary Report Query AddressPostalCode' = 90503 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	13	3	0
Percentage of Tests:	100.0 %	81.3 %	18.8 %	0.0 %

90504

Summary for 'Summary Report Query AddressPostalCode' = 90504 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	4	3	3
Percentage of Tests:	100.0 %	40.0 %	30.0 %	30.0 %

90505

Summary for 'Summary Report Query AddressPostalCode' = 90505 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	19	3	0
Percentage of Tests:	100.0 %	86.4 %	13.6 %	0.0 %

Summary for 'Summary Report Query City' = Torrance (61 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	61	47	10	4
Percentage of Tests:	100.0 %	77.0 %	16.4 %	6.6 %

Trabuco Canyon

92678

Summary for 'Summary Report Query AddressPostalCode' = 92678 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

92679

Summary for 'Summary Report Query AddressPostalCode' = 92679 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Trabuco Canyon (7 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	5	1	1
Percentage of Tests:	100.0 %	71.4 %	14.3 %	14.3 %

Tracy

95304

Summary for 'Summary Report Query AddressPostalCode' = 95304 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95376

Summary for 'Summary Report Query AddressPostalCode' = 95376 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95377

Summary for 'Summary Report Query AddressPostalCode' = 95377 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95391

Summary for 'Summary Report Query AddressPostalCode' = 95391 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Tracy (15 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Tranquillity

93668

Summary for 'Summary Report Query AddressPostalCode' = 93668 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Tranquillity (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Tropico Village

93560

Summary for 'Summary Report Query AddressPostalCode' = 93560 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Tropico Village (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Truckee

96160

Summary for 'Summary Report Query AddressPostalCode' = 96160 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	1	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

96161

Summary for 'Summary Report Query AddressPostalCode' = 96161 (182 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	182	109	41	32
Percentage of Tests:	100.0 %	59.9 %	22.5 %	17.6 %

Summary for 'Summary Report Query City' = Truckee (184 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	184	110	42	32
Percentage of Tests:	100.0 %	59.8 %	22.8 %	17.4 %

Tujunga

91042

Summary for 'Summary Report Query AddressPostalCode' = 91042 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	10	4	2
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Summary for 'Summary Report Query City' = Tuiunga (16 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	10	4	2
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Tulare

93274

Summary for 'Summary Report Query AddressPostalCode' = 93274 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	3	3	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Summary for 'Summary Report Query City' = Tulare (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	3	3	0
Percentage of Tests:	100.0 %	50.0 %	50.0 %	0.0 %

Tuolumne

95379

Summary for 'Summary Report Query AddressPostalCode' = 95379 (8 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Summary for 'Summary Report Query City' = Tuolumne (8 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	5	2	1
Percentage of Tests:	100.0 %	62.5 %	25.0 %	12.5 %

Turlock

95380

Summary for 'Summary Report Query AddressPostalCode' = 95380 (9 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	8	1	0
Percentage of Tests: 100.0 %	88.9 %	11.1 %	0.0 %

95382

Summary for 'Summary Report Query AddressPostalCode' = 95382 (18 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 18	8	10	0
Percentage of Tests: 100.0 %	44.4 %	55.6 %	0.0 %

Summary for 'Summary Report Query City' = Turlock (27 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 27	16	11	0
Percentage of Tests: 100.0 %	59.3 %	40.7 %	0.0 %

Tustin

92780

Summary for 'Summary Report Query AddressPostalCode' = 92780 (14 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 14	10	3	1
Percentage of Tests: 100.0 %	71.4 %	21.4 %	7.1 %

92782

Summary for 'Summary Report Query AddressPostalCode' = 92782 (4 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 4	4	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Tustin (18 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 18	14	3	1
Percentage of Tests: 100.0 %	77.8 %	16.7 %	5.6 %

Twain Harte

95383

Summary for 'Summary Report Query AddressPostalCode' = 95383 (8 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	6	1	1
Percentage of Tests: 100.0 %	75.0 %	12.5 %	12.5 %

Summary for 'Summary Report Query City' = Twain Harte (8 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 8	6	1	1
Percentage of Tests: 100.0 %	75.0 %	12.5 %	12.5 %

Twentynine Palms

92277

Summary for 'Summary Report Query AddressPostalCode' = 92277 (10 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 10	8	1	1
Percentage of Tests: 100.0 %	80.0 %	10.0 %	10.0 %

Summary for 'Summary Report Query City' = Twentynine Palms (10 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 10	8	1	1
Percentage of Tests: 100.0 %	80.0 %	10.0 %	10.0 %

Twin Bridges

95735

Summary for 'Summary Report Query AddressPostalCode' = 95735 (2 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Twin Bridges (2 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 2	2	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Twin Peaks

92391

Summary for 'Summary Report Query AddressPostalCode' = 92391 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Summary for 'Summary Report Query City' = Twin Peaks (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

Ukiah

95482

Summary for 'Summary Report Query AddressPostalCode' = 95482 (16 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	16	11	3	2
Percentage of Tests:	100.0 %	68.8 %	18.8 %	12.5 %

Summary for 'Summary Report Query City' = Ukiah (16 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	16	11	3	2
Percentage of Tests:	100.0 %	68.8 %	18.8 %	12.5 %

Union City

94587

Summary for 'Summary Report Query AddressPostalCode' = 94587 (44 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	44	37	7	0
Percentage of Tests:	100.0 %	84.1 %	15.9 %	0.0 %

Summary for 'Summary Report Query City' = Union City (44 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	44	37	7	0
Percentage of Tests:	100.0 %	84.1 %	15.9 %	0.0 %

Upland

91784

Summary for 'Summary Report Query AddressPostalCode' = 91784 (5 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 5	4	1	0
Percentage of Tests: 100.0 %	80.0 %	20.0 %	0.0 %

91786

Summary for 'Summary Report Query AddressPostalCode' = 91786 (39 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 39	30	6	3
Percentage of Tests: 100.0 %	76.9 %	15.4 %	7.7 %

Summary for 'Summary Report Query City' = Upland (44 detail records)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 44	34	7	3
Percentage of Tests: 100.0 %	77.3 %	15.9 %	6.8 %

Upper Lake

95485

Summary for 'Summary Report Query AddressPostalCode' = 95485 (1 detail record)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Upper Lake (1 detail record)

All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Vacaville

95687

Summary for 'Summary Report Query AddressPostalCode' = 95687 (38 detail records)

All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 38	24	9	5
Percentage of Tests: 100.0 %	63.2 %	23.7 %	13.2 %

95688

Summary for 'Summary Report Query AddressPostalCode' = 95688 (5 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95696

Summary for 'Summary Report Query AddressPostalCode' = 95696 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Vacaville (44 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Valencia

91354

Summary for 'Summary Report Query AddressPostalCode' = 91354 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91355

Summary for 'Summary Report Query AddressPostalCode' = 91355 (10 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91381

Summary for 'Summary Report Query AddressPostalCode' = 91381 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Valencia (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	16	2	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Vallecito

95251

Summary for 'Summary Report Query AddressPostalCode' = 95251 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Vallecito (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Vallejo

94589

Summary for 'Summary Report Query AddressPostalCode' = 94589 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

94590

Summary for 'Summary Report Query AddressPostalCode' = 94590 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	9	2	0
Percentage of Tests:	100.0 %	81.8 %	18.2 %	0.0 %

94591

Summary for 'Summary Report Query AddressPostalCode' = 94591 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	5	1	2
Percentage of Tests:	100.0 %	62.5 %	12.5 %	25.0 %

94592

Summary for 'Summary Report Query AddressPostalCode' = 94592 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Vallejo (22 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 22	17	3	2
Percentage of Tests: 100.0 %	77.3 %	13.6 %	9.1 %

Valley Center

92082

Summary for 'Summary Report Query AddressPostalCode' = 92082 (8 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	3	3	2
Percentage of Tests: 100.0 %	37.5 %	37.5 %	25.0 %

Summary for 'Summary Report Query City' = Valley Center (8 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 8	3	3	2
Percentage of Tests: 100.0 %	37.5 %	37.5 %	25.0 %

Valley Springs

95252

Summary for 'Summary Report Query AddressPostalCode' = 95252 (15 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 15	9	2	4
Percentage of Tests: 100.0 %	60.0 %	13.3 %	26.7 %

Summary for 'Summary Report Query City' = Valley Springs (15 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 15	9	2	4
Percentage of Tests: 100.0 %	60.0 %	13.3 %	26.7 %

Valley Village

91601

Summary for 'Summary Report Query AddressPostalCode' = 91601 (1 detail record)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 1	1	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

91607

Summary for 'Summary Report Query AddressPostalCode' = 91607 (24 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 24	23	0	1
Percentage of Tests: 100.0 %	95.8 %	0.0 %	4.2 %

Summary for 'Summary Report Query City' = Valley Village (25 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 25	24	0	1
Percentage of Tests: 100.0 %	96.0 %	0.0 %	4.0 %

Van Nuys

91401

Summary for 'Summary Report Query AddressPostalCode' = 91401 (8 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 8	4	2	2
Percentage of Tests: 100.0 %	50.0 %	25.0 %	25.0 %

91405

Summary for 'Summary Report Query AddressPostalCode' = 91405 (6 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 6	4	1	1
Percentage of Tests: 100.0 %	66.7 %	16.7 %	16.7 %

91406

Summary for 'Summary Report Query AddressPostalCode' = 91406 (17 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 17	8	5	4
Percentage of Tests: 100.0 %	47.1 %	29.4 %	23.5 %

91411

Summary for 'Summary Report Query AddressPostalCode' = 91411 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	0	1
Percentage of Tests:	100.0 %	66.7 %	0.0 %	33.3 %

Summary for 'Summary Report Query City' = Van Nuys (34 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	34	18	8	8
Percentage of Tests:	100.0 %	52.9 %	23.5 %	23.5 %

Venice

90291

Summary for 'Summary Report Query AddressPostalCode' = 90291 (23 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	23	18	3	2
Percentage of Tests:	100.0 %	78.3 %	13.0 %	8.7 %

90292

Summary for 'Summary Report Query AddressPostalCode' = 90292 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Venice (24 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	24	18	4	2
Percentage of Tests:	100.0 %	75.0 %	16.7 %	8.3 %

Ventura

93001

Summary for 'Summary Report Query AddressPostalCode' = 93001 (74 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	74	58	13	3
Percentage of Tests:	100.0 %	78.4 %	17.6 %	4.1 %

93003

Summary for 'Summary Report Query AddressPostalCode' = 93003 (52 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	52	37	12	3
Percentage of Tests:	100.0 %	71.2 %	23.1 %	5.8 %

93004

Summary for 'Summary Report Query AddressPostalCode' = 93004 (20 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	20	17	1	2
Percentage of Tests:	100.0 %	85.0 %	5.0 %	10.0 %

Summary for 'Summary Report Query City' = Ventura (146 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	146	112	26	8
Percentage of Tests:	100.0 %	76.7 %	17.8 %	5.5 %

Vernon

90058

Summary for 'Summary Report Query AddressPostalCode' = 90058 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Vernon (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Victorville

92392

Summary for 'Summary Report Query AddressPostalCode' = 92392 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92394

Summary for 'Summary Report Query AddressPostalCode' = 92394 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

92395

Summary for 'Summary Report Query AddressPostalCode' = 92395 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Victorville (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	10	1	0
Percentage of Tests:	100.0 %	90.9 %	9.1 %	0.0 %

View Park

90043

Summary for 'Summary Report Query AddressPostalCode' = 90043 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = View Park (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Villa Park

92861

Summary for 'Summary Report Query AddressPostalCode' = 92861 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Summary for 'Summary Report Query City' = Villa Park (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	2	1	0
Percentage of Tests:	100.0 %	66.7 %	33.3 %	0.0 %

Visalia

93277

Summary for 'Summary Report Query AddressPostalCode' = 93277 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	7	1	0
Percentage of Tests:	100.0 %	87.5 %	12.5 %	0.0 %

93291

Summary for 'Summary Report Query AddressPostalCode' = 93291 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	6	2	2
Percentage of Tests:	100.0 %	60.0 %	20.0 %	20.0 %

93292

Summary for 'Summary Report Query AddressPostalCode' = 93292 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Visalia (20 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	20	15	3	2
Percentage of Tests:	100.0 %	75.0 %	15.0 %	10.0 %

Vista

92081

Summary for 'Summary Report Query AddressPostalCode' = 92081 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	5	1	0
Percentage of Tests:	100.0 %	83.3 %	16.7 %	0.0 %

92083

Summary for 'Summary Report Query AddressPostalCode' = 92083 (25 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	25	24	1	0
Percentage of Tests:	100.0 %	96.0 %	4.0 %	0.0 %

92084

Summary for 'Summary Report Query AddressPostalCode' = 92084 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	8	4	2
Percentage of Tests:	100.0 %	57.1 %	28.6 %	14.3 %

Summary for 'Summary Report Query City' = Vista (45 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	45	37	6	2
Percentage of Tests:	100.0 %	82.2 %	13.3 %	4.4 %

Volcano

95689

Summary for 'Summary Report Query AddressPostalCode' = 95689 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

Summary for 'Summary Report Query City' = Volcano (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	8	1	0
Percentage of Tests:	100.0 %	88.9 %	11.1 %	0.0 %

W Menlo Park

94025

Summary for 'Summary Report Query AddressPostalCode' = 94025 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

Summary for 'Summary Report Query City' = W Menlo Park (8 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	8	4	2	2
Percentage of Tests:	100.0 %	50.0 %	25.0 %	25.0 %

WALLACE

95254

Summary for 'Summary Report Query AddressPostalCode' = 95254 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = WALLACE (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Walnut

91789

Summary for 'Summary Report Query AddressPostalCode' = 91789 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	10	4	4
Percentage of Tests:	100.0 %	55.6 %	22.2 %	22.2 %

Summary for 'Summary Report Query City' = Walnut (18 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	18	10	4	4
Percentage of Tests:	100.0 %	55.6 %	22.2 %	22.2 %

Walnut Creek

94595

Summary for 'Summary Report Query AddressPostalCode' = 94595 (12 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	12	9	1	2
Percentage of Tests:	100.0 %	75.0 %	8.3 %	16.7 %

94596

Summary for 'Summary Report Query AddressPostalCode' = 94596 (16 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94597

Summary for 'Summary Report Query AddressPostalCode' = 94597 (27 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

94598

Summary for 'Summary Report Query AddressPostalCode' = 94598 (16 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Walnut Creek (71 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

WALNUT GROVE

95690

Summary for 'Summary Report Query AddressPostalCode' = 95690 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = WALNUT GROVE (1 detail record)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Warner Springs

92086

Summary for 'Summary Report Query AddressPostalCode' = 92086 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Warner Springs (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

WASCO

93280

Summary for 'Summary Report Query AddressPostalCode' = 93280 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = WASCO (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Waterford

95386

Summary for 'Summary Report Query AddressPostalCode' = 95386 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Summary for 'Summary Report Query City' = Waterford (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	0	2	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

Watsonville

95003

Summary for 'Summary Report Query AddressPostalCode' = 95003 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95076

Summary for 'Summary Report Query AddressPostalCode' = 95076 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Watsonville (9 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Weaverville

96093

Summary for 'Summary Report Query AddressPostalCode' = 96093 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Weaverville (1 detail record)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Weimar

95736

Summary for 'Summary Report Query AddressPostalCode' = 95736 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Weimar (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Weldon

93283

Summary for 'Summary Report Query AddressPostalCode' = 93283 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Weldon (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

West Covina

91790

Summary for 'Summary Report Query AddressPostalCode' = 91790 (23 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	23	20	3	0
Percentage of Tests:	100.0 %	87.0 %	13.0 %	0.0 %

91791

Summary for 'Summary Report Query AddressPostalCode' = 91791 (18 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	13	4	1
Percentage of Tests:	100.0 %	72.2 %	22.2 %	5.6 %

91792

Summary for 'Summary Report Query AddressPostalCode' = 91792 (3 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = West Covina (44 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	44	36	7	1
Percentage of Tests:	100.0 %	81.8 %	15.9 %	2.3 %

West Hills

Summary for 'Summary Report Query AddressPostalCode' = (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

91304

Summary for 'Summary Report Query AddressPostalCode' = 91304 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	14	6	2
Percentage of Tests:	100.0 %	63.6 %	27.3 %	9.1 %

91307

Summary for 'Summary Report Query AddressPostalCode' = 91307 (60 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	60	30	14	16
Percentage of Tests:	100.0 %	50.0 %	23.3 %	26.7 %

Summary for 'Summary Report Query City' = West Hills (83 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	83	44	20	19
Percentage of Tests:	100.0 %	53.0 %	24.1 %	22.9 %

West Hollywood

90038

Summary for 'Summary Report Query AddressPostalCode' = 90038 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	1	0
Percentage of Tests:	100.0 %	0.0 %	100.0 %	0.0 %

90046

Summary for 'Summary Report Query AddressPostalCode' = 90046 (8 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90048

Summary for 'Summary Report Query AddressPostalCode' = 90048 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90069

Summary for 'Summary Report Query AddressPostalCode' = 90069 (15 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = West Hollywood (25 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

West Sacramento

95605

Summary for 'Summary Report Query AddressPostalCode' = 95605 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

95691

Summary for 'Summary Report Query AddressPostalCode' = 95691 (11 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = West Sacramento (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	10	3	1
Percentage of Tests:	100.0 %	71.4 %	21.4 %	7.1 %

Westlake Village

91361

Summary for 'Summary Report Query AddressPostalCode' = 91361 (39 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	39	29	8	2
Percentage of Tests:	100.0 %	74.4 %	20.5 %	5.1 %

91362

Summary for 'Summary Report Query AddressPostalCode' = 91362 (18 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	18	15	1	2
Percentage of Tests:	100.0 %	83.3 %	5.6 %	11.1 %

Summary for 'Summary Report Query City' = Westlake Village (57 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	57	44	9	4
Percentage of Tests:	100.0 %	77.2 %	15.8 %	7.0 %

Westminster

92683

Summary for 'Summary Report Query AddressPostalCode' = 92683 (11 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	11	7	2	2
Percentage of Tests:	100.0 %	63.6 %	18.2 %	18.2 %

Summary for 'Summary Report Query City' = Westminster (11 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	11	7	2	2
Percentage of Tests:	100.0 %	63.6 %	18.2 %	18.2 %

Westwood

96137

Summary for 'Summary Report Query AddressPostalCode' = 96137 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Westwood (2 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	2	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Wheatland

95692

Summary for 'Summary Report Query AddressPostalCode' = 95692 (1 detail record)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Wheatland (1 detail record)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Whittier

90601

Summary for 'Summary Report Query AddressPostalCode' = 90601 (9 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	3	5	1
Percentage of Tests:	100.0 %	33.3 %	55.6 %	11.1 %

90602

Summary for 'Summary Report Query AddressPostalCode' = 90602 (2 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	0	1	1
Percentage of Tests:	100.0 %	0.0 %	50.0 %	50.0 %

90603

Summary for 'Summary Report Query AddressPostalCode' = 90603 (7 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90604

Summary for 'Summary Report Query AddressPostalCode' = 90604 (3 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

90605

Summary for 'Summary Report Query AddressPostalCode' = 90605 (2 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Whittier (23 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Wildomar

92595

Summary for 'Summary Report Query AddressPostalCode' = 92595 (4 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Wildomar (4 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Wilton

95693

Summary for 'Summary Report Query AddressPostalCode' = 95693 (7 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Summary for 'Summary Report Query City' = Wilton (7 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Winchester

92596

Summary for 'Summary Report Query AddressPostalCode' = 92596 (15 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	15	7	4	4
Percentage of Tests:	100.0 %	46.7 %	26.7 %	26.7 %

Summary for 'Summary Report Query City' = Winchester (15 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	15	7	4	4
Percentage of Tests:	100.0 %	46.7 %	26.7 %	26.7 %

Windsor

95492

Summary for 'Summary Report Query AddressPostalCode' = 95492 (6 detail records)

	All Test Resultts	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	4	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Summary for 'Summary Report Query City' = Windsor (6 detail records)

	All Test Resultts	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	2	4	0
Percentage of Tests:	100.0 %	33.3 %	66.7 %	0.0 %

Windsor Hills

90043

Summary for 'Summary Report Query AddressPostalCode' = 90043 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Windsor Hills (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	4	1	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Winnetka

91306

Summary for 'Summary Report Query AddressPostalCode' = 91306 (9 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	9	2	4	3
Percentage of Tests:	100.0 %	22.2 %	44.4 %	33.3 %

Summary for 'Summary Report Query City' = Winnetka (9 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	9	2	4	3
Percentage of Tests:	100.0 %	22.2 %	44.4 %	33.3 %

Winters

95694

Summary for 'Summary Report Query AddressPostalCode' = 95694 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Winters (1 detail record)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

WINTON

95388

Summary for 'Summary Report Query AddressPostalCode' = 95388 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = WINTON (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Wishon

93669

Summary for 'Summary Report Query AddressPostalCode' = 93669 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	0	1	3
Percentage of Tests:	100.0 %	0.0 %	25.0 %	75.0 %

Summary for 'Summary Report Query City' = Wishon (4 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	4	0	1	3
Percentage of Tests:	100.0 %	0.0 %	25.0 %	75.0 %

Wofford Heights

93285

Summary for 'Summary Report Query AddressPostalCode' = 93285 (3 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Wofford Heights (3 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	3	3	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Woodfords

96120

Summary for 'Summary Report Query AddressPostalCode' = 96120 (14 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	14	14	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Woodfords (14 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	14	14	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Woodland

95695

Summary for 'Summary Report Query AddressPostalCode' = 95695 (8 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	8	6	1	1
Percentage of Tests:	100.0 %	75.0 %	12.5 %	12.5 %

95776

Summary for 'Summary Report Query AddressPostalCode' = 95776 (4 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	4	4	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Woodland (12 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	12	10	1	1
Percentage of Tests:	100.0 %	83.3 %	8.3 %	8.3 %

Woodland Hills

91303

Summary for 'Summary Report Query AddressPostalCode' = 91303 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	1	0	0
Percentage of Tests:	100.0 %	100.0 %	0.0 %	0.0 %

91364

Summary for 'Summary Report Query AddressPostalCode' = 91364 (80 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91367

Summary for 'Summary Report Query AddressPostalCode' = 91367 (72 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

91371

Summary for 'Summary Report Query AddressPostalCode' = 91371 (1 detail record)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Woodland Hills (154 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Woodside

94062

Summary for 'Summary Report Query AddressPostalCode' = 94062 (26 detail records)

All Test Resultts Results <=2 pCi/liter Results >2 and <4 pCi/liter Results >=4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Summary for 'Summary Report Query City' = Woodside (26 detail records)

All Test Resultts Tests Results <2 pCi/liter Tests Results 2-4 pCi/liter Tests Results >4 pCi/liter

No. of Tests:

Percentage of Tests: % % % %

Wrightwood

92397

Summary for 'Summary Report Query AddressPostalCode' = 92397 (2 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Summary for 'Summary Report Query City' = Wrightwood (2 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	2	1	0	1
Percentage of Tests:	100.0 %	50.0 %	0.0 %	50.0 %

Yorba Linda

92886

Summary for 'Summary Report Query AddressPostalCode' = 92886 (22 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	22	16	6	0
Percentage of Tests:	100.0 %	72.7 %	27.3 %	0.0 %

92887

Summary for 'Summary Report Query AddressPostalCode' = 92887 (7 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	7	6	0	1
Percentage of Tests:	100.0 %	85.7 %	0.0 %	14.3 %

Summary for 'Summary Report Query City' = Yorba Linda (29 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	29	22	6	1
Percentage of Tests:	100.0 %	75.9 %	20.7 %	3.4 %

Yosemite National Park

95389

Summary for 'Summary Report Query AddressPostalCode' = 95389 (5 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	5	1	3	1
Percentage of Tests:	100.0 %	20.0 %	60.0 %	20.0 %

Summary for 'Summary Report Query City' = Yosemite National Park (5 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	5	1	3	1
Percentage of Tests:	100.0 %	20.0 %	60.0 %	20.0 %

Yountville

94599

Summary for 'Summary Report Query AddressPostalCode' = 94599 (6 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	6	2	2	2
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Summary for 'Summary Report Query City' = Yountville (6 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	6	2	2	2
Percentage of Tests:	100.0 %	33.3 %	33.3 %	33.3 %

Yreka

96097

Summary for 'Summary Report Query AddressPostalCode' = 96097 (10 detail records)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	10	8	2	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Summary for 'Summary Report Query City' = Yreka (10 detail records)

	All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests:	10	8	2	0
Percentage of Tests:	100.0 %	80.0 %	20.0 %	0.0 %

Yuba City

95991

Summary for 'Summary Report Query AddressPostalCode' = 95991 (1 detail record)

	All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests:	1	0	0	1
Percentage of Tests:	100.0 %	0.0 %	0.0 %	100.0 %

95993

Summary for 'Summary Report Query AddressPostalCode' = 95993 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Yuba City (4 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 4	3	0	1
Percentage of Tests: 100.0 %	75.0 %	0.0 %	25.0 %

Yucaipa

92399

Summary for 'Summary Report Query AddressPostalCode' = 92399 (3 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Summary for 'Summary Report Query City' = Yucaipa (3 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 3	3	0	0
Percentage of Tests: 100.0 %	100.0 %	0.0 %	0.0 %

Yucca Valley

92284

Summary for 'Summary Report Query AddressPostalCode' = 92284 (9 detail records)

All Test Results	Results <=2 pCi/liter	Results >2 and <4 pCi/liter	Results >=4 pCi/liter
No. of Tests: 9	7	0	2
Percentage of Tests: 100.0 %	77.8 %	0.0 %	22.2 %

Summary for 'Summary Report Query City' = Yucca Valley (9 detail records)

All Test Results	Tests Results <2 pCi/liter	Tests Results 2-4 pCi/liter	Tests Results >4 pCi/liter
No. of Tests: 9	7	0	2
Percentage of Tests: 100.0 %	77.8 %	0.0 %	22.2 %

Grand Total Number of Tests: 20458